

1100 Falcon Ave.
Glencoe, MN 55336



Tele:320-864-4444
Fax: 320-864-6611


“Your Agent to Product Certifications and Licenses Throughout the World”

August 2, 2002

Graco Inc. & Subsidiaries


Product: Matrix PC TRANSCEIVER REPEATER, and WALL BUSTER: P/N's: 117256, 117257 and 117258

FCC LABEL LOCATION



FCC LABEL TRANSCEIVER P/N: 117256

Graco P/N: 117256
FCC ID: JHI TXX



**Intrinsically safe apparatus for use in Class I, Division 1,
Group D hazardous (classified) Locations per
ANSIUL 913 and CAN/CSA C22.2 No. 157.**

**This device complies with part 15 of the FCC Rules. Operation
is subject to the following two conditions: (1) This device may
not cause harmful interference, and (2) this device must accept
any interference received, including interference that may cause
undesired operation.**

**Ambient temp. range - XX C° to XX C°
Temperature code: T3 enclosure type 3**




**Graco Inc.
P.O. Box 1441
Minneapolis, MN 55440-1441**

Part No: 15B176 Rev. A

FCC LABEL REPEATER P/N: 117257

Graco P/N: 117257

FCC ID: JHI TXX



**Intrinsically safe apparatus for use in Class I, Division 1,
Group D hazardous (classified) Locations per
ANSIUL 913 and CAN/CSA C22.2 No. 157.**

**This device complies with part 15 of the FCC Rules. Operation
is subject to the following two conditions: (1) This device may
not cause harmful interference, and (2) this device must accept
any interference received, including interference that may cause
undesired operation.**

**Ambient temp. range - XX C° to XX C°
Temperature code: T3 enclosure type 3**



**Graco Inc.
P.O. Box 1441
Minneapolis, MN 55440-1441**

Part No: 15B176 Rev. A

FCC LABEL WALL BUSTER P/N: 117258

Graco P/N: 117258

FCC ID: JHI TXXR



Intrinsically safe apparatus for use in Class I, Division 1, Group D hazardous (classified) Locations per ANSILUL 913 and CAN/CSA C22.2 No. 157.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**Ambient temp. range - XX C° to XX C°
Temperature code: T3 enclosure type 3**



**Graco Inc.
P.O. Box 1441
Minneapolis, MN 55440-1441**

Part No: 15B176 Rev. A