




52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877
AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 98 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:20:13



Trace:
Condition: 3m 25-30/2176H HORIZONTAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: LIE

Ref Trace:

Page: 1

	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	27.150	54.24	-----	-----	32.80	20.65	0.79	0.00	Averag

FCC ID: JHP10859A


EA97944

ACS2000-F005



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877
AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 98 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:20:13



Trace:
Condition: 3m 25-30/2176H HORIZONTAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: LIE

Ref Trace:

Page: 1

	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	27.150	54.24	-----	-----	32.80	20.65	0.79	0.00	Averag

FCC ID: JHP10859A

EA97944


ACS2000-F005



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-6639495~7 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 20 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:31:13



Trace:
Condition: FCC PART15 B 3m 2176FACTOR HORIZONTAL
EUT: : TOYHOUSE CART
POWER: DC 9V BATTERY
M/N: : 1C859A
: TX
: LIE


Ref Trace:



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 21 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:33:15



Trace:
Condition: FCC PART15 B 3m 2176FACTOR HORIZONTAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: LIE

Ref Trace:

Page: 1


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	81.450	30.92	-9.08	40.00	18.50	10.11	2.31	0.00	QP
2	135.750	36.79	-6.71	43.50	18.50	15.21	3.08	0.00	QP
3	162.880	34.71	-8.79	43.50	17.10	14.26	3.35	0.00	QP



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 99 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:22:05



Trace:

Condition: 3m 25-30/2176V VERTICAL

EUT: : TOYHOUSE CART

POWER: : DC 9V BATTERY

M/N: : 10859A

: TX

: LIE

Ref Trace:

Page: 1


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	27.150	44.04	-----	-----	22.85	20.40	0.79	0.00	Averag



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 22 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:38:17



Trace:
Condition: FCC PART15 B 3m 2176FACTOR VERTICAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: LIE


Ref Trace:



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 23 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:39:55



Trace:
Condition: FCC PART15 B 3m 2176FACTOR VERTICAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: LIE

Ref Trace:

Page: 1


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	54.300	24.73	-15.27	40.00	10.20	12.84	1.70	0.00	QP



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

Data#: 102 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:27:12



Trace:

Condition: 3m 25-30/2176H HORIZONTAL

EUT: : TOYHOUSE CART

POWER: : DC 9V BATTERY

M/N: : 10859A

: TX

: SIDE

Ref Trace:

Page: 1


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	27.150	53.84	-----	-----	32.40	20.65	0.79	0.00	Averag



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 27 File#: PERFECT.EMI Date: 4-15, 2000 Time: 10:11:19



Trace:
Condition: FCC PART15 B 3m 2176FACTOR HORIZONTAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: SIDE


Ref Trace:



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 28 File#: PERFECT.EMI Date: 4-15, 2000 Time: 10:11:24



Trace:
Condition: FCC PART15 B 3m 2176FACTOR HORIZONTAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: SIDE

Ref Trace:

Page: 1


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	81.450	30.62	-9.38	40.00	18.20	10.11	2.31	0.00	QP
2	135.750	36.39	-7.11	43.50	18.10	15.21	3.08	0.00	QP
3	162.000	36.83	-6.67	43.50	19.20	14.28	3.35	0.00	QP



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 103 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:28:01



Trace:
Condition: 3m 25-30/2176V VERTICAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: SIDE

Ref Trace:

Page: 1


	Freq	Level	Over Limit	Limit Line	Read Level	Probe Factor	Cable Loss	Preamp Factor	Remark
	MHz	dB	dB	dB	dB	dB	dB	dB	
1	27.150	59.59	-----	-----	38.40	20.40	0.79	0.00	Averag



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 29 File#: PERFECT.EMI Date: 4-15, 2000 Time: 10:14:29



Trace:
Condition: FCC PART15 B 3m 2176FACTOR VERTICAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: SIDE


Ref Trace:



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-6639495~7 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 30 File#: PERFECT.EMI Date: 4-15, 2000 Time: 10:18:57



Trace:
Condition: FCC PART15 B 3m 2176FACTOR VERTICAL
EUT: : TOYHOUSE CART
POWER: DC 9V BATTERY
M/N: : 10859A
: TX
: SIDE

Ref Trace:

Page: 1


	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	54.300	31.33	-8.67	40.00	16.80	12.84	1.70	0.00	QP
2	81.450	31.69	-8.31	40.00	16.10	13.28	2.31	0.00	QP



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 101 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:26:10



Trace:

Condition: 3m 25-30/2176H HORIZONTAL

EUT: : TOYHOUSE CART

POWER: : DC 9V BATTERY

M/N: : 10859A

: TX

: STAND

Ref Trace:

Page: 1


	Freq	Level	Over Limit	Limit Line	Read Level	Probe Factor	Cable Loss	Preamp Factor	Remark
	MHz	dB	dB	dB	dB	dB	dB	dB	
1	27.150	55.44	-----	-----	34.00	20.65	0.79	0.00	Averag



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-6639495~7 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 26 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:49:13



Trace:
Condition: FCC PART15 B 3m 2176FACTOR HORIZONTAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: STAND


Ref Trace:



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 107 File#: PERFECT.EMI Date: 2000-08-14 Time: 14:04:18



Trace:
Condition: FCC PART15 B 3m 2176 FACTOR HORIZONTAL
EUT: : TOYHOUSE CART
POWER: DC 9V BATTERY
M/N: : 10859 A
: TX
: STAND

Ref Trace:

Page: 1


	Freq	Level	Over Limit	Limit Line	Read Level	Probe Factor	Cable Loss	Preamplifier Factor	Remark
	MHz	dB	dB	dB	dB	dB	dB	dB	
1	218.180	28.70	-17.30	46.00	10.62	14.29	3.80	0.00	QP
2	284.140	35.78	-10.22	46.00	13.90	17.69	4.20	0.00	QP



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

Data#: 100 File#: PERFECT.EMI Date: 2000-08-12 Time: 18:23:23



Trace:
Condition: 3m 25-30/2176V VERTICAL
EUT: : TOYHOUSE CART
POWER: DC 9V BATTERY
M/N: : 10859A
: TX
: STAND

Ref Trace:

Page: 1


	Freq	Level	Over Limit	Limit Line	Read Level	Probe Factor	Cable Loss	Preamp Factor	Remark
	MHz	dB	dB	dB	dB	dB	dB	dB	
1	27.150	72.09	-----	-----	50.90	20.40	0.79	0.00	Averag



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 24 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:44:18




Trace:
Condition: FCC PART15 B 3m 2176FACTOR VERTICAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: STAND

Ref Trace:



52 Block
Shenzhen Science & Ind. Park, Guangdong
Tel: 0755-66394957 Fax: 0755-6632877
AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 25 File#: PERFECT.EMI Date: 4-15, 2000 Time: 09:47:11



Trace:
Condition: FCC PART15 B 3m 2176 FACTOR VERTICAL
EUT: : TOYHOUSE CART
POWER: : DC 9V BATTERY
M/N: : 10859A
: TX
: STAND

Ref Trace:

Page: 1

	Freq	Level	Over	Limit	Read	Probe	Cable	Preamp	
	MHz	dB	Limit	Line	Level	Factor	Loss	Factor	Remark
			dB	dB	dB	dB	dB	dB	
1	81.450	35.39	-4.61	40.00	19.80	13.28	2.31	0.00	QP
2	135.750	37.48	-6.02	43.50	17.60	16.80	3.08	0.00	QP
3	162.880	36.99	-6.51	43.50	18.20	15.44	3.35	0.00	QP