


Appendix C. Co-location

1. Results of Radiated Emissions for Co-located


Temperature	26°C	Humidity	60%
Test Engineer	Satoshi Yang	Configurations	WiFi + ZigBee + 3G

Horizontal



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	2132.62	40.71	54.00	-13.29	44.95	3.53	27.95	35.72	100	105	HORIZONTAL Average
2	2132.99	45.50	74.00	-28.50	49.74	3.53	27.95	35.72	100	105	HORIZONTAL Peak
3 pp	3803.56	44.51	54.00	-9.49	44.02	4.83	31.39	35.73	174	332	HORIZONTAL Average
4 pk	3803.84	49.58	74.00	-24.42	49.09	4.83	31.39	35.73	174	332	HORIZONTAL Peak

Vertical



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	2132.64	39.64	54.00	-14.36	43.88	3.53	27.95	35.72	108	316	VERTICAL Average
2	2132.94	43.99	74.00	-30.01	48.23	3.53	27.95	35.72	108	316	VERTICAL Peak
3 pp	3804.88	44.54	54.00	-9.46	44.05	4.83	31.39	35.73	162	305	VERTICAL Average
4 pk	3804.88	50.00	74.00	-24.00	49.51	4.83	31.39	35.73	162	305	VERTICAL Peak