

RF Exposure Report Report No.: SABDKG-WTW-P22020072 FCC ID: JNZSR0189 Test Model: SR0189 Received Date: 2022/2/8 Test Date: 2022/3/7 Issued Date: 2022/3/31 Applicant: Logitech Far East Ltd Address: 7700 Gateway Boulevard Newark California United States Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch Hsin Chu Laboratory Lab Address: E-2, No.1, Li Hsin 1st Road, Hsinchu Science Park, Hsinchu City 300, Taiwan Test Location: E-2, No.1, Li Hsin 1st Road, Hsinchu Science Park, Hsinchu City 300, Taiwan FCC Registration / 723255 / TW2022 **Designation Number:**

This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of raise. A failure to raise such issue within the prescribed time shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specification, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification.



Table of Contents

Relea	se Control Record	. 3
1	Certificate of Conformity	. 4
	RF Exposure	
2.2 2.3 2.4	Limits for Maximum Permissible Exposure (MPE) MPE Calculation Formula Classification Antenna Gain Calculation Result	. 5 . 5 . 6



Release Control Record Description Issue No. Date Issued SABDKG-WTW-P22020072 2022/3/31 Original release.



Certificate of Conformity 1

Product:	Bluetooth Audio Receiver
Brand:	logitech
Test Model:	SR0189
Sample Status:	Engineering sample
Applicant:	Logitech Far East Ltd
Test Date:	2022/3/7
Standards:	FCC Part 2 (Section 2.1091)
	KDB 447498 D01 General RF Exposure Guidance v06

The above equipment has been tested by Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

_____,

Prepared by :

, Date: 2022/3/31

Claire Kuan / Specialist

Date: 2022/3/31

Approved by :

May Chen / Manager

Report No.: SABDKG-WTW-P22020072



2 RF Exposure

2.1 Limits for Maximum Permissible Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Average Time (minutes)	
Limits For General Population / Uncontrolled Exposure					
0.3-1.34	614	1.63	(100)*	30	
1.34-30	824/f	2.19/f	(180/f²)*	30	
30-300	27.5	0.073	0.2	30	
300-1500			f/1500	30	
1500-100,000			1.0	30	

f = Frequency in MHz ; *Plane-wave equivalent power density

2.2 MPE Calculation Formula

 $Pd = (Pout^{*}G) / (4^{*}pi^{*}r^{2})$

where

 $Pd = power density in mW/cm^2$

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

2.3 Classification

The antenna of this product, under normal use condition, is at least 20 cm away from the body of the user. So, this device is classified as **Mobile Device**.



2.4 Antenna Gain

Antenna Net Gain (dBi)	Frequency Range (GHz)	Antenna Type	Connector Type		
1.64 2.4~2.4835		Wired Antenna	None		

Note: The above Antenna information is declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications, the laboratory shall not be held responsible.

2.5 Calculation Result

Operation Mode	Evaluation Frequency (MHz)	Max. Average Power (mW)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm ²)	Limit (mW/cm²)	Result
BT-EDR	2402~2480	1.455	1.64	20	0.00042	1	Pass

NOTE:

1. Determining compliance based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

--- END ---