




**[11a]
W52 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:48_5240MHz
Test mode	: 5GHz_W52_11a_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10480.000	H	45.2	10.7	55.9	68.2	12.3	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W53 / Channel Low
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:52 5260MHz
Test mode	: WLAN_11a_W53_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
W53 / Channel Low
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:52_5260MHz
Test mode	: 5GHz_W53_11a_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10520.000	H	44.2	10.8	55.0	68.2	13.2	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W53 / Channel Middle
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:56 5280MHz
Test mode	: WLAN_11a_W53_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
W53 / Channel Middle
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:56_5280MHz
Test mode	: 5GHz_W53_11a_Tx_Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10560.000	H	50.2	10.9	61.1	68.2	7.1	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W53 / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:64 5320MHz
Test mode	: WLAN_11a_W53_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
W53 / Channel High
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:64_5320MHz
Test mode	: 5GHz_W53_11a_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	10640.000	H	44.6	33.1	11.0	55.6	44.1	74.0	54.0	18.4	9.9	100.0	0.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

[11a]
W56 / Channel Low
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:100 5500MHz
Test mode	: WLAN_11a_W56_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
W56 / Channel Low
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:100_5500MHz
Test mode	: 5GHz_W56_11a_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	5464.900	H	49.1	—	11.2	60.3	—	68.2	54.0	7.9	—	100.0	0.0
2	5468.500	V	49.0	—	11.2	60.2	—	68.2	54.0	8.0	—	112.0	45.0
3	11000.000	H	44.5	32.0	11.8	56.3	43.8	74.0	54.0	17.7	10.2	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W56 / Channel Middle
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:116 5580MHz
Test mode	: WLAN_11a_W56_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB (1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
W56 / Channel Middle
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:116_5580MHz
Test mode	: 5GHz_W56_11a_Tx_Middle	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	11160.000	H	44.5	33.0	11.9	56.4	44.9	74.0	54.0	17.6	9.1	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W56 / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:140 5700MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11a]
W56 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:140_5700MHz
Test mode	: 5GHz_W56_11a_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	11400.000	H	43.9	33.0	12.1	56.0	45.1	74.0	54.0	18.0	8.9	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W56 / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:144 5720MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11a]
W56 / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1065
 Serial No. : N/A
 Test mode : 5GHz_W56_11a_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.5[°C] 21.3[%]
 Note1 : ch:144_5720MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	11440.000	H	43.9	32.6	12.0	55.9	44.6	74.0	54.0	18.1	9.4	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:36 5180MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:36_5180MHz
Test mode	: 5GHz_W52_11n(HT20)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10360.000	V	44.9	10.6	55.5	68.2	12.7	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
W52 / Channel Middle
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:40 5200MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel Middle
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:40_5200MHz
Test mode	: 5GHz_W52_11n(HT20)_Tx_Middle	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10400.000	V	43.1	10.7	53.8	68.2	14.4	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1065	Temp,Hum	: 20.9[°C] 31.8[%]
Serial No.	: N/A	Note1	: CH:48 5240MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 21.8[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:48_5240MHz
Test mode	: 5GHz_W52_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10480.000	V	44.5	10.7	55.2	68.2	13.0	100.0	0.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

**[11n(HT20)]
W53 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:52 5260MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



Japan

**[11n(HT20)]
W53 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:52_5260MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10520.000	V	44.1	10.8	54.9	68.2	13.3	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel Middle
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:56 5280MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



Japan

**[11n(HT20)]
W53 / Channel Middle
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:56_5280MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_Middle	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10560.000	V	44.9	10.9	55.8	68.2	12.4	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:64 5320MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart C
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.5[%]
Serial No.	: N/A	Note1	: ch:64_5320MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	10640.000	V	45.3	33.1	11.0	56.3	44.1	74.0	54.0	17.7	9.9	100.0	0.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

[11n(HT20)]
W56 / Channel Low
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:100 5500MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:100_5500MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	5469.900	H	48.8	-----	11.2	60.0	-----	68.2	54.0	8.2	-----	100.0	0.0
2	5464.700	V	49.0	-----	11.2	60.2	-----	68.2	54.0	8.0	-----	208.0	0.0
3	11000.000	V	43.6	32.4	11.8	55.4	44.2	74.0	54.0	18.6	9.8	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel Middle
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:116 5580MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel Middle
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:116_5580MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_Middle	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	11160.000	V	44.6	32.6	11.9	56.5	44.5	74.0	54.0	17.5	9.5	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:140 5700MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:140_5700MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	11400.000	V	43.4	32.9	12.1	55.5	45.0	74.0	54.0	18.5	9.0	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:144 5720MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:144,5720MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]
1	11440.000	V	44.0	32.5	12.0	56.0	44.5	74.0	54.0	18.0	9.5	100.0	0.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

**[11n(HT40)]
W52 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:38 5190MHz
Test mode	: 5GHz_W52_11n(HT40)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT40)]
W52 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart C
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:38_5190MHz
Test mode	: 5GHz_W52_11n(HT40)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10380.000	H	44.4	10.7	55.1	68.2	13.1	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]
W52 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:46 5230MHz
Test mode	: 5GHz_W52_11n(HT40)_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT40)]
W52 / Channel High
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:46_5230MHz
Test mode	: 5GHz_W52_11n(HT40)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10460.000	H	43.4	10.7	54.1	68.2	14.1	100.0	0.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]
W53 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum	: 21.6[°C] 21.3[%]
Serial No.	: N/A	Note1	: CH:54 5270MHz
Test mode	: 5GHz_W53_11n(HT40)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle
	[MHz]	[dB(1/m)]	[cm]	[°]


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11n(HT40)]
W53 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1065	Temp,Hum,Atm	: 22.5[°C] 21.3[%]
Serial No.	: N/A	Note1	: ch:54_5270MHz
Test mode	: 5GHz_W53_11n(HT40)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10540.000	H	43.8	10.8	54.6	68.2	13.6	100.0	0.0

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.