




[11a]
5.3 GHz Band / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11a_W53_Tx_ch:High

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 23.0[°C] 63.7[%]
 Note1 : CH:64 5320MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <19_MHz_Tx_W53_11a_High>
 Peak level(H,PK)
 Peak level(V,PK)

Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
5.3 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11a_Tx_High

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 22.4[°C] 66.2[%]
 Note1 : ch:64_5320MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10640.000	H	46.2	36.0	11.7	57.9	47.7	74.0	54.0	16.1	6.3	100.0	245.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




[11a]
5.6 GHz Band / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11a_W56_Tx_ch:Low

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 23.0[°C] 63.7[%]
 Note1 : CH:100 5500MHz
 Note2 :

[dB(μ V/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <20_MHz_Tx_W56_11a_Low>
 Peak level(H,PK)
 Peak level(V,PK)

Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	---------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
5.6 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11a_Tx_Low

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:100_5500MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading	Reading	c. f	Result	Result	Limit	Limit	Margin	Margin	Height	Angle	Remark
			PK [dB(μV)]	AV [dB(μV)]		PK [dB(μV/m)]	AV [dB(μV/m)]	PK [dB(μV/m)]	AV [dB(μV/m)]		PK [dB]			
1	5466.800	H	49.2	-----	11.8	61.0	-----	68.2	54.0	7.2	-----	200.0	201.0	
2	5468.200	V	49.7	-----	11.8	61.5	-----	68.2	54.0	6.7	-----	200.0	160.0	
3	11000.000	H	46.5	34.6	12.3	58.8	46.9	74.0	54.0	15.2	7.1	100.0	245.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
5.6 GHz Band / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11a_W56_Tx_ch:Mid

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 23.0[°C] 63.7[%]
 Note1 : CH:116 5580MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c. f [dB (1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	--------------------	----------------	---------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
5.6 GHz Band / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11a_Tx_Mid

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:116_5580MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	46.8	34.6	12.3	59.1	46.9	74.0	54.0	14.9	7.1	100.0	259.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
5.6 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 23.0[°C] 63.7[%]
Serial No.	: N/A	Note1	: CH:140 5700MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle	Remark
	[MHz]	[dB (1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
5.6 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11a_Tx_High

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:140_5700MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11400.000	H	45.4	33.2	12.5	57.9	45.7	74.0	54.0	16.1	8.3	100.0	243.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
5.6 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 23.0[°C] 63.7[%]
Serial No.	: N/A	Note1	: CH:144 5720MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P) [MHz]	c. f [dB (1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	--------------------	----------------	---------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11a]
5.6 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11a_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 68.1[%]
 Note1 : ch:144_5720MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11440.000	H	45.8	33.5	12.5	58.3	46.0	74.0	54.0	15.7	8.0	100.0	267.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




[11a]
5.8 GHz Band / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11a_W58_Tx_ch:Low

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 23.0[°C] 63.7[%]
 Note1 : CH:149 5745MHz
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11a]
5.8 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11a_Tx_Low

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 68.1[%]
 Note1 : ch:149_5745MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading		c. f [dB(1/m)]	Result		Limit		Margin		Height [cm]	Angle [°]	Remark
			PK [dB(μV)]	AV [dB(μV)]		PK [dB(μV/m)]	AV [dB(μV/m)]	PK [dB(μV/m)]	AV [dB(μV/m)]	PK [dB]	AV [dB]			
1	5692.500	H	49.6	-----	12.0	61.6	-----	68.2	54.0	6.6	-----	200.0	237.0	
2	5692.900	V	49.5	-----	12.0	61.5	-----	68.2	54.0	6.7	-----	200.0	353.0	
3	11490.000	H	44.7	33.2	12.5	57.2	45.7	74.0	54.0	16.8	8.3	100.0	250.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
5.8 GHz Band / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11a_W58_Tx_ch:Mid

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:157 5785MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	---------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
5.8 GHz Band / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11a_Tx_Mid

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 68.1[%]
 Note1 : ch:157_5785MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11570.000	H	45.9	34.0	12.5	58.4	46.5	74.0	54.0	15.6	7.5	100.0	245.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
5.8 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 22.2[°C] 64.9[%]
Serial No.	: N/A	Note1	: CH:165 5825MHz
Test mode	: WLAN_11a_W58_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P) [MHz]	c. f [dB (1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	--------------------	----------------	---------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11a]
5.8 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11a_Tx_High

Standard : FCC Part.15 subpart C
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 68.1[%]
 Note1 : ch:165_5825MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11650.000	H	46.3	34.4	12.5	58.8	46.9	74.0	54.0	15.2	7.1	100.0	252.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.2 GHz Band / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11n(HT20)_W52_Tx_ch:Low

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:36 5180MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c. f [dB (1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	--------------------	----------------	---------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.