




[11n(HT20)]
5.2 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W52_11n(HT20)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:36_5180MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10360.000	H	46.1	11.2	57.3	68.2	10.9	100.0	268.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.2 GHz Band / Channel Middle
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 22.2[°C] 64.9[%]
Serial No.	: N/A	Note1	: CH:40 5200MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT20)]
5.2 GHz Band / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W52_11n(HT20)_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:40_5200MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10400.000	H	46.1	11.3	57.4	68.2	10.8	100.0	244.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.2 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 22.2[°C] 64.9[%]
Serial No.	: N/A	Note1	: CH:48 5240MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT20)]
5.2 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W52_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:48_5240MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10480.000	H	46.0	11.4	57.4	68.2	10.8	100.0	260.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.3 GHz Band / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT20)_Tx_ch:Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:52 5260MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT20)]
5.3 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11n(HT20)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:52_5260MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10520.000	H	45.5	11.5	57.0	68.2	11.2	100.0	276.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.3 GHz Band / Channel Middle
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 22.2[°C] 64.9[%]
Serial No.	: N/A	Note1	: CH:56 5280MHz
Test mode	: 5GHz_W53_11n(HT20)_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT20)]
5.3 GHz Band / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11n(HT20)_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:56_5280MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10560.000	H	45.1	11.5	56.6	68.2	11.6	100.0	267.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




[11n(HT20)]
5.3 GHz Band / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:64 5320MHz
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	---------------	--------


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT20)]
5.3 GHz Band / Channel High
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1086	Temp,Hum,Atm	: 20.7[°C] 68.7[%]
Serial No.	: N/A	Note1	: ch:64_5320MHz
Test mode	: WLAN_W53_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10640.000	H	45.5	33.7	11.7	57.2	45.4	74.0	54.0	16.8	8.6	100.0	275.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.6 GHz Band / Channel Low
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 22.2[°C] 64.9[%]
Serial No.	: N/A	Note1	: CH:100 5500MHz
Test mode	: 5GHz_W56_11n(HT20)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT20)]
5.6 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT20)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:100_5500MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5466.200	H	49.4		11.8	61.2		68.2	54.0	7.0		100.0	268.0	
2	5467.900	V	49.4		11.8	61.2		68.2	54.0	7.0		100.0	76.0	
3	11000.000	H	46.5	34.6	12.3	58.8	46.9	74.0	54.0	15.2	7.1	100.0	268.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




[11n(HT20)]
5.6 GHz Band / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:Mid

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:116 5580MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <21_MHz_Tx_W56_11n(HT20)_Mid>
 Peak level(H,PK)
 Peak level(V,PK)

Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT20)]
5.6 GHz Band / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT20)_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:116_5580MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	46.6	34.8	12.3	58.9	47.1	74.0	54.0	15.1	6.9	100.0	260.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT20)]
5.6 GHz Band / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:140 5700MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT20)]
5.6 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:140_5700MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11400.000	H	45.8	33.3	12.5	58.3	45.8	74.0	54.0	15.7	8.2	100.0	253.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.