




Japan

[11n(HT40)]
5.6 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:102_5510MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5468.300	H	48.7	-----	11.8	60.5	-----	68.2	54.0	7.7	-----	200.0	308.0	
2	5467.900	V	49.2	-----	11.8	61.0	-----	68.2	54.0	7.2	-----	100.0	10.0	
3	11020.000	H	46.5	33.8	12.3	58.8	46.1	74.0	54.0	15.2	7.9	100.0	252.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT40)]
5.6 GHz Band / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Mid

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:110 5550MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT40)]
5.6 GHz Band / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT40)_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hlum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:110_5550MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11100.000	H	46.8	34.8	12.3	59.1	47.1	74.0	54.0	14.9	6.9	100.0	245.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT40)]
5.6 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 23.3[°C] 65.1[%]
Serial No.	: N/A	Note1	: CH:134 5670MHz
Test mode	: 5GHz_W56_11n(HT40)_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT40)]
5.6 GHz Band / Channel High
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1086	Temp,Hum,Atm	: 21.4[°C] 70.6[%]
Serial No.	: N/A	Note1	: ch:134_5670MHz
Test mode	: WLAN_W56_11n(HT40)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11340.000	H	45.5	33.9	12.4	57.9	46.3	74.0	54.0	16.1	7.7	100.0	268.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT40)]
5.6 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 23.3[°C] 65.1[%]
Serial No.	: N/A	Note1	: CH:142 5710MHz
Test mode	: 5GHz_W56_11n(HT40)_Tx_ch:High	Note2	:



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	---------------	--------


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT40)]
5.6 GHz Band / Channel High
ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1086	Temp,Hum,Atm	: 22.8[°C] 68.1[%]
Serial No.	: N/A	Note1	: ch:142_5710MHz
Test mode	: WLAN_W56_11n(HT40)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11420.000	H	45.2	33.3	12.5	57.7	45.8	74.0	54.0	16.3	8.2	100.0	267.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT40)]
5.8 GHz Band / Channel Low
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 23.3[°C] 65.1[%]
Serial No.	: N/A	Note1	: CH:151 5755MHz
Test mode	: 5GHz_W58_11n(HT40)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency (P)	c. f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT40)]
5.8 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 63.2[%]
 Note1 : ch:151_5755MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading	Reading	c. f	Result	Result	Limit	Limit	Margin	Margin	Height [cm]	Angle [°]	Remark
			PK [dB(μV)]	AV [dB(μV)]		[dB(1/m)]	PK [dB(μV/m)]	AV [dB(μV/m)]	PK [dB(μV/m)]	AV [dB(μV/m)]	PK [dB]			
1	5648.000	H	49.8	-----	11.9	61.7	-----	68.2	54.0	6.5	-----	100.0	337.0	
2	5647.500	V	49.7	-----	11.9	61.6	-----	68.2	54.0	6.6	-----	100.0	315.0	
3	11510.000	H	46.2	32.2	12.5	58.7	44.7	74.0	54.0	15.3	9.3	100.0	248.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT40)]
5.8 GHz Band / Channel High
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Watanabe
Model No.	: EB1086	Temp,Hum	: 23.3[°C] 65.1[%]
Serial No.	: N/A	Note1	: CH:159 5795MHz
Test mode	: 5GHz_W58_11n(HT40)_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11n(HT40)]
5.8 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 63.2[%]
 Note1 : ch:159_5795MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11590.000	H	46.7	32.6	12.5	59.2	45.1	74.0	54.0	14.8	8.9	100.0	243.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




[11ac(VHT80)]
5.2 GHz Band
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W52_11ac(HT80)_Tx

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.3[°C] 65.1[%]
 Note1 : Ch:42_5210MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <07_MHz_Tx_W52_11ac(HT80)>
 Peak level(H,PK)
 Peak level(V,PK)

Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



**[11ac(VHT80)]
5.2 GHz Band
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W52_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:42_5210MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10420.000	H	45.3	11.3	56.6	68.2	11.6	100.0	260.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11ac(VHT80)]
5.3 GHz Band
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11ac(HT80)_Tx

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.3[°C] 65.1[%]
 Note1 : Ch:58_5290MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	-----------------	-----	----------------	-------------	-----------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11ac(VHT80)]
5.3 GHz Band
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:58_5290MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10580.000	H	45.6	11.6	57.2	68.2	11.0	100.0	268.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




[11ac(VHT80)]
5.6 GHz Band / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11ac(HT80)_Tx

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.3[°C] 65.1[%]
 Note1 : Ch:106_5530MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <09_MHz_Tx_W56_11ac(HT80)_Low>
 Peak level(H,PK)
 Peak level(V,PK)

Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.



[11ac(VHT80)]
5.6 GHz Band / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:106_5530MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5468.300	H	50.3	-----	11.8	62.1	-----	68.2	54.0	6.1	-----	100.0	258.0	
2	5467.900	V	49.1	-----	11.8	60.9	-----	68.2	54.0	7.3	-----	100.0	145.0	
3	11060.000	H	46.6	34.8	12.3	58.9	47.1	74.0	54.0	15.1	6.9	100.0	267.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.