

## **KYOCERA** Corporation

2-1-1 Kagahara, Tsuzuki-ku, Yokohama-shi, Kanagawa 224-8502, Japan

## Attestation letter for KYL21(FCCID: JOYKYL21)

We hereby declares this device supports below information,

- a) Submit a channel/frequency plan for this device showing the channels that have active scanning or passive scanning. Active scanning is where the device can transmit a probe (beacon) and passive scanning is where the device is can listen only with no probes.
  - ⇒ Please refer to device description table on the attached page.
- b) Verify that this device does not have ad-hoc mode
  - ⇒ Please refer to device description table on the attached page.
- c) Can this device act as an access point on the non-DFS legacy frequencies (5.15-5.25 MHz)

  Please refer to device description table on the attached page.
- d) For client devices that have software configuration control to operate in different modes (active scanning in some and passive scanning in others) in different bands (devices with multiple equipment classes or those that operate on non-DFS frequencies) or modular devices which configure the modes of operations through software, the application must provide software and operations description on how the software and / or hardware is implemented to ensure that proper operations modes cannot be modified by end user or an installer.
  - ⇒ Please refer to device description table on the attached page and for NII frequencies, this device can operate as a client only.

The client software and associated drivers will not initiate any transmissions on DFS frequencies, which includes the transmissions for beacons, ad-hoc and peer-to-peer modes.

The software is locked by the manufacturer, so the settings cannot be changed or modified by the end user of the device.

Sincerely,

Signature

Responsible Name:

Yoshikazu Yamamoto

Title:

Manager of Quality Assurance Dept.

1/2page

Freq. (MHz)	CH.	Support IEEE802.11 and BW	Active Scan	Passive Scan	Client Only	DFS	Mobile Hop spot	Wi-Fi Direct	Peer to Peer	Ad-hoc	Radar Detection
2412	1			No	No	No	Yes	Yes	Yes	Yes	No
2417	2	802.11b/g/n(HT20) & BW = 20MHz	Yes								
2422	3										
2427	4										
2432	5										
2437	6										
2442	7										
2447	8										
2452	9										
2457	10										
2462	11			<u> </u>		l .	<u> </u>		l .	1	
5180	36	802.11a/n(HT20) & BW=20MHz	Yes	No	Yes	No	No	No	No	No	No
5200	40										
5220	44										
5240	48										
5260	52		No	Yes	Yes	Yes	No	No	No	No	No
5280	56										
5300	60 64										
5320											
5500 5520	100 104		No	Yes	Yes	Yes	No	No	No	No	No
5540	104										
5560	112										
5580	116										
5600	120										
5620	124		N/A								
5640	124	This device does not support these channel.									
5660	132		No	Yes	Yes	Yes	No	No	No	No	No
5680	136										
5700	140										
5190	38	802.11a/n(HT40) & BW=40MHz	Yes	No	Yes	No	No	No	No	No	No
5230	46										
5270	54		No	Yes	Yes	Yes	No	No	No	No	No
5310	62										
5510	102		No	Yes	Yes	Yes	No	No	No	No	No
5550	110										
5590	118		N/A								
5630	126		This device does not support these channel.								
5670	134		No	Yes	Yes	Yes	No	No	No	No	No