

3.00"
(76.2mm)

1.00"
(25.4mm)

LUTRON Coopersburg, PA 18036 USA 844-LUTRON1 • lutron.com

Model | Modelo | Modèle : QSERJ-EDU
 6.0 V $\overline{=}$ 4 W 3 in-lb (0.34 N•m)
 FCC ID: JPZ0147 HVIN: BRJ-B
 IC: 2851A-JPZ0147 CAN ICES-3(B) / NMB ICES-3(B)



This device complies with part 15 FCC of the rules.
 Operation is subject to the following conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received,
 including interference that may cause undesired operation.



1234ABCD

Pats. | Brevets : lutron.com/patents
 Product of U.S.A. with imported parts | Producto de E.U.A. con piezas importadas | Produit des É.-U. avec des pièces importées

LUTRON Coopersburg, PA 18036 USA 844-LUTRON1 • lutron.com

Model | Modelo | Modèle : SYERJ-EDU
 6.0 V $\overline{=}$ 4 W 3 in-lb (0.34 N•m)
 FCC ID: JPZ0147 HVIN: BRJ-B
 IC: 2851A-JPZ0147 CAN ICES-3(B) / NMB ICES-3(B)



This device complies with part 15 FCC of the rules.
 Operation is subject to the following conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received,
 including interference that may cause undesired operation.



1234ABCD

Pats. | Brevets : lutron.com/patents
 Product of U.S.A. with imported parts | Producto de E.U.A. con piezas importadas | Produit des É.-U. avec des pièces importées

LUTRON Coopersburg, PA 18036 USA 844-LUTRON1 • lutron.com

Model | Modelo | Modèle : BYRJ-EDU
 6.0 V $\overline{=}$ 4 W 3 in-lb (0.34 N•m)
 FCC ID: JPZ0147 HVIN: BRJ-B
 IC: 2851A-JPZ0147 CAN ICES-3(B) / NMB ICES-3(B)



This device complies with part 15 FCC of the rules.
 Operation is subject to the following conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received,
 including interference that may cause undesired operation.



1234ABCD

Pats. | Brevets : lutron.com/patents
 Product of U.S.A. with imported parts | Producto de E.U.A. con piezas importadas | Produit des É.-U. avec des pièces importées

Label Specifications:




PRODUCT INFORMATION

THE.RMLfilm SELECT® 21940

Product Description:

THERMLfilm SELECT 21940 is a UL-recognized/CSA-accepted, 2.0 mil gloss topcoated thermal transfer printable, white polyester coated with an aggressive, permanent acrylic adhesive, and backed with a roll form release liner.

- THERMLfilm PM 200 \l,.....2.0 mil gloss white polyester designed for high-performance label applications.
- Use type..... Indoor



Label Specifications:



PRODUCT INFORMATION

THE.THERMLfilm SELECT® 21940


Product Description:

THERMLfilm SELECT 21940 is a UL-recognized/CSA-accepted, 2.0 mil gloss topcoated thermal transfer printable, white polyester coated with an aggressive, permanent acrylic adhesive, and backed with a roll form release liner.

- THERMLfilm PM 200 \,.....2.0 mil gloss white polyester designed for high-performance label applications.
- Use type..... Indoor

Label Placement

Applies to all models



FCC ID: JPZ0147
IC: 2851A-JPZ0147
HVIN: BRJA

LUTRON Coopersburg, PA 18038 USA 844-LUTRON1 • lutron.com


Model | Modelo | Modèle : BYRJ-EDU
 6.5 V ~ 4 W 3 in-lb (0.34 N·m)
 FCC ID: JPZ0147 HVIN: BRJA
 IC: 2851A-JPZ0147

This device complies with part 15 FCC of the rules.
 Operation is subject to the following conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received,
 including interference that may cause undesired operation.
 Pats. | Brevets : lutron.com/patents
 Product of U.S.A. with imported parts | Producto de E.U.A. con piezas importadas | Produit des É.-U. avec des pièces importées

W31 NZ02924

UL LISTED 5016
 DRAPERY OPERATOR

1234ABCD



LABEL
 FCC ID: JPZ0147
 IC: 2851A-JPZ0147
 HVIN: BRJA