

Exhibit: Test Setup Photos

FCC ID: JQU800890 IC: 2665A-800890

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	TÜV
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	SUD






Figure 1 – EUT Close Up - Front

Page 2 of 11 Report Issued: Report File #: 7169014028TS-000	
---	--

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	TÜV
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	SUD



Figure 2 – EUT Close Up – Back

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	





Figure 3 – EUT Close Up – Power Supply Label

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	Τΰν
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	SUD






Figure 4 – Radiated Emissions Setup (<1GHz)

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	





Figure 5 – Radiated Emissions Setup (>1GHz)

Page 6 of 11	Report Issued: 1/25/20241/31/2024	Report File #: 7169014028TS-000	
--------------	-----------------------------------	---------------------------------	--

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	






Figure 6 – Radiated Emissions Setup 9kHz – 30MHz

Page 7 of 11 Report Issued: Report File #: 7169014028TS-000	Page 7 of 11 Report Issued: 1/25/20241/31/2024	Report File #: 7169014028TS-000	
---	--	---------------------------------	--

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	TÜV
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	SUD




Figure 7 – Radiated Emissions Setup 30MHz – 1GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.

Page 8 of 11 Report Issued: 1/25/20241/31/2024	Report File #: 7169014028TS-000
--	---------------------------------

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	S





Figure 8 – Radiated Emissions Setup 1GHz – 6GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Page 9 of 11	Report Issued: 1/25/20241/31/2024	Report File #: 7169014028TS-000	
--------------	-----------------------------------	---------------------------------	--

Client	Kapsch TrafficCom Canada Inc.	
Product	Tag Programmer/Tester T500/T600 Basic Unit	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	





Figure 9 – Radiated Emissions Setup 6GHz – 10GHz

Page 10 of 11 Report Issued: Report File #: 7169014028TS-000	
--	--

Client	Kapsch TrafficCom Canada Inc.	TÜV
Product	Tag Programmer/Tester T500/T600 Basic Unit	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	



Figure 10 – Conducted Emissions Setup