

Client	Kapsch TrafficCom Canada Inc	
Product	JANUS Multi-Protocol RF Module-Smart	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 1: 802356 Radiated emission setup – photo 1


Client	Kapsch TrafficCom Canada Inc	
Product	JANUS Multi-Protocol RF Module-Smart	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 2: 802356 Radiated emission setup - photo 2


Client	Kapsch TrafficCom Canada Inc	
Product	JANUS Multi-Protocol RF Module-Smart	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 3: 802356 Radiated setup - photo 3


Client	Kapsch TrafficCom Canada Inc	
Product	JANUS Multi-Protocol RF Module-Smart	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 4: Antenna conducted emission setup


Client	Kapsch TrafficCom Canada Inc	
Product	JANUS Multi-Protocol RF Module-Smart	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 5: Antenna conducted emission – KTDM setup with circulator


Client	Kapsch TrafficCom Canada Inc	
Product	JANUS Multi-Protocol RF Module-Smart	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 6: Temperature stability setup - photo