


Client	Kapsch TrafficCom Canada Inc	
Product	MRMF-S with External Amplifier (MRMF-SEA)	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	




Illustration 1: 802295A-A Radiated emission setup – photo 1
Note: 4 instances of 802295A-A were present in setup

Client	Kapsch TrafficCom Canada Inc	
Product	MRMF-S with External Amplifier (MRMF-SEA)	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 2: 802295A-A Radiated emission setup - photo 2
Note: 4 instances of 802295A-A were present in setup

Client	Kapsch TrafficCom Canada Inc	
Product	MRMF-S with External Amplifier (MRMF-SEA)	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	




Illustration 3: 802295A-A Radiated setup - photo 3
Note: 4 instances of 802295A-A were present in setup


Client	Kapsch TrafficCom Canada Inc	
Product	MRMF-S with External Amplifier (MRMF-SEA)	
Standard(s)	RSS-137 Issue 2:2009 / FCC Part 90 Subpart M:2014	



Illustration 4: Antenna conducted emission setup