

## **Exhibit D**

## **Equipment ID. Label**


**ACER PERIPHERALS INC.**

**FCC ID.:JVP6693**

**Scanner**

1. A label in the next page will be affixed to the device.





Model : SNAPSCAN 1236-S  
 Rating : 100-240V, 50-60Hz, 0.8A  
 Serial No. :  
 ABC code :  
 FCC ID : JMR6888

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation



AGFA - GEVAERT N.V.  
 SMI, rue Paul 27  
 B 2640 Mortsel

**NOTE:**

1. THE VENDOR MUST BE APPROVED BY UL, CSA, AND PRINTING VENDOR ABBREVIATION ON SPEC.LBL
2. MATERIAL: METALIZED POLYESTER, T=0.05mm/m, SILVER, MATTED  
 (3M 7883 OR EQUIVALENT)  
 THE MATERIAL MUST BE APPROVED BY UL, CSA  
 FACTORY IDENTIFICATION OF CSA MUST BE PRINTED.
3. FINISH : PRINT FRONT SIDE, ADHESIVE BACK  
 TOLERANCE OF DIMENSION:  $+0.0$
4. ADHESIVE: SPEC REFER TO ES-811-R06  
 LETTERS: BLACK

| REV | DESCRIPTION | DATE | NO. OF<br>ISSUES | NO. OF<br>CHANGES |
|-----|-------------|------|------------------|-------------------|
| A   | FIRST ISSUE |      |                  |                   |
|     |             |      |                  |                   |
|     |             |      |                  |                   |
|     |             |      |                  |                   |

| UNITS OR ASSEMBLY |  | NAME                        |  | SPEC LABEL |  |
|-------------------|--|-----------------------------|--|------------|--|
| DRN               |  | MATERIAL                    |  |            |  |
| QSN               |  | FINISH                      |  | QTY        |  |
| CKD               |  |                             |  |            |  |
| APPD              |  | 明基電腦 Acer Peripherals, Inc. |  |            |  |

| SCALE   | DIM IN M.M | STOCK NO. |
|---------|------------|-----------|
| 1-6     | ±0.1       | ±0.8      |
| 6-30    | ±0.2       | ±1.2      |
| 30-100  | ±0.3       | ±2.0      |
| 100-300 | ±0.5       | ±1/2"     |

|                  |              |
|------------------|--------------|
| ASSEMBLY DR. NO. | 40.69801.001 |
| DRAWING NO.      | 40.69801.001 |