





Because it matters


How to open the E-label for TPY11 CPxx01K / TPY11



Open OSD setting system page



Open "About" icon



Open "Regulatory labels"



← Legal Information

Active Pen Model:TPY11

This device with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause operation.

This device complies with RSS210 of Industry Canada. Cet appareil se conforme à RSS210 de Canada d'Industrie. This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Europe   Russia 	U.S. FCC ID: JVPPTY11  UAE TRA REGISTERED NO. XXXXXXXXXX DEALER NO. XXXXXXXXXX	Canada IC: 6175A-TPY11 CAN ICES-3(B)/NMB-3(B)	Taiwan   South Africa  TA-XXXX/YYY APPROVED	Japan  R XXXXXXXXXXXX  Singapore Complies with IMDA Standards DB101054	Vietnam  India ETA No.: XXXXXXXXXXXXX
		Indonesia XXXXXSDPP/XXXX XXXX	Korea  R-R-BQR-TPY11 A/S 연락처: +82 15883866	Singapore Complies with IMDA Standards DB101054	Malaysia  CIDF18000044

Active Pen Model:TPY11

This device with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause operation.

This device complies with RSS210 of Industry Canada. Cet appareil se conforme à RSS210 de Canada d'Industrie. This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Europe




U.S.

FCC ID:JVPTPY11
FC

Canada

IC:6175A-TPY11
CAN ICES-3(B)/NMB-3(B)

Taiwan



Japan




Vietnam




Russia



UAE



Indonesia




South Africa



TA-XXXX/YYYY
APPROVED

Singapore



Australia



Korea



India

ETA No.: XXXXXXXXXXXXXXX

Malaysia





Because it matters