



Your Solutions Partner

JR7Q00292 Antenna Specification

- 1. Antenna Photo / Page 3**
- 2. Electrical Characteristics / Page 4**
- 3. Antenna - S Parameter Test Data / Page 5**
- 4. Antenna - Radiation Pattern Test Data / Page 6. Page 7**
- 5. Mechanical Drawing / Page 8**

Date:2023.01.03



Your Solutions Partner

Antenna Photo

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com



Date:2023.01.03



Your Solutions Partner

Electrical Characteristics

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com

Frequency	2400 ~ 2500 MHz 5150 ~ 5850 MHz
Return loss	>= -7dbm @ 2400 ~ 2500 MHz >= -3 dbm@ 5150 ~ 5850 MHz
Peak Gain	3.0 dBi @ 2400 ~ 2500 MHz 3.5 dBi @ 5150 ~ 5850 MHz
Antenna Type	PIFA
Impedance	50 Ohm
Polarization	Linear
Cable Type	RF-1.13mm
Connector Type	I-PEX
PCB Type	FR4


Date:2023.01.03



Your Solutions Partner

Antenna - S Parameter Test Data

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com




Date:2023.01.03



Your Solutions Partner

Electrical Characteristics-Main Antenna

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com



Frequency (MHz)	2400	2450	2500
Peak Gain (dBi)	0.7	1.1	2.3
Efficiency (%)	55	56	57

Date:2023.01.03



Your Solutions Partner

Electrical Characteristics-Main Antenna

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com



Frequency (MHz)	5150	5250	5350	5470	5600	5725	5785	5850
Peak Gain (dBi)	1.8	2.2	2.2	2.3	2.3	1.4	2.7	2.9
Efficiency (%)	54	57	55	56	60	51	61	63


Date:2023.01.03



Your Solutions Partner

Electrical Characteristics-Aux Antenna

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com



Frequency (MHz)	2400	2450	2500
Peak Gain (dBi)	2.1	2.2	0.8
Efficiency (%)	59	60	57

Date:2023.01.03



Your Solutions Partner

Electrical Characteristics-Aux Antenna

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong He Dist., New Taipei City 23586, Taiwan
TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com



Frequency (MHz)	5150	5250	5350	5470	5600	5725	5785	5850
Peak Gain (dBi)	2.9	2.4	2.8	2.8	2.2	2.1	2.3	2
Efficiency (%)	64	63	58	63	59	55	56	57

Date:2023.01.03




Your Solutions Partner

Mechanical Drawing

VSO Electronics Co., LTD
 7F, No.880 Zhong-Jheng Road, Zhong He Dist., New Taipei City 23586, Taiwan
 TEL : 886-2-3234-3038
 FAX : 886-2-3234-3056
 Web Site : www.vso-corp.com

PAGE:1 OF 1



VSO-QP-07-F11-A

Date:2023.01.03