

40GPS US

**MACON
FECAL
SERIE**

READY TEST

100-1-97785 (Class 2)

WARNING

Forward Safety Distance: 1.5 m

Team _____

Revised August 19, 2002

3. Check back to see if you have any more questions.

Approx. 15 sec. Then 2 minutes

PAJED

Any other information requested.

David A. Lane, MD, PhD, is the
Chair of the Department of

...the ... of ...

11

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

BATTERY TYPE
X-97780

Expiration
year-month

2006 08
2009 09
2010 10



WARNING!

AG

Battery type X-97780 (Class 2)
Temperature range -20°C to +55°C

Test instructions

Compass safety distance: 1.5 m

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

For manual operation only

Tron 40GPS

BEACON
DEAL
HERE

ON READY TEST

Battery type X-97780 (Class 2)

Temperature range: 20°C to 45°C

Test 22

TRAINING

1. *Journal of the American Medical Association*, 1997; 277: 1001-1005.

BATTERY TYPE
4-57702

1. 1.1

50		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	
50		50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50

BATTERY TYPE X-97780

EXP. DATE: 12/2005

EXP. DATE: 12/2006

EXP. DATE: 12/2007

EXP. DATE: 12/2008

EXP. DATE: 12/2009

EXP. DATE: 12/2010

EXP. DATE: 12/2011

EXP. DATE: 12/2012

EXP. DATE: 12/2013

EXP. DATE: 12/2014

EXP. DATE: 12/2015

EXP. DATE: 12/2016

EXP. DATE: 12/2017

EXP. DATE: 12/2018

EXP. DATE: 12/2019

EXP. DATE: 12/2020

EXP. DATE: 12/2021

EXP. DATE: 12/2022

EXP. DATE: 12/2023

EXP. DATE: 12/2024

EXP. DATE: 12/2025

EXP. DATE: 12/2026

EXP. DATE: 12/2027

EXP. DATE: 12/2028

EXP. DATE: 12/2029

EXP. DATE: 12/2030

BATTERY TYPE X-97780

EXP. DATE: 12/2005

EXP. DATE: 12/2006

EXP. DATE: 12/2007

EXP. DATE: 12/2008

EXP. DATE: 12/2009

EXP. DATE: 12/2010

EXP. DATE: 12/2011

EXP. DATE: 12/2012

EXP. DATE: 12/2013

EXP. DATE: 12/2014

EXP. DATE: 12/2015

EXP. DATE: 12/2016

EXP. DATE: 12/2017

EXP. DATE: 12/2018

EXP. DATE: 12/2019

EXP. DATE: 12/2020

EXP. DATE: 12/2021

EXP. DATE: 12/2022

EXP. DATE: 12/2023

EXP. DATE: 12/2024

EXP. DATE: 12/2025

EXP. DATE: 12/2026

EXP. DATE: 12/2027

EXP. DATE: 12/2028

EXP. DATE: 12/2029

EXP. DATE: 12/2030