

PAGE NO. 2 of 17. AMENDED June 5, 2003

LIST OF GENERAL INFORMATION REQUIRED FOR CERTIFICATION

IN ACCORDANCE WITH FCC RULES AND REGULATIONS,
VOLUME II, PART 2 AND TO

90, 95J, Confidentiality

Sub-part 2.1033

(c) (1): NAME AND ADDRESS OF APPLICANT:

Telonics Inc.
932 E. Impala Avenue
Mesa, AZ 85204-6699

MANUFACTURER:

Applicant

(c) (2): FCC ID: JYLMK9A

MODEL NO: MK9A

(c) (3): INSTRUCTION MANUAL(S):

PLEASE SEE ATTACHED EXHIBITS

(c) (4): TYPE OF EMISSION: 1K0PON

(c) (5): FREQUENCY RANGE, MHz: 151.820
151.880
151.940
154.570
154.600

(c) (6): POWER RATING, Watts: Switchable Variable N/A (Fixed)

(c) (7): MAXIMUM POWER RATING, Watts: 2 ERP
(47 CFR FCC Rule 95.639)


DUT RESULTS: Passes Fails

PAGE NO.

16 of 17. AMENDED June 5, 2003

NAME OF TEST:

Frequency Stability (Temperature Variation)

AMBIENT TEMPERATURE: $22^{\circ}\text{C} \pm 3$ 

PERFORMED BY:

David Lee

PAGE NO. 17 of 17. AMENDED June 5, 2003

NAME OF TEST: Necessary Bandwidth and Emission Bandwidth

SPECIFICATION: 47 CFR 2.202(g)

MODULATION = 1K0PON

NECESSARY BANDWIDTH CALCULATION:

MAXIMUM MODULATION (M), kHz	= 0
MAXIMUM DEVIATION (D), kHz	= 0
CONSTANT FACTOR (K)	= 1
NECESSARY BANDWIDTH (B _N), kHz	= (2xM) + (2xDxK)
	= 1K0

PERFORMED BY:


David Lee

END OF TEST REPORT