



(2:1)



(1:1)

	DESIGN		MODEL
		KENWOOD	B72-1472-34

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x -	- - 200 - -
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



CAUTION:
 Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.
 18520

(1:1)

-	-	-	-	AL EVAPORATION SHEET t0.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y60-4050-20	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE 2:1		DESIGNED	CHECKED	APPROVED	PART NAME		-
UNIT : mm					CAUTION LABEL		-
		DATE	2004-09-24	DRAWING NUMBER MMV -		SHEET NO. REL.	-
JIS Z8310-84		KENWOOD		B41-1852-04		1/1 00	-
		KENWOOD CORPORATION					Y

DRWN. DATE 2004-07-29

#

TK-690H-2
FCC ID: K44229201

