



1 | 2 | 3 | 4

TOLERANCE(C)	SYMBOL	REVISION NO.	CODE	ISSUED	DATE
~ 6 ±0.15	△ x -	-	-	-	200 - -
6 ~ 30 ±0.20					
30 ~ 80 ±0.30					
80 ~ 250 ±0.40					
250 ~ 500 ±0.55					




2:1

注記  
NOTES:

- ・ ピク型は B72-1639-\*4 を使用する。  
CUTTING DIE FOR B72-1639-\*4 MUST BE USED.
- ・ 印刷色/PRINTING COLOR  
BLACK (BACKGROUND:SILVER)
- ・ フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.
- ・ フィルムはケンウッドが供給する。  
FILM TO BE SUPPLIED BY KENWOOD.
- ・ 納入形態は、10枚/シートである。  
PER SHEET: 10 PCS

-	-	-	-	アルミ蒸着板 AL EVAPORATION SHEET 銀ツヤ消シ t0.05 FROSTED SILVER t0.05	シール印刷/SEAL PRINTING 裏面強粘着剤処理/ STRONG TACKIFIER ラミネート(ツヤ消シ)/ LAMINATE(FROSTING)	Y52-3280-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME 機種銘板 MODEL NAME-PLATE		-
UNIT	: mm	DATE	2003-07-31	DRAWING NUMBER PART NO.		SHEET NO.	REL.
JIS Z8310-84	<b>KENWOOD</b> KENWOOD CORPORATION	B72-2167-04		1/1	00	S	

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x	
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION. 70700

2:1


注記

NOTES:

- 印刷の詳細はフィルムにより、色は文字：銀艶消し、地：黒とする。  
FOR DETAILS ON PRINTING, REFER TO THE ORIGINAL FILM.  
COLORS SHALL BE AS FOLLOWS:  
LETTERS: FROSTED SILVER, BACKGROUND: BLACK
- フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.
- フィルムはケンウッドが供給する。  
FILM TO BE SUPPLIED BY KENWOOD.
- 納入形態は、10枚/シートである。  
PER SHEET: 10PCS

-	-	-	-	アルミ蒸着板 t0.1 銀ツヤケシ AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷、強粘着剤 ラミネート(ツヤ消シ) SEAL PRINTING STRONG TACKIFIER LAMINATE (FROSTING)	Y50-5520-00	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	STANDARD LABEL	-
UNIT	mm					キカクメイハン	-
	DATE	2001-05-24			DRAWING NUMBER	MMV -	-
JIS Z8310-84	<b>KENWOOD</b>	KENWOOD CORPORATION			PART NO.	SHEET NO. REL.	-
					B42-7070-04	1/1 01	S

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x	
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



WARNING: MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW. 70190

2:1


注記

NOTES:

- ・ 印刷色/PRINTING COLOR  
BLACK (BACKGROUND:SILVER)
- ・ フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.
- ・ フィルムはケンウッドが供給する。  
FILM TO BE SUPPLIED BY KENWOOD.
- ・ 納入形態は、10枚/シートである。  
PER SHEET: 10 PCS

-	-	-	-	アルミ蒸着板 AL EVAPORATION SHEET 銀ツヤ消シ t0.05 FROSTED SILVER t0.05	シール印刷/SEAL PRINTING 裏面強粘着剤処理/ STRONG TACKIFIER ラミネート(ツヤ消レ)/ LAMINATE(FROSTING)	Y52-3270-11	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	規格銘板	-
UNIT	mm	DATE	2000-09-14		PART NO.	STANDARD LABEL	-
					DRAWING NUMBER	MMV -	-
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION		PART NO.	SHEET NO. REL.	-
					B42-7019-04	1/1 00	S

# TS-480SAT



BOTTOM VIEW

**KENWOOD** TS-480SAT  
 HF/50MHz ALL MODE TRANSCEIVER  
 DC13, BV=14A220, 5A  
 KENWOOD CORPORATION  
 S/N.O. MADE IN SINGAPORE 21070

WARNING: MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW. 70160

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING THAT WHICH MAY CAUSE UNRESTRICTED OPERATION. 70160

DESIGN	DATE 2003-08-01	MODEL LABEL LOCATION
	<b>KENWOOD</b>	

KENWOOD CORPORATION