



TOLERANCE (C)	SYMBOL	REVISION NO.	CODE	ISSUED	DATE
~ 6 ±0.15	△ x -	-	-	-	200 - -
6 ~ 30 ±0.20					
30 ~ 80 ±0.30					
80 ~ 250 ±0.40					
250 ~ 500 ±0.55					



2:1

注記  
NOTES:


- ・ ピク型は B72-1639-\*4 を使用する。  
CUTTING DIE FOR B72-1639-\*4 MUST BE USED.
- ・ 印刷色/PRINTING COLOR  
BLACK (BACKGROUND:SILVER)
- ・ フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.
- ・ フィルムはケンウッドが供給する。  
FILM TO BE SUPPLIED BY KENWOOD.
- ・ 納入形態は、10枚/シートである。  
PER SHEET: 10 PCS

-	-	-	-	アルミ蒸着板 AL EVAPORATION SHEET 銀ツヤ消シ t0.05 FROSTED SILVER t0.05	シール印刷/SEAL PRINTING 裏面強粘着剤処理/ STRONG TACKIFIER ラミネート(ツヤ消シ)/ LAMINATE(FROSTING)	Y52-3280-11	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	機種銘板	-
UNIT	: mm				MODEL NAME-PLATE		-
		DATE	2003-07-31	DRAWING NUMBER	PART NO.	SHEET NO.	REL.
JIS Z8310-84	KENWOOD		KENWOOD CORPORATION	B72-2166-04	1/1	00	S

DRWN. DATE 2003-07-31

#

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x	
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION. 70700

2:1


注記

NOTES:

- 印刷の詳細はフィルムにより、色は文字：銀艶消し、地：黒とする。  
FOR DETAILS ON PRINTING, REFER TO THE ORIGINAL FILM.  
COLORS SHALL BE AS FOLLOWS:  
LETTERS: FROSTED SILVER, BACKGROUND: BLACK
- フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.
- フィルムはケンウッドが供給する。  
FILM TO BE SUPPLIED BY KENWOOD.
- 納入形態は、10枚/シートである。  
PER SHEET: 10PCS

-	-	-	-	アルミ蒸着板 t0.1 銀ツヤケシ AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷、強粘着剤 ラミネート(ツヤ消シ) SEAL PRINTING STRONG TACKIFIER LAMINATE (FROSTING)	Y50-5520-00	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	STANDARD LABEL	-
UNIT	mm					キカクメイハン	-
	DATE	2001-05-24			DRAWING NUMBER	MMV -	-
JIS Z8310-84	<b>KENWOOD</b>	KENWOOD CORPORATION			PART NO.	SHEET NO. REL.	-
					B42-7070-04	1/1 01	S

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x	
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



WARNING: MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW. 70190


2:1

注記  
NOTES:

- ・ 印刷色/PRINTING COLOR  
BLACK (BACKGROUND:SILVER)
- ・ フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.
- ・ フィルムはケンウッドが供給する。  
FILM TO BE SUPPLIED BY KENWOOD.
- ・ 納入形態は、10枚/シートである。  
PER SHEET: 10 PCS

-	-	-	-	アルミ蒸着板 AL EVAPORATION SHEET 銀ツヤ消シ t0.05 FROSTED SILVER t0.05	シール印刷/SEAL PRINTING 裏面強粘着剤処理/ STRONG TACKIFIER ラミネート(ツヤ消レ)/ LAMINATE(FROSTING)	Y52-3270-11	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	規格銘板	-
UNIT	mm					STANDARD LABEL	-
		DATE	2000-09-14		DRAWING NUMBER	MMV -	-
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION		PART NO.	SHEET NO. REL.	-
					B42-7019-04	1/1 00	S

TS-480HX



BOTTOM VIEW

DESIGN	DATE 2003-08-01	MODEL
	<b>KENWOOD</b>	LABEL LOCATION

KENWOOD CORPORATION