



1	2	3	4
TOLERANCE (C)	SYMBOL	REVISION NO.	CODE
~ 6 ±0.15	△ x -	-	-
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



2:1

注記

NOTES:


- 印刷色/PRINTING COLOR: BLACK
- 印刷公差/PRINTING TOLERANCE: ±0.5mm
- フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.

-	-	-	-	アルミ蒸着板 t0.1 銀ツヤケシ AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷、強粘着剤 SEAL PRINTING, STRONG TACKIFIER	Y51-5020-10	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME キシユメイハン MODEL NAME PLATE		-
UNIT	mm	DATE	2004-03-31	DRAWING NUMBER PART NO.		SHEET NO.	REL.
JIS Z8310-84	KENWOOD	KENWOOD CORPORATION		B72-2290-04	1/1	00	S

DRWN. DATE 2004-04-06

#

MMV	SYMBOL	REVISION NO.	CORD	ISSUED	DATE
-	△ XALL	42232	NEW ADDITION	S.HASHIMOTO	2001-03-14



CAUTION:  
Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.  
18410

(2:1)

注記

NOTES:

フィルムを用いて印刷を行なう。  
MUST BE PRINTED WITH FILM.

-	-	-	-	アルミ蒸着板 t0.1 銀艶消し AL EVAPORATION SHEET t0.1 FROSTED SILVER	シール印刷、強粘着剤、 ラミネート(艶消し) SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y50-5130-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE 1:1		DESIGNED	CHECKED	APPROVED	PART NAME 注意銘板 CAUTION LABEL		-
UNIT : mm					DRAWING NUMBER PART NO.		-
DATE 2001-03-14		2001-03-14		MMV-		SHEET NO. REL.	-
JIS Z8310-84		KENWOOD		KENWOOD CORPORATION		B41-1841-04 1/1 00	S

