


TOLERANCE (C)	SYMBOL	REVISION NO	ISSUED	DATE
~ 6 ±0.15	X -	-	-	20 - -
6 ~ 30 ±0.20				
30 ~ 80 ±0.30				
80 ~250 ±0.40				
250~500 ±0.55				



MATERIAL LINTEC 100MC PAT 1 (AL EVAPORATION PLATE 10.1 FROSTED SILVER)	PART NAME MODEL NAME PLATE	SCALE 2:1
FINISH SEAL PRINTING(TOKA UV161B) (ac/KS) STRONG TACKIFIER, LAMINATE (FROSTING)	DATE 2014-***	JIS Z8310
		SHEET No. 1/1

37


THIS DEVICE COMPLIES WITH PART 15 OF THE
 FCC RULES. OPERATION IS SUBJECT TO THE
 FOLLOWING TWO CONDITIONS : (1) THIS DEVICE
 MAY NOT CAUSE HARMFUL INTERFERENCE, AND
 (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE
 RECEIVED, INCLUDING INTERFERENCE THAT MAY
 CAUSE UNDESIRE OPERATION. 70700

(2:1)

THIS DEVICE COMPLIES WITH PART 15 OF THE
 FCC RULES. OPERATION IS SUBJECT TO THE
 FOLLOWING TWO CONDITIONS : (1) THIS DEVICE
 MAY NOT CAUSE HARMFUL INTERFERENCE, AND
 (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE
 RECEIVED, INCLUDING INTERFERENCE THAT MAY
 CAUSE UNDESIRE OPERATION. 70700

(1:1)

		MODEL STANDARD LABEL JVCKENWOOD Corporation
--	--	--



(2:1)



(1:1)

		MODEL JVCKENWOOD Corporation	CAUTION STICKER
--	--	--	-----------------

KCH-20R-M
FCC ID: K44473100
IC: 282F-473100



Rear view



Rear view

KCH-20R-M
FCC ID: K44473100
IC: 282F-473100



Top view