

RADIATED SPURIOUS EMISSIONS

420 MHz to 470 MHz Receiver Band, Scanned 30 MHz to 200 MHz

Test Data: Low End of Band 420 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 13:08

Test Spec CISPR 22 Radiated Disturbances


Polarity

H

Stepped Scan (1 Range)

Scan Start: 30 MHz
 Scan Stop: 200 MHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
30.000000 MHz	200.000000 MHz	40.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 420 MHz Field Strength Table, Horiz. Polarity

29 Jan 18 13:08

Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Final Measurement

Meas Time: 1 s
Margin: 25 dB
Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	32.64000000 MHz	10.93	Quasi Peak	-29.07
1	43.56000000 MHz	10.22	Quasi Peak	-29.78
1	145.52000000 MHz	14.83	Quasi Peak	-28.67
1	164.16000000 MHz	15.82	Quasi Peak	-27.68

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 47 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 420 MHz Field Strength Plot, Vert. Polarity



29 Jan 18 13:07


Test Spec: CISPR 22 Radiated Disturbances

Polarity: V

Stepped Scan (1 Range)

Scan Start: 30 MHz
 Scan Stop: 200 MHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
30.000000 MHz	200.000000 MHz	40.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 420 MHz Field Strength Table, Vert. Polarity

29.Jan 18 13:07

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 25 dB
Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	30.520000000 MHz	11.17	Quasi Peak	-28.83
1	41.720000000 MHz	10.76	Quasi Peak	-29.24
1	143.880000000 MHz	14.44	Quasi Peak	-29.06
1	156.720000000 MHz	16.28	Quasi Peak	-27.22

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 49 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 445 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 13:10


Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Stepped Scan (1 Range)

Scan Start: 30 MHz
Scan Stop: 200 MHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
30.000000 MHz	200.000000 MHz	40.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1



RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 445 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 13:10

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s
 Margin: 25 dB
 Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	30.280000000 MHz	10.64	Quasi Peak	-29.36
1	42.840000000 MHz	10.39	Quasi Peak	-29.61
1	103.720000000 MHz	17.90	Quasi Peak	-25.60
1	157.920000000 MHz	16.20	Quasi Peak	-27.30

RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 445 MHz Field Strength Plot, Vert. Polarity



29.Jan 18 13:10


Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Stepped Scan (1 Range)

Scan Start: 30 MHz
Scan Stop: 200 MHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
30.000000 MHz	200.000000 MHz	40.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1



RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 445 MHz Field Strength Table, Vert. Polarity

29.Jan 18 13:10

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 25 dB
Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	33.120000000 MHz	11.75	Quasi Peak	-28.25
1	42.200000000 MHz	10.70	Quasi Peak	-29.30
1	144.040000000 MHz	14.50	Quasi Peak	-29.00
1	146.160000000 MHz	14.96	Quasi Peak	-28.54

Page 2 of 2

RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 470 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 13:13


Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Stepped Scan (1 Range)

Scan Start: 30 MHz
Scan Stop: 200 MHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
30.000000 MHz	200.000000 MHz	40.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 470 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 13:13

Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Final Measurement

Meas Time: 1 s
Margin: 25 dB
Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	36.120000000 MHz	10.64	Quasi Peak	-29.36
1	103.680000000 MHz	17.71	Quasi Peak	-25.79
1	145.360000000 MHz	14.79	Quasi Peak	-28.71
1	160.280000000 MHz	15.76	Quasi Peak	-27.74

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 55 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 470 MHz Field Strength Plot, Vert. Polarity



29.Jan 18 13:12


Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Stepped Scan (1 Range)

Scan Start: 30 MHz
Scan Stop: 200 MHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
30.000000 MHz	200.000000 MHz	40.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 470 MHz Field Strength Table, Vert. Polarity

29 Jan 18 13:12

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 25 dB
Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	36.280000000 MHz	11.65	Quasi Peak	-28.35
1	42.560000000 MHz	10.57	Quasi Peak	-29.43
1	144.600000000 MHz	14.57	Quasi Peak	-28.93
1	162.600000000 MHz	15.78	Quasi Peak	-27.72

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 57 of 107

RADIATED SPURIOUS EMISSIONS

Scanning Receiver Function, Scanned 200 MHz to 1 GHz

Test Data: Field Strength Plot, Horiz. Polarity



29.Jan.18 13:33

Test Spec CISPR 22 Radiated Disturbances


Polarity

H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 µs	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Field Strength Table, Horiz. Polarity

29.Jan 18 13:33

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s

Margin: 20 dB

Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	22.09	Quasi Peak	-23.91
1	760.460000000 MHz	24.17	Quasi Peak	-21.83
1	865.490000000 MHz	25.02	Quasi Peak	-20.98

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 59 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Field Strength Plot, Vert. Polarity



29.Jan 18 13:32


Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
Scan Stop: 1 GHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Field Strength Table, Vert. Polarity

29.Jan 18 13:32

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 2

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	761.090000000 MHz	24.10	Quasi Peak	-21.90
1	959.870000000 MHz	27.37	Quasi Peak	-18.63

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 61 of 107

RADIATED SPURIOUS EMISSIONS

100 kHz to 30 MHz Receiver Band, Scanned 200 MHz to 1 GHz

Test Data: Low End of Band 100 kHz Field Strength Plot, Horiz. Polarity



29.Jan.18 13:41

Test Spec CISPR 22 Radiated Disturbances


Polarity

H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 µs	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 100 kHz Field Strength Table, Horiz. Polarity

29.Jan.18 13:41

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 4

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	20.43	Quasi Peak	-25.57
1	582.920000000 MHz	19.62	Quasi Peak	-26.38
1	758.270000000 MHz	24.10	Quasi Peak	-21.90
1	955.580000000 MHz	27.01	Quasi Peak	-18.99

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 63 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 100 kHz Field Strength Plot, Vert. Polarity



29.Jan 18 13:42


Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
Scan Stop: 1 GHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 100 kHz Field Strength Table, Vert. Polarity

29.Jan 18 13:42

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 2

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	761.270000000 MHz	24.07	Quasi Peak	-21.93
1	957.620000000 MHz	27.13	Quasi Peak	-18.87

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 65 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 15 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 14:13


Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
Scan Stop: 1 GHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1



Page 1 of 2



RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 15 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 14:13

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	22.12	Quasi Peak	-23.88
1	763.460000000 MHz	24.04	Quasi Peak	-21.96
1	956.060000000 MHz	26.98	Quasi Peak	-19.02

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 67 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 15 MHz Field Strength Plot, Vert. Polarity



29.Jan 18 14:14

Test Spec CISPR 22 Radiated Disturbances


Polarity

V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Middle of Band 15 MHz Field Strength Table, Vert. Polarity

29 Jan 18 14:14

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 2

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	701.390000000 MHz	23.69	Quasi Peak	-22.31
1	955.400000000 MHz	26.91	Quasi Peak	-19.09

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 69 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 30 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 13:44


Test Spec: CISPR 22 Radiated Disturbances

Polarity: H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 30 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 13:44

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	21.68	Quasi Peak	-24.32
1	753.170000000 MHz	24.54	Quasi Peak	-21.46
1	955.190000000 MHz	26.86	Quasi Peak	-19.14

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 71 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 30 MHz Field Strength Plot, Vert. Polarity



29.Jan 18 13:43


Test Spec: CISPR 22 Radiated Disturbances

Polarity: V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 30 MHz Field Strength Table, Vert. Polarity

29.Jan 18 13:43

Test Spec CISPR 22 Radiated Disturbances

Polarity

V

Final Measurement

Meas Time: 1 s

Margin: 20 dB

Subranges: 2

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	737.600000000 MHz	22.88	Quasi Peak	-23.12
1	958.940000000 MHz	27.33	Quasi Peak	-18.67

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 73 of 107

RADIATED SPURIOUS EMISSIONS

50 MHz to 54 MHz Receiver Band, Scanned 200 MHz to 1 GHz

Test Data: Low End of Band 50 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 14:11


Test Spec: CISPR 22 Radiated Disturbances

Polarity: H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 50 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 14:11

Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	28.12	Quasi Peak	-17.88
1	759.530000000 MHz	24.08	Quasi Peak	-21.92
1	959.360000000 MHz	27.29	Quasi Peak	-18.71

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 75 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 50 MHz Field Strength Plot, Vert. Polarity



29.Jan 18 14:10


Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
Scan Stop: 1 GHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 50 MHz Field Strength Table, Vert. Polarity

29.Jan 18 14:10

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	584.750000000 MHz	19.74	Quasi Peak	-26.26
1	756.950000000 MHz	24.14	Quasi Peak	-21.86
1	953.780000000 MHz	26.71	Quasi Peak	-19.29

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 77 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 54 MHz Field Strength Plot, Horiz. Polarity



29.Jan 18 13:46


Test Spec CISPR 22 Radiated Disturbances

Polarity
H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
Scan Stop: 1 GHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 54 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 13:46

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	21.61	Quasi Peak	-24.39
1	739.430000000 MHz	23.01	Quasi Peak	-22.99
1	958.850000000 MHz	27.29	Quasi Peak	-18.71

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 79 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 54 MHz Field Strength Plot, Vert. Polarity



29.Jan 18 13:47


Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
Scan Stop: 1 GHz
Detector: Trace 1: MAX PEAK
Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 µs	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: High End of Band 54 MHz Field Strength Table, Vert. Polarity

29.Jan 18 13:47

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 2

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	698.840000000 MHz	23.52	Quasi Peak	-22.48
1	954.650000000 MHz	26.83	Quasi Peak	-19.17

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 81 of 107

RADIATED SPURIOUS EMISSIONS

76 MHz to 154 MHz Receiver Band, Scanned 200 MHz to 1 GHz

Test Data: Low End of Band 76 MHz Field Strength Plot, Horiz. Polarity



29.Jan.18 13:50

Test Spec CISPR 22 Radiated Disturbances


Polarity

H

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μs	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 76 MHz Field Strength Table, Horiz. Polarity

29.Jan 18 13:50

Test Spec CISPR 22 Radiated Disturbances

Polarity

H

Final Measurement

Meas Time: 1 s

Margin: 20 dB

Subranges: 3

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	426.140000000 MHz	28.29	Quasi Peak	-17.71
1	749.090000000 MHz	23.73	Quasi Peak	-22.27
1	956.030000000 MHz	27.03	Quasi Peak	-18.97

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 83 of 107

RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 76 MHz Field Strength Plot, Vert. Polarity



29 Jan 18 13:48


Test Spec: CISPR 22 Radiated Disturbances

Polarity: V

Time Domain Scan (1 Range)

Scan Start: 200 MHz
 Scan Stop: 1 GHz
 Detector: Trace 1: MAX PEAK
 Transducer: TDS_01

Start Frequency	Stop Frequency	Step Size	Res BW	Meas Time	RF Atten	Preamp	Input
200.000000 MHz	1.000000 GHz	30.00 kHz	120.00 kHz	50 μ s	Auto	20 dB	INPUT1





RADIATED SPURIOUS EMISSIONS

Test Data: Low End of Band 76 MHz Field Strength Table, Vert. Polarity

29.Jan 18 13:48

Test Spec CISPR 22 Radiated Disturbances

Polarity
V

Final Measurement

Meas Time: 1 s
Margin: 20 dB
Subranges: 2

Trace	Frequency	Level (dB μ V/m)	Detector	Delta Limit/dB
1	753.350000000 MHz	24.06	Quasi Peak	-21.94
1	959.420000000 MHz	27.33	Quasi Peak	-18.67

Page 2 of 2

Applicant: YAESU MUSEN CO., LTD.
FCC ID: K6603770X30
Report: 112AUT18TestReport_Rev2

[TABLE OF CONTENTS](#)

Page 85 of 107