



	Test Report Serial No.:		011906K66-T714-S90U	Report Issue No.:		S714-022106-R0
	Date(s) of Evaluation:		Jan. 30 - Feb. 01, 2006	Report Issue Date:		February 21, 2006
	Description of Test(s):		RF Exposure      SAR	FCC 47 CFR §2.1093		IC RSS-102 Issue 2


## APPENDIX D - SAR TEST SETUP & DUT PHOTOGRAPHS


Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 50 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

**FACE-HELD SAR TEST SETUP PHOTOGRAPHS**  
**2.5 cm Separation Distance from Front of Radio to Planar Phantom**  
**with Whip Antenna (P/N: ATU-6A) & Li-ion Battery (1150 mAh)**






Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 51 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


FACE-HELD SAR TEST SETUP PHOTOGRAPHS

2.5 cm Separation Distance from Front of Radio to Planar Phantom with Whip Antenna (P/N: ATU-6A) & Li-ion Battery (2000 mAh)






<b>Applicant:</b>	<b>Vertex Standard Co., Ltd.</b>	<b>FCC ID:</b>	<b>K6610584620</b>	<b>IC ID:</b>	<b>511B-10584620</b>	<b>Freq.:</b>	<b>400 - 470 MHz</b>
<b>Model(s):</b>	<b>VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5</b>			<b>Portable FM UHF PTT Radio Transceiver</b>			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 52 of 77




	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

**FACE-HELD SAR TEST SETUP PHOTOGRAPHS**  
**2.5 cm Separation Distance from Front of Radio to Planar Phantom**  
**with Whip Antenna (P/N: ATU-6A) & Li-ion Battery (3000 mAh)**






Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 53 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


FACE-HELD SAR TEST SETUP PHOTOGRAPHS

2.5 cm Separation Distance from Front of Radio to Planar Phantom with Whip Antenna (P/N: ATU-6A) & Alkaline Battery Case



Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 54 of 77






	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

FACE-HELD SAR TEST SETUP PHOTOGRAPHS

2.5 cm Separation Distance from Front of Radio to Planar Phantom


with Whip Antenna (P/N: ATV-6C) & Li-ion Battery (1150 mAh)



<b>Applicant:</b>	<b>Vertex Standard Co., Ltd.</b>	<b>FCC ID:</b>	<b>K6610584620</b>	<b>IC ID:</b>	<b>511B-10584620</b>	<b>Freq.:</b>	<b>400 - 470 MHz</b>
<b>Model(s):</b>	<b>VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5</b>			<b>Portable FM UHF PTT Radio Transceiver</b>			
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 55 of 77







	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


## BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.2 cm Belt-Clip Separation Distance to Planar Phantom  
with Whip Antenna (P/N: ATU-6A), Speaker-Microphone (P/N: MH-65B7A), & Li-ion Battery (2000 mAh)




Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 57 of 77




	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## BODY-WORN SAR TEST SETUP PHOTOGRAPHS


1.2 cm Belt-Clip Separation Distance to Planar Phantom  
with Whip Antenna (P/N: ATU-6A), Speaker-Microphone (P/N: MH-65B7A), & Li-ion Battery (3000 mAh)



Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 58 of 77









	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.0 cm Leather Case & Belt-Loop Separation Distance to Planar Phantom  
with Whip Antenna (P/N: ATU-6A), Speaker-Microphone (P/N: MH-65B7A), & Li-ion Battery  
Leather Case with Belt-Loop Accessory (P/N: LCC-820)







Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 60 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


## BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.0 cm Leather Case & Belt-Loop Separation Distance to Planar Phantom  
with Whip Antenna (P/N: ATU-6C), Speaker-Microphone (P/N: MH-65B7A), & Li-ion Battery  
Leather Case with Belt-Loop Accessory (P/N: LCC-820)



Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 61 of 77



	Test Report Serial No.:	011906K66-T714-S90U		Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006		Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure	SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


## DUT PHOTOGRAPHS




Front of DUT  
Whip Antenna  
(P/N: ATU-6A)



Front of DUT  
Whip Antenna  
(P/N: ATU-6C)

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 62 of 77

	Test Report Serial No.:	011906K66-T714-S90U		Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006		Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure	SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


## DUT PHOTOGRAPHS




Front of DUT with Li-ion Battery Pack



Front of DUT with Alkaline Battery Case

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 63 of 77



	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure    SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS



Back of DUT with  
1150 mAh Li-ion Battery



Back of DUT with  
2000 mAh Li-ion Battery



Back of DUT with  
3000 mAh Li-ion IS Battery



Back of DUT with  
Alkaline Battery Case



Back of DUT with 1150 mAh  
Li-ion Battery & Belt-Clip




Back of DUT with 2000 mAh  
Li-ion Battery & Belt-Clip




Back of DUT with 3000 mAh  
Li-ion IS Battery & Belt-Clip



Back of DUT with Alkaline  
Battery Case & Belt-Clip

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 64 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure    SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS



Bottom end of DUT with  
1150 mAh Li-ion Battery



Bottom end of DUT with  
2000 mAh Li-ion Battery




Bottom end of DUT with  
Alkaline Battery Case




Bottom end of DUT with  
3000 mAh Li-ion IS Battery



Top end of DUT

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 65 of 77



	Test Report Serial No.:	011906K66-T714-S90U		Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006		Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure	SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS




Left Side of DUT with 1150 mAh Li-ion Battery & Belt-Clip




Right Side of DUT with 1150 mAh Li-ion Battery & Belt-Clip



Belt-Clip accessory P/N: CLIP-820 (Plastic with metal spring) with 1150 mAh Li-ion Battery

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 66 of 77



	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure    SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS




Left Side of DUT with 2000 mAh Li-ion Battery & Belt-Clip




Right Side of DUT with 2000 mAh Li-ion Battery & Belt-Clip



Belt-Clip accessory P/N: CLIP-820 (Plastic with metal spring) with 2000 mAh Li-ion Battery

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 67 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure    SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS




Left Side of DUT with 3000 mAh Li-ion IS Battery & Belt-Clip




Right Side of DUT with 3000 mAh Li-ion IS Battery & Belt-Clip



Belt-Clip accessory P/N: CLIP-820 (Plastic with metal spring) with 3000 mAh Li-ion IS Battery

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 68 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS




Left Side of DUT with Alkaline Battery Case & Belt-Clip




Right Side of DUT with Alkaline Battery Case & Belt-Clip



Belt-Clip accessory P/N: CLIP-820 (Plastic with metal spring) with Alkaline Battery Case

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 69 of 77



	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure    SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS



DUT Battery Compartment




Li-ion IS Battery 3000 mAh  
(P/N: FNB-V92LIIS)




Li-ion Battery 2000 mAh  
(P/N: FNB-V87LI)



Li-ion Battery 1150 mAh  
(P/N: FNB-V86LI)

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 70 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure    SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS



Li-ion Battery 1150 mAh  
(P/N: FNB-V86LI)

Li-ion Battery 2000 mAh  
(P/N: FNB-V87LI)


Li-ion IS Battery 3000 mAh  
(P/N: FNB-V92LIIS)




Duracell Procell Alkaline Battery Pack



Alkaline Battery Case (P/N: FBA-34)

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 71 of 77



	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


## DUT PHOTOGRAPHS




Alkaline Battery Case (P/N: FBA-34)



Alkaline Battery Case (P/N: FBA-34)


Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 72 of 77

	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2


## DUT PHOTOGRAPHS




Whip Antenna (P/N: ATU-6A)



Whip Antenna (P/N: ATU-6C)

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 73 of 77





	Test Report Serial No.:	011906K66-T714-S90U	Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006	Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure      SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS



DUT with Speaker-Microphone Accessory (P/N: MH-65B7A)

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 74 of 77

	Test Report Serial No.:	011906K66-T714-S90U		Report Issue No.:	S714-022106-R0
	Date(s) of Evaluation:	Jan. 30 - Feb. 01, 2006		Report Issue Date:	February 21, 2006
	Description of Test(s):	RF Exposure	SAR	FCC 47 CFR §2.1093	IC RSS-102 Issue 2

## DUT PHOTOGRAPHS

Leather Case and Belt-Loop Accessory (P/N: LCC-820)



Front of Leather Case




Back of Leather Case and Belt-Loop



Left Side of Leather Case and Belt-Loop



Right Side of Leather Case and Belt-Loop

Applicant:	Vertex Standard Co., Ltd.	FCC ID:	K6610584620	IC ID:	511B-10584620	Freq.:	400 - 470 MHz
Model(s):	VX-821-G6-5, VX-824-G6-5, VX-829-G6-5, VX-871-G6-5, VX-874-G6-5, VX-879-G6-5			Portable FM UHF PTT Radio Transceiver			
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 75 of 77