



Occupied Bandwidth

CENTER FREQ 449.999 MHz
 SPAN 100 KHz
 REF LEVEL 46.5 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 300 Hz
 VIDEO BW 300 Hz
 SWEEP TIME 5 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	25 kHz
Power Setting	High	Modulation	None


CENTER FREQ 449.999 MHz
 SPAN 100 KHz
 REF LEVEL 46.5 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 300 Hz
 VIDEO BW 300 Hz
 SWEEP TIME 5 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	25 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 485.1 MHz
 SPAN 100 KHz
 REF LEVEL 46.7 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 300 Hz
 VIDEO BW 300 Hz
 SWEEP TIME 5 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	25 kHz
Power Setting	High	Modulation	None


CENTER FREQ 485.099 MHz
 SPAN 100 KHz
 REF LEVEL 46.7 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 300 Hz
 VIDEO BW 300 Hz
 SWEEP TIME 5 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	25 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 519.999 MHz
 SPAN 100 KHz
 REF LEVEL 46.2 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 300 Hz
 VIDEO BW 300 Hz
 SWEEP TIME 5 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	25 kHz
Power Setting	High	Modulation	None


CENTER FREQ 519.999 MHz
 SPAN 100 KHz
 REF LEVEL 46.2 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 300 Hz
 VIDEO BW 300 Hz
 SWEEP TIME 5 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	25 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 449.9994 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	None


CENTER FREQ 449.9995 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 485.0994 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	None


CENTER FREQ 485.0994 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 519.9994 MHz
 SPAN 50 KHz
 REF LEVEL 46.2 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	None


CENTER FREQ 519.9994 MHz
 SPAN 50 KHz
 REF LEVEL 46.2 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 449.9994 MHz
 SPAN 50 KHz
 REF LEVEL 46.5 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	6.25 kHz
Power Setting	High	Modulation	None


CENTER FREQ 449.9994 MHz
 SPAN 50 KHz
 REF LEVEL 46.5 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	6.25 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 485.0993 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	6.25 kHz
Power Setting	High	Modulation	None


CENTER FREQ 485.0993 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	6.25 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 519.9992 MHz
 SPAN 50 KHz
 REF LEVEL 46.1 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	6.25 kHz
Power Setting	High	Modulation	None


CENTER FREQ 519.9992 MHz
 SPAN 50 KHz
 REF LEVEL 46.1 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	6.25 kHz
Power Setting	High	Modulation	Voice


Occupied Bandwidth

CENTER FREQ 449.9985 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	None


CENTER FREQ 449.999 MHz
 SPAN 50 KHz
 REF LEVEL 46.6 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	450 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	Voice-Digital


Occupied Bandwidth

CENTER FREQ 485.0985 MHz
 SPAN 50 KHz
 REF LEVEL 46.7 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	None


CENTER FREQ 485.0991 MHz
 SPAN 50 KHz
 REF LEVEL 46.7 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	485.1 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	Voice-Digital


Occupied Bandwidth

CENTER FREQ 519.9985 MHz
 SPAN 50 KHz
 REF LEVEL 46.3 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	None

CENTER FREQ 519.9989 MHz
 SPAN 50 KHz
 REF LEVEL 46.3 dBm
 /DIV 10 dB/
 ATT 20 dB
 OFFSET 36.8 dB
 RES BW 100 Hz
 VIDEO BW 100 Hz
 SWEEP TIME 30 s
 AVG



Model Name	VX-7200-G7-45	Transmit Frequency	520 MHz
Serial Number	4L000014	Channel Spacing	12.5 kHz
Power Setting	High	Modulation	Voice-Digital