



“mfr” file

Modulation Frequency Response




Modulation Frequency Response




“mlc” file

Modulation Limiting Characteristic



“lpf” file

Audio Low Pass Filter Response



“bw” file

hp

REF 22.0 dBm


AT 40 dB

MKR -10.20 kHz

-1.47 dB

PEAK
LOG
10
dB/

VA VB
SC FC
CORR



FCCID: K7GFV500

CENTER 462.63750 MHz

RES BW 300 Hz

VBW 300 Hz

SPAN 20.00 kHz

SWP 1.00 sec

hp

MKR -10.10 kHz


REF 22.0 dBm

AT 40 dB

-.92 dB

PEAK
LOG
10
dB/

VA VB
SC FC
CORR



CENTER 467.63750 MHz

SPAN 20.00 kHz

#RES BW 300 Hz

VBW 300 Hz

SWP 1.00 sec

FCC ID: K7GFV500

Emission mask
“spurious” file

HP

REF 22.0 dBm

AT 40 dB

PEAK

LOG


10

dB/

VA VB

SC FC

CORR



FCC ID: K7GFV500

CENTER 462.63750 MHz

#RES BW 300 Hz

VBW 300 Hz

SPAN 65.00 kHz

SWP 2.17 sec


hp

REF 22.0 dBm

AT 40 dB

PEAK
LOG
10
dB/

VA VB
SC FC
CORR



FCC ID: K7GFV500

CENTER 467.63750 MHz

SPAN 65.00 kHz

#RES BW 300 Hz

VBW 300 Hz

SWP 2.17 sec