


Plot B2a

MKA: 664 kHz
0.81 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

CF: 2.401056 GHz SPAN: 5.00 MHz
RBW: 30 kHz VBW: 3 MHz SWP: 50 ms

Plot B2b

MKA: 679 kHz
0.29 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF OFS:
0.5 dB

CF: 2.441664 GHz SPAN: 5.00 MHz
RBW: 30 kHz VBW: 3 MHz SWP: 50 ms

Plot B2c

MKA: 671 kHz
-0.92 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank



REF OFS:
0.5 dB

CF: 2.482272 GHz SPAN: 5.00 MHz
RBW: 30 kHz VBW: 3 MHz SWP: 50 ms


MKR: 2.3873 GHz
19.21 dBm

10dB/
ATT: 40dB

A_view
B_plank

Plot B6a.1

REF: 30.5 dBm



REF OFS:
0.5 dB

ST: 1.0 MHz
RBW: 100 kHz


VBW: 300 kHz

SP: 3.0000 GHz
SWP: 1.5 s

MKR: 2.3943 GHz
19.03 dBm 10dB
REF: 30.5 dBm ATT: 40dB

A_view
B_blank

Plot B6a.2




REF OFS:
0.5 dB

ST: 2.0000 GHz SP: 25.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 12 s

Plot B6b.1

MKR: 2.4259 GHz
20.13 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A view
B blank




REF OFS:
0.5 dB

ST: 1.0 MHz SP: 3.0000 GHz
RBW: 100 kHz VBW: 300 kHz SLP: 1.5 s

Plot B6b.2

MKR: 2.4297 GHz
19.69 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
3_plane




REF OFF:
0.5 dB

ST: 2.3000 GHz SP: 25.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 12 s

MKR: 2.4687 GHz
20.46 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

Plot B6c.1
A_view
B_blank




REF OFS:
0.5 dB

ST: 1.0 MHz SP: 3.0000 GHz
RBW: 100 kHz VBN: 300 kHz SWP: 1.5 s

MKR: 2.4946 GHz
20.21 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
3_plane

Plot B6c.2




REF OFS:
0.5 dB

ST: 2.3000 GHz SP: 25.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 12 s

Plot B6d.1

MKA: -1.046 MHz
-48.46 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF. OFS:
0.5 dB

CF: 2.400000 GHz SPAN: 4.00 MHz
RBW: 100 kHz VBW: 300 kHz SWP: 50 ms

MKA: -1.209 MHz
59.89 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank

Plot B6d.2




REF DFS:
0.5 dB

ST: 2.481500 GHz SP: 2.484500 GHz
RBW: 30 KHz VBW: 300 KHz SWP: 50 ms

REF: 30.0 dBm

40dB/
ATT: 40dB

A_write@max
B_blank



ST: 2.39500 GHz

SP: 2.41500 GHz

RBW: 30 kHz


VBW: 100 kHz

SWP: 50 ms

REF: 30.0 dBm

40dB/
ATT: 40dB

A_view
B_blank



ST: 2.41500 GHz


SP: 2.43500 GHz

RBW: 30 kHz

VBW: 100 kHz

SWP: 50 ms

A_view
B_blank




ST: 2.43500 GHz SP: 2.45500 GHz
RBW: 30 kHz VBW: 100 kHz SWP: 50 ms

REF: 30.0 dBm

10dB/
ATT: 40dB

A_view
B_blank



ST: 2.45500 GHz

SP: 2.47500 GHz

RBW: 30 kHz


VBW: 100 kHz

SWP: 50 ms

REF: 30.0 dBm

10dB/
ATT: 40dB

A_view
B_blank



ST: 2.47500 GHz

SP: 2.49500 GHz

RBW: 30 kHz

VBW: 100 kHz


SWP: 50 ms

MKR: 2.401056 GHz
20.06 dBm
REF: 30.5 dBm

10dB/
ATT: 40dB

A_view
B_plank

Plot B1a



REF DFS:
0.5 dB


CF: 2.401056 GHz
RBW: 1 MHz VBW: 3 MHz

SPAN: 5.00 MHz
SWP: 50 ms

MKR: 2.441635 GHz
20.83 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank

Plot B1b



REF OFS:
0.5 dB


CF: 2.441664 GHz
RBW: 1 MHz VBW: 3 MHz

SPAN: 5.00 MHz
SWP: 50 ms

MKR: 2.482258 GHz
21.64 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank

Plot B1c




REF OFS:
0.5 dB

CF: 2.482272 GHz SPAN: 5.00 MHz
RBW: 1 MHz VBW: 3 MHz SWP: 50 ms

MKA: 864 kHz
0.00 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_view

Plot B4




REF OFS:
0.5 dB

CF: 2.401500 GHz SPAN: 5.00 MHz
RBW: 100 kHz VBW: 100 kHz SWP: 50 ms

MKA: 857.4 μ S
-63.38 dB 10dB/
REF: 30.0 dBm ATT: 40dB

View
Blank Plot 5a




CF: 2.44161500 GHz SPAN: 0.000 kHz
RBW: 1 MHz VBW: 1 MHz SWP: 50 ms

Plot 5b

A_view
B_blank

REF: 30.0 dBm
ATT: 40dB



CENTER 2.44161500 GHz
CF: 2.44161500 GHz SPAN: 0.000 kHz
RBW: 1 MHz VBW: 1 MHz SWP: 30 s

Tested By: Hong, Report No.: 0210062


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698





Intertek Testing Services

ETL SEMKO

Report No.: 0210062
Transmit Mode

Tested By: Hong, Report No.: 0210062

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
450k 30M 5k 10k PK 20ms AUTO LN OFF 60dB

Final Measurement
Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.45000	28.8	48.0
0.72000	21.6	48.0
0.77500	19.9	48.0
23.00000	28.5	48.0

* limit
exceeded

Ctrl No.: N/A