


Plot B2a

MKA: 786 kHz
0.55 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

CF: 2.401056 GHz SPAN: 5.00 MHz
RBW: 30 kHz VBW: 3 MHz SWP: 50 ms

Plot B2b

MKA: 657 kHz
-0.51 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

CF: 2.441664 GHz SPAN: 5.00 MHz
RBW: 30 kHz VBW: 3 MHz SWP: 50 ms

Plot B2c

MKA: 671 kHz
-0.88 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF OFS:
0.5 dB

CF: 2.482272 GHz SPAN: 5.00 MHz
RBW: 30 kHz VBW: 3 MHz SWP: 50 ms

Plot B4

MKA: 850 kHz
0.00 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_view




REF OFS:
0.5 dB

CF: 2.401500 GHz SPAN: 5.00 MHz
RBW: 100 kHz VBW: 100 kHz SWP: 50 ms

Plot B1a

MKR: 2.401056 GHz
21.46 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

CF: 2.401056 GHz SPAN: 5.00 MHz
RBW: 1 MHz VBW: 3 MHz SWP: 50 ms

Plot B1b

MKR: 2.441643 GHz
22.19 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF OFS:
0.5 dB

CF: 2.441664 GHz SPAN: 5.00 MHz
RBW: 1 MHz VBW: 3 MHz SWP: 50 ms

Plot B1c

MKR: 2.482293 GHz
22.67 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A view
B blank




REF OFS:
0.5 dB

CF: 2.482272 GHz SPAN: 5.00 MHz
RBW: 1 MHz VBW: 3 MHz SWP: 50 ms

MKA: 857.1 μ s
-66.47 dB 10dB/
REF: 30.0 dBm ATT: 40dB

A_view
B_plank

Plot 5a




CF: 2.44161500 GHz SPAN: 0.000 kHz
RBW: 1 MHz VBW: 1 MHz SWP: 50 ms

REF: 30.0 dBm

10dB/
ATT: 40dB

A_view
B_plank

Plot 5b



CF: 2.44161500 GHz

SPAN: 0.000 kHz

RBW: 1 MHz


VBW: 1 MHz

SWP: 30 s

Plot B6a.1

MKR: 2.3873 GHz
21.82 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

ST: 1.0 MHz SP: 3.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 1.5 s

Plot B6a.2

MKR: 2.3943 GHz
20.24 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF OFS:
0.5 dB

ST: 2.0000 GHz SP: 25.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 12 s

Plot B6b.1

MKR: 2.4259 GHz
20.32 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




ST: 1.0 MHz SP: 3.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 1.5 s

Plot B6b.2

MKR: 2.4297 GHz
21.13 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

ST: 2.3000 GHz SP: 25.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 12 s

Plot B6c.1

MKR: 2.4687 GHz
22.56 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_plank




REF OFS:
0.5 dB

ST: 1.0 MHz SP: 3.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 1.5 s

Plot B6c.2

MKR: 2.4946 GHz
21.42 dBm 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF OFS:
0.5 dB

ST: 2.3000 GHz SP: 25.0000 GHz
RBW: 100 kHz VBW: 300 kHz SWP: 12 s

Plot B6d.1

MKA: -1.046 MHz
-47.21 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A_view
B_blank




REF OFS:
0.5 dB

CF: 2.400000 GHz SPAN: 4.00 MHz
RBW: 100 kHz VBW: 300 kHz SWP: 50 ms

Plot B6d.2

MKA: 1.196 MHz
-57.65 dB 10dB/
REF: 30.5 dBm ATT: 40dB

A view
B plank



REF OFS:
0.5 dB

ST: 2.481500 GHz SP: 2.484500 GHz
RBW: 30 kHz VBW: 300 kHz SWP: 50 ms



Intertek Testing Services

ETL SEMKO

Report No.: 0209870
Talk Mode

Tested By: Hong, Report No.: 0209870

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB


Final Measurement: x QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698





Intertek Testing Services

ETL SEMKO

Report No.: 0209870
Talk Mode

Tested By: Hong, Report No.: 0209870

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement

Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.45000	31.2	48.0
0.69000	25.2	48.0
0.76500	23.7	48.0

* limit exceeded

Ctrl No.: N/A