


Giant (Model: OL2400), Frequency: 2401 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (82°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.179 mW/g, SAR (1g): 0.0962 mW/g, SAR (10g): 0.0503 mW/g, (Worst-case extrapolation)
Penetration depth: 7.9 (7.6, 8.7) [mm]; Powerdrift: 0.02 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2401 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.7 (7.5, 8.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2442 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (82°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.174 mW/g, SAR (1g): 0.0910 mW/g, SAR (10g): 0.0466 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.2, 8.3) [mm]; Powerdrift: -0.10 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2482 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (82°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.176 mW/g, SAR (1g): 0.0901 mW/g, SAR (10g): 0.0450 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (7.0, 8.1) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2401 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (102°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.158 mW/g, SAR (1g): 0.0852 mW/g, SAR (10g): 0.0446 mW/g, (Worst-case extrapolation)
Penetration depth: 7.9 (7.7, 8.5) [mm]; Powerdrift: 0.01 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2401 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.8 (7.6, 8.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2442 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (102°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.163 mW/g, SAR (1g): 0.0847 mW/g, SAR (10g): 0.0429 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.2, 7.9) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2482 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (102°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.154 mW/g, SAR (1g): 0.0825 mW/g, SAR (10g): 0.0425 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.6, 8.5) [mm]; Powerdrift: -0.04 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Giant (Model: OL2400), Frequency: 2401 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (82°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.183 mW/g, SAR (1g): 0.0932 mW/g, SAR (10g): 0.0473 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (7.0, 8.2) [mm]; Powerdrift: -0.18 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Giant (Model: OL2400), Frequency: 2401 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.3 (6.9, 8.2) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Giant (Model: OL2400), Frequency: 2442 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (82°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.176 mW/g, SAR (1g): 0.0919 mW/g, SAR (10g): 0.0473 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.3, 8.3) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Giant (Model: OL2400), Frequency: 2482 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (82°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.174 mW/g, SAR (1g): 0.0890 mW/g, SAR (10g): 0.0450 mW/g, (Worst-case extrapolation)
Penetration depth: 7.2 (6.9, 8.0) [mm]; Powerdrift: -0.09 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Giant (Model: OL2400), Frequency: 2401 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (102°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.163 mW/g, SAR (1g): 0.0859 mW/g, SAR (10g): 0.0442 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.2, 8.1) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2401 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.7 (7.3, 8.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2442 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (102°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.162 mW/g, SAR (1g): 0.0844 mW/g, SAR (10g): 0.0431 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (7.1, 7.8) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2482 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 38.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (102°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.157 mW/g, SAR (1g): 0.0829 mW/g, SAR (10g): 0.0433 mW/g, (Worst-case extrapolation)
Penetration depth: 7.7 (7.4, 8.5) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2401 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 50.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.395 mW/g, SAR (1g): 0.196 mW/g, SAR (10g): 0.0960 mW/g, (Worst-case extrapolation)
Penetration depth: 7.0 (6.8, 7.7) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2401 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 50.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.0 (6.7, 7.7) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2442 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 50.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.339 mW/g, SAR (1g): 0.167 mW/g, SAR (10g): 0.0843 mW/g * Max outside, (Worst-case extrapolation)
Penetration depth: 7.0 (6.7, 7.7) [mm]; Powerdrift: -0.10 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1



Giant (Model: OL2400), Frequency: 2482 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 50.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.296 mW/g, SAR (1g): 0.144 mW/g, SAR (10g): 0.0739 mW/g, (Worst-case extrapolation)
Penetration depth: 7.0 (6.8, 7.7) [mm]; Powerdrift: -0.16 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.1

