


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4389G	58.64	83.54	-24.90	57.04	1	Horizontal	132	1.24	-	37.65	14.24	50.29
AV	18.4373G	45.59	63.54	-17.95	43.99	1	Horizontal	132	1.24	-	37.65	14.24	50.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	59.18	88.20	-29.02	53.42	3	Vertical	110	1.76	-	34.86	5.50	34.60
RMS	5.9018G	48.03	68.20	-20.17	42.33	3	Vertical	110	1.76	-	34.81	5.50	34.61
PK	6.2314G	121.26	Inf	-Inf	114.91	3	Vertical	110	1.76	-	35.17	5.93	34.75
RMS	6.2218G	109.22	Inf	-Inf	102.83	3	Vertical	110	1.76	-	35.21	5.92	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4876G	54.91	74.00	-19.09	42.77	3	Vertical	257	1.96	-	38.76	8.22	34.84
AV	12.4898G	41.42	54.00	-12.58	29.27	3	Vertical	257	1.96	-	38.77	8.22	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45018G	54.35	74.00	-19.65	42.36	3	Horizontal	117	2.63	-	38.65	8.20	34.86
AV	12.44999G	42.82	54.00	-11.18	30.83	3	Horizontal	117	2.63	-	38.65	8.20	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67518G	57.84	83.54	-25.70	55.88	1	Vertical	157	1.30	-	37.95	14.27	50.26
AV	18.67452G	44.31	63.54	-19.23	42.37	1	Vertical	157	1.30	-	37.94	14.27	50.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67451G	57.57	83.54	-25.97	55.63	1	Horizontal	143	1.75	-	37.94	14.27	50.27
AV	18.67675G	44.31	63.54	-19.23	42.35	1	Horizontal	143	1.75	-	37.95	14.27	50.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8812G	58.87	88.20	-29.33	53.30	3	Vertical	105	1.75	-	34.69	5.50	34.62
RMS	5.912G	46.38	68.20	-21.82	40.63	3	Vertical	105	1.75	-	34.85	5.50	34.60
PK	6.374G	119.14	Inf	-Inf	112.62	3	Vertical	105	1.75	-	35.30	6.07	34.85
RMS	6.3674G	107.25	Inf	-Inf	100.73	3	Vertical	105	1.75	-	35.30	6.07	34.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77044G	55.39	88.20	-32.81	42.28	3	Vertical	35	1.80	-	39.11	8.35	34.35
RMS	12.76796G	41.30	68.20	-26.90	28.20	3	Vertical	35	1.80	-	39.10	8.35	34.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76995G	54.90	88.20	-33.30	41.79	3	Horizontal	118	1.53	-	39.11	8.35	34.35
RMS	12.77004G	42.90	68.20	-25.30	29.79	3	Horizontal	118	1.53	-	39.11	8.35	34.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15295G	57.99	83.54	-25.55	55.62	1	Vertical	4	1.42	-	38.22	14.32	50.17
AV	19.1531G	44.93	63.54	-18.61	42.56	1	Vertical	4	1.42	-	38.22	14.32	50.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15357G	57.81	83.54	-25.73	55.44	1	Horizontal	284	2.43	-	38.22	14.32	50.17
AV	19.1537G	44.59	63.54	-18.95	42.22	1	Horizontal	284	2.43	-	38.22	14.32	50.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8818G	58.95	88.20	-29.25	53.37	3	Vertical	111	1.92	-	34.69	5.50	34.61
RMS	5.9106G	47.98	68.20	-20.22	42.24	3	Vertical	111	1.92	-	34.84	5.50	34.60
PK	6.4314G	118.75	Inf	-Inf	112.28	3	Vertical	111	1.92	-	35.30	6.07	34.90
RMS	6.4554G	107.11	Inf	-Inf	100.67	3	Vertical	111	1.92	-	35.32	6.04	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92951G	56.24	88.20	-31.96	42.52	3	Vertical	113	2.93	-	39.36	8.42	34.06
RMS	12.92939G	42.71	68.20	-25.49	28.99	3	Vertical	113	2.93	-	39.36	8.42	34.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92995G	55.92	88.20	-32.28	42.20	3	Horizontal	118	1.56	-	39.36	8.42	34.06
RMS	12.92995G	43.72	68.20	-24.48	30.00	3	Horizontal	118	1.56	-	39.36	8.42	34.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3968G	57.96	83.54	-25.58	55.82	1	Vertical	214	2.65	-	37.92	14.34	50.12
AV	19.39507G	44.79	63.54	-18.75	42.64	1	Vertical	214	2.65	-	37.93	14.34	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39739G	58.12	83.54	-25.42	55.98	1	Horizontal	18	1.20	-	37.92	14.34	50.12
AV	19.39602G	44.50	63.54	-19.04	42.36	1	Horizontal	18	1.20	-	37.92	14.34	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8534G	59.14	88.20	-29.06	53.75	3	Vertical	109	2.06	-	34.52	5.50	34.63
RMS	5.9094G	48.02	68.20	-20.18	42.28	3	Vertical	109	2.06	-	34.84	5.50	34.60
PK	6.5114G	120.41	Inf	-Inf	113.82	3	Vertical	109	2.06	-	35.55	5.99	34.95
RMS	6.5338G	107.71	Inf	-Inf	101.04	3	Vertical	109	2.06	-	35.64	5.97	34.94
PK	7.189G	60.94	88.20	-27.26	52.64	3	Vertical	109	2.06	-	36.96	6.19	34.85
RMS	7.1442G	50.56	68.20	-17.64	42.45	3	Vertical	109	2.06	-	36.78	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08885G	55.78	88.20	-32.42	41.39	3	Vertical	344	3.00	-	39.68	8.49	33.78
RMS	13.08993G	42.47	68.20	-25.73	28.07	3	Vertical	344	3.00	-	39.68	8.49	33.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09028G	55.57	88.20	-32.63	41.17	3	Horizontal	140	1.65	-	39.68	8.49	33.77
RMS	13.08994G	42.60	68.20	-25.60	28.20	3	Horizontal	140	1.65	-	39.68	8.49	33.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63714G	57.76	83.54	-25.78	55.76	1	Vertical	9	1.48	-	37.69	14.36	50.05
AV	19.63347G	44.51	63.54	-19.03	42.51	1	Vertical	9	1.48	-	37.69	14.36	50.05

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63624G	58.02	83.54	-25.52	56.02	1	Horizontal	138	2.06	-	37.69	14.36	50.05
AV	19.63349G	44.50	63.54	-19.04	42.50	1	Horizontal	138	2.06	-	37.69	14.36	50.05

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6418G	116.30	Inf	-Inf	109.41	3	Vertical	112	2.04	-	35.88	5.92	34.91
RMS	6.6418G	106.37	Inf	-Inf	99.48	3	Vertical	112	2.04	-	35.88	5.92	34.91
PK	7.201G	62.19	88.20	-26.01	53.84	3	Vertical	112	2.04	-	37.00	6.20	34.85
RMS	7.1362G	50.72	68.20	-17.48	42.65	3	Vertical	112	2.04	-	36.74	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2988G	57.42	74.00	-16.58	42.25	3	Vertical	218	1.53	-	40.00	8.58	33.41
AV	13.2992G	43.95	54.00	-10.05	28.78	3	Vertical	218	1.53	-	40.00	8.58	33.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2964G	56.55	74.00	-17.45	41.38	3	Horizontal	161	1.03	-	40.00	8.58	33.41
AV	13.299G	44.01	54.00	-9.99	28.84	3	Horizontal	161	1.03	-	40.00	8.58	33.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87666G	58.20	83.54	-25.34	56.26	1	Vertical	351	2.04	-	37.50	14.39	49.95
AV	19.8726G	43.99	63.54	-19.55	42.05	1	Vertical	351	2.04	-	37.50	14.39	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87655G	57.55	83.54	-25.99	55.61	1	Horizontal	4	2.74	-	37.50	14.39	49.95
AV	19.8725G	43.95	63.54	-19.59	42.01	1	Horizontal	4	2.74	-	37.50	14.39	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.727G	117.45	Inf	-Inf	110.33	3	Vertical	103	1.80	-	36.05	5.96	34.89
RMS	6.731G	107.07	Inf	-Inf	99.93	3	Vertical	103	1.80	-	36.06	5.97	34.89
PK	7.189G	61.81	88.20	-26.39	53.51	3	Vertical	103	1.80	-	36.96	6.19	34.85
RMS	7.135G	50.75	68.20	-17.45	42.68	3	Vertical	103	1.80	-	36.74	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4105G	57.54	88.20	-30.66	41.93	3	Vertical	309	2.17	-	40.20	8.63	33.22
RMS	13.40796G	44.00	68.20	-24.20	28.39	3	Vertical	309	2.17	-	40.20	8.63	33.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41105G	57.20	88.20	-31.00	41.58	3	Horizontal	272	1.80	-	40.20	8.63	33.21
RMS	13.4083G	43.66	68.20	-24.54	28.05	3	Horizontal	272	1.80	-	40.20	8.63	33.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11697G	59.19	83.54	-24.35	57.19	1	Vertical	117	2.91	-	37.47	14.45	49.92
AV	20.11734G	45.44	63.54	-18.10	43.44	1	Vertical	117	2.91	-	37.47	14.45	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11472G	59.31	83.54	-24.23	57.31	1	Horizontal	26	2.68	-	37.47	14.45	49.92
AV	20.11325G	45.39	63.54	-18.15	43.39	1	Horizontal	26	2.68	-	37.47	14.45	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.794G	119.22	Inf	-Inf	111.81	3	Vertical	184	1.80	-	36.28	6.00	34.87
RMS	6.7922G	108.19	Inf	-Inf	100.79	3	Vertical	184	1.80	-	36.27	6.00	34.87
PK	7.1792G	61.34	88.20	-26.86	53.08	3	Vertical	184	1.80	-	36.92	6.19	34.85
RMS	7.1432G	50.77	68.20	-17.43	42.67	3	Vertical	184	1.80	-	36.77	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57173G	56.87	88.20	-31.33	40.98	3	Vertical	237	1.80	-	40.27	8.71	33.09
RMS	13.57064G	43.50	68.20	-24.70	27.61	3	Vertical	237	1.80	-	40.27	8.71	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56804G	56.73	88.20	-31.47	40.84	3	Horizontal	156	1.80	-	40.27	8.71	33.09
RMS	13.57061G	43.35	68.20	-24.85	27.46	3	Horizontal	156	1.80	-	40.27	8.71	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35591G	58.15	83.54	-25.39	55.95	1	Vertical	329	2.14	-	37.61	14.56	49.97
AV	20.35319G	44.15	63.54	-19.39	41.95	1	Vertical	329	2.14	-	37.61	14.56	49.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35424G	58.00	83.54	-25.54	55.80	1	Horizontal	40	1.10	-	37.61	14.56	49.97
AV	20.35366G	44.26	63.54	-19.28	42.06	1	Horizontal	40	1.10	-	37.61	14.56	49.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8454G	118.70	Inf	-Inf	111.23	3	Vertical	109	1.87	-	36.30	6.02	34.85
RMS	6.8482G	107.15	Inf	-Inf	99.68	3	Vertical	109	1.87	-	36.30	6.02	34.85
PK	7.1422G	61.69	88.20	-26.51	53.59	3	Vertical	109	1.87	-	36.77	6.17	34.84
RMS	7.1352G	51.08	68.20	-17.12	43.01	3	Vertical	109	1.87	-	36.74	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73184G	60.23	88.20	-27.97	44.09	3	Vertical	41	1.00	-	40.53	8.78	33.17
RMS	13.73094G	46.32	68.20	-21.88	30.18	3	Vertical	41	1.00	-	40.53	8.78	33.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7311G	59.66	88.20	-28.54	43.52	3	Horizontal	298	1.80	-	40.53	8.78	33.17
RMS	13.73052G	46.21	68.20	-21.99	30.07	3	Horizontal	298	1.80	-	40.53	8.78	33.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59318G	58.78	83.54	-24.76	56.30	1	Vertical	58	2.66	-	37.79	14.67	49.98
AV	20.59525G	45.61	63.54	-17.93	43.12	1	Vertical	58	2.66	-	37.80	14.67	49.98

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59722G	58.40	83.54	-25.14	55.91	1	Horizontal	303	2.55	-	37.80	14.67	49.98
AV	20.59543G	45.50	63.54	-18.04	43.01	1	Horizontal	303	2.55	-	37.80	14.67	49.98

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.967G	117.74	Inf	-Inf	110.08	3	Vertical	192	1.82	-	36.40	6.08	34.82
RMS	6.964G	106.16	Inf	-Inf	98.50	3	Vertical	192	1.82	-	36.40	6.08	34.82
PK	7.132G	64.26	88.20	-23.94	56.20	3	Vertical	192	1.82	-	36.73	6.17	34.84
RMS	7.13G	52.33	68.20	-15.87	44.28	3	Vertical	192	1.82	-	36.72	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88875G	60.76	88.20	-27.44	44.29	3	Vertical	223	2.21	-	40.87	8.85	33.25
RMS	13.88948G	47.27	68.20	-20.93	30.80	3	Vertical	223	2.21	-	40.87	8.85	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89192G	60.63	88.20	-27.57	44.15	3	Horizontal	55	1.62	-	40.88	8.85	33.25
RMS	13.89102G	46.98	68.20	-21.22	30.51	3	Horizontal	55	1.62	-	40.87	8.85	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83577G	58.77	83.54	-24.77	55.88	1	Vertical	41	2.49	-	38.04	14.78	49.93
AV	20.83602G	45.35	63.54	-18.19	42.46	1	Vertical	41	2.49	-	38.04	14.78	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83477G	58.81	83.54	-24.73	55.93	1	Horizontal	26	2.18	-	38.03	14.78	49.93
AV	20.8351G	45.39	63.54	-18.15	42.50	1	Horizontal	26	2.18	-	38.04	14.78	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0282G	118.35	Inf	-Inf	110.66	3	Vertical	181	1.79	-	36.40	6.11	34.82
RMS	7.0322G	107.87	Inf	-Inf	100.17	3	Vertical	181	1.79	-	36.40	6.12	34.82
PK	7.137G	73.54	88.20	-14.66	65.46	3	Vertical	181	1.79	-	36.75	6.17	34.84
RMS	7.1306G	58.71	68.20	-9.49	50.66	3	Vertical	181	1.79	-	36.72	6.17	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05104G	60.15	88.20	-28.05	43.74	3	Vertical	343	1.06	-	40.80	8.91	33.30
RMS	14.05156G	46.74	68.20	-21.46	30.33	3	Vertical	343	1.06	-	40.80	8.91	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 27
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05032G	60.43	88.20	-27.77	44.02	3	Horizontal	49	1.99	-	40.80	8.91	33.30
RMS	14.05121G	46.95	68.20	-21.25	30.54	3	Horizontal	49	1.99	-	40.80	8.91	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07546G	58.08	83.54	-25.46	54.93	1	Vertical	143	1.99	-	38.17	14.88	49.90
AV	21.07553G	44.87	63.54	-18.67	41.72	1	Vertical	143	1.99	-	38.17	14.88	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07736G	58.42	83.54	-25.12	55.27	1	Horizontal	75	2.08	-	38.17	14.88	49.90
AV	21.07557G	44.75	63.54	-18.79	41.60	1	Horizontal	75	2.08	-	38.17	14.88	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8026G	59.85	88.20	-28.35	53.67	3	Vertical	117	1.71	-	34.21	6.90	34.93
RMS	5.9242G	48.95	68.20	-19.25	42.41	3	Vertical	117	1.71	-	34.50	6.96	34.92
PK	6.1098G	121.36	Inf	-Inf	114.34	3	Vertical	117	1.71	-	34.90	7.05	34.93
RMS	6.1818G	106.42	Inf	-Inf	99.30	3	Vertical	117	1.71	-	34.96	7.09	34.93

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3667G	55.77	74.00	-18.23	41.38	3	Vertical	221	2.65	-	38.70	10.18	34.49
AV	12.37162G	42.31	54.00	-11.69	27.91	3	Vertical	221	2.65	-	38.70	10.19	34.49

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36994G	56.65	74.00	-17.35	42.26	3	Horizontal	153	2.01	-	38.70	10.18	34.49
AV	12.37002G	45.65	54.00	-8.35	31.25	3	Horizontal	153	2.01	-	38.70	10.19	34.49

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55146G	46.05	74.00	-27.95	44.31	1	Vertical	163	1.19	-	37.77	14.26	50.29
AV	18.5521G	33.10	54.00	-20.90	31.36	1	Vertical	163	1.19	-	37.77	14.26	50.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55228G	45.77	83.54	-37.77	44.03	1	Horizontal	275	1.59	-	37.77	14.26	50.29
AV	18.55344G	33.09	63.54	-30.45	31.35	1	Horizontal	275	1.59	-	37.77	14.26	50.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	58.75	88.20	-29.45	52.22	3	Vertical	62	1.79	-	34.49	6.96	34.92
RMS	5.873G	48.53	68.20	-19.67	42.12	3	Vertical	62	1.79	-	34.40	6.94	34.93
PK	6.351G	115.16	Inf	-Inf	108.15	3	Vertical	62	1.79	-	34.70	7.25	34.94
RMS	6.353G	105.28	Inf	-Inf	98.26	3	Vertical	62	1.79	-	34.71	7.25	34.94

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69134G	55.26	74.00	-18.74	40.20	3	Vertical	79	2.65	-	38.78	10.35	34.07
AV	12.69194G	42.57	54.00	-11.43	27.51	3	Vertical	79	2.65	-	38.78	10.35	34.07

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68992G	58.05	74.00	-15.95	43.00	3	Horizontal	146	1.96	-	38.78	10.34	34.07
AV	12.68994G	45.77	54.00	-8.23	30.72	3	Horizontal	146	1.96	-	38.78	10.34	34.07

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0327G	46.14	74.00	-27.86	43.67	1	Vertical	1	1.47	-	38.36	14.30	50.19
AV	19.03914G	33.58	54.00	-20.42	31.12	1	Vertical	1	1.47	-	38.35	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0359G	46.42	74.00	-27.58	43.95	1	Horizontal	202	2.09	-	38.36	14.30	50.19
AV	19.0337G	33.49	54.00	-20.51	31.02	1	Horizontal	202	2.09	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 27
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	58.88	88.20	-29.32	52.48	3	Vertical	64	1.68	-	34.40	6.93	34.93
RMS	5.8806G	48.49	68.20	-19.71	42.08	3	Vertical	64	1.68	-	34.40	6.94	34.93
PK	6.5106G	112.15	Inf	-Inf	105.11	3	Vertical	64	1.68	-	34.70	7.30	34.96
RMS	6.4966G	103.44	Inf	-Inf	96.40	3	Vertical	64	1.68	-	34.69	7.30	34.95
PK	7.1322G	60.31	88.20	-27.89	52.03	3	Vertical	64	1.68	-	35.96	7.67	35.35
RMS	7.2022G	50.89	68.20	-17.31	42.35	3	Vertical	64	1.68	-	36.21	7.70	35.37

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9798G	56.52	88.20	-31.68	40.36	3	Vertical	35	2.06	-	39.26	10.49	33.59
RMS	13.0594G	44.41	68.20	-23.79	27.98	3	Vertical	35	2.06	-	39.42	10.53	33.52

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




07/01/2021

EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00706G	57.85	88.20	-30.35	41.59	3	Horizontal	143	1.94	-	39.31	10.50	33.55
RMS	13.00994G	46.65	68.20	-21.55	30.38	3	Horizontal	143	1.94	-	39.32	10.50	33.55

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51676G	46.89	74.00	-27.11	44.84	1	Vertical	133	2.34	-	37.79	14.35	50.09
AV	19.51626G	33.74	54.00	-20.26	31.69	1	Vertical	133	2.34	-	37.79	14.35	50.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.515G	46.69	74.00	-27.31	44.64	1	Horizontal	17	1.35	-	37.79	14.35	50.09
AV	19.51646G	33.81	54.00	-20.19	31.76	1	Horizontal	17	1.35	-	37.79	14.35	50.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6298G	114.69	Inf	-Inf	107.29	3	Vertical	63	1.79	-	35.12	7.33	35.05
RMS	6.6342G	105.16	Inf	-Inf	97.74	3	Vertical	63	1.79	-	35.14	7.33	35.05
PK	7.193G	61.08	88.20	-27.12	52.56	3	Vertical	63	1.79	-	36.19	7.70	35.37
RMS	7.2128G	51.05	68.20	-17.15	42.42	3	Vertical	63	1.79	-	36.28	7.72	35.37

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3002G	58.00	74.00	-16.00	40.79	3	Vertical	5	1.01	-	39.90	10.65	33.34
AV	13.306G	45.35	54.00	-8.65	28.13	3	Vertical	5	1.01	-	39.91	10.65	33.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3108G	57.87	74.00	-16.13	40.63	3	Horizontal	28	2.69	-	39.92	10.66	33.34
AV	13.3798G	45.29	54.00	-8.71	27.83	3	Horizontal	28	2.69	-	40.06	10.69	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99102G	47.71	74.00	-26.29	45.80	1	Vertical	110	2.89	-	37.41	14.40	49.90
AV	19.99716G	34.54	54.00	-19.46	32.64	1	Vertical	110	2.89	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99282G	48.01	74.00	-25.99	46.10	1	Horizontal	260	2.99	-	37.41	14.40	49.90
AV	19.99974G	34.34	54.00	-19.66	32.44	1	Horizontal	260	2.99	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 27
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8106G	117.35	Inf	-Inf	109.50	3	Vertical	62	1.94	-	35.52	7.51	35.18
RMS	6.8154G	106.70	Inf	-Inf	98.84	3	Vertical	62	1.94	-	35.53	7.51	35.18
PK	7.209G	60.53	88.20	-27.67	51.94	3	Vertical	62	1.94	-	36.25	7.71	35.37
RMS	7.225G	51.10	68.20	-17.10	42.38	3	Vertical	62	1.94	-	36.35	7.74	35.37

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




07/01/2021

EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6252G	60.08	88.20	-28.12	42.16	3	Vertical	355	2.32	-	40.35	10.81	33.24
RMS	13.6246G	47.58	68.20	-20.62	29.65	3	Vertical	355	2.32	-	40.35	10.81	33.23

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




07/01/2021

EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6354G	60.15	88.20	-28.05	42.20	3	Horizontal	229	1.54	-	40.37	10.82	33.24
RMS	13.636G	47.60	68.20	-20.60	29.65	3	Horizontal	229	1.54	-	40.37	10.82	33.24

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4718G	49.12	74.00	-24.88	46.82	1	Vertical	53	2.78	-	37.68	14.61	49.99
AV	20.47308G	35.67	54.00	-18.33	33.37	1	Vertical	53	2.78	-	37.68	14.61	49.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47992G	48.59	74.00	-25.41	46.28	1	Horizontal	256	1.49	-	37.69	14.62	50.00
AV	20.47434G	35.69	54.00	-18.31	33.39	1	Horizontal	256	1.49	-	37.68	14.61	49.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.026G	114.62	Inf	-Inf	106.69	3	Vertical	65	1.80	-	35.65	7.61	35.33
RMS	6.975G	103.94	Inf	-Inf	96.00	3	Vertical	65	1.80	-	35.65	7.59	35.30
PK	7.142G	74.89	88.20	-13.31	66.53	3	Vertical	65	1.80	-	36.04	7.67	35.35
RMS	7.126G	58.65	68.20	-9.55	50.43	3	Vertical	65	1.80	-	35.91	7.66	35.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




06/01/2021

EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.975G	61.67	88.20	-26.53	43.06	3	Vertical	130	2.59	-	40.95	10.99	33.33
RMS	14.0102G	48.66	68.20	-19.54	29.98	3	Vertical	130	2.59	-	41.02	11.01	33.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.007G	61.05	88.20	-27.15	42.39	3	Horizontal	66	1.52	-	41.01	11.00	33.35
RMS	14.0188G	48.74	68.20	-19.46	30.05	3	Horizontal	66	1.52	-	41.04	11.01	33.36

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95898G	49.44	74.00	-24.56	46.36	1	Vertical	357	2.35	-	38.16	14.83	49.91
AV	20.95384G	36.24	54.00	-17.76	33.17	1	Vertical	357	2.35	-	38.15	14.83	49.91

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



EUT Y_4TX
Setting 27
03-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95374G	48.76	74.00	-25.24	45.69	1	Horizontal	192	1.53	-	38.15	14.83	49.91
AV	20.95348G	36.17	54.00	-17.83	33.10	1	Horizontal	192	1.53	-	38.15	14.83	49.91




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	RMS	7.125G	68.08	68.20	-0.12	3	Vertical	253	1.80	-

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	57.81	88.20	-30.39	52.20	3	Vertical	206	1.68	-	34.65	5.50	34.54
RMS	5.92G	47.10	68.20	-21.10	41.27	3	Vertical	206	1.68	-	34.88	5.50	34.55
PK	6.113G	121.34	Inf	-Inf	114.91	3	Vertical	206	1.68	-	35.27	5.73	34.57
RMS	6.124G	111.66	Inf	-Inf	105.23	3	Vertical	206	1.68	-	35.25	5.75	34.57

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2304G	53.94	74.00	-20.06	41.81	3	Vertical	352	2.64	-	38.47	8.10	34.44
AV	12.23108G	40.25	54.00	-13.75	28.12	3	Vertical	352	2.64	-	38.47	8.10	34.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22888G	54.41	74.00	-19.59	42.28	3	Horizontal	6	1.82	-	38.47	8.10	34.44
AV	12.22988G	40.24	54.00	-13.76	28.11	3	Horizontal	6	1.82	-	38.47	8.10	34.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34664G	59.49	83.54	-24.05	57.95	1	Vertical	45	1.80	-	37.58	14.23	50.27
AV	18.3436G	45.85	63.54	-17.69	44.32	1	Vertical	45	1.80	-	37.57	14.23	50.27

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34904G	59.12	83.54	-24.42	57.58	1	Horizontal	304	1.81	-	37.58	14.23	50.27
AV	18.34956G	45.76	63.54	-17.78	44.22	1	Horizontal	304	1.81	-	37.58	14.23	50.27

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	57.42	88.20	-30.78	51.57	3	Vertical	190	1.80	-	34.90	5.50	34.55
RMS	5.925G	46.96	68.20	-21.24	41.11	3	Vertical	190	1.80	-	34.90	5.50	34.55
PK	6.2454G	120.78	Inf	-Inf	114.28	3	Vertical	190	1.80	-	35.12	5.95	34.57
RMS	6.247G	111.04	Inf	-Inf	104.55	3	Vertical	190	1.80	-	35.11	5.95	34.57

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50012G	54.76	74.00	-19.24	42.05	3	Vertical	280	2.86	-	38.80	8.23	34.32
AV	12.51664G	40.61	54.00	-13.39	27.87	3	Vertical	280	2.86	-	38.80	8.23	34.29

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51156G	54.20	74.00	-19.80	41.47	3	Horizontal	334	2.14	-	38.80	8.23	34.30
AV	12.51068G	40.55	54.00	-13.45	27.82	3	Horizontal	334	2.14	-	38.80	8.23	34.30

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.75852G	56.63	83.54	-26.91	54.54	1	Vertical	208	1.85	-	38.06	14.28	50.25
AV	18.77488G	43.06	63.54	-20.48	40.95	1	Vertical	208	1.85	-	38.08	14.28	50.25

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.77472G	56.35	83.54	-27.19	54.24	1	Horizontal	37	1.82	-	38.08	14.28	50.25
AV	18.75624G	43.13	63.54	-20.41	41.04	1	Horizontal	37	1.82	-	38.06	14.28	50.25

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	57.10	88.20	-31.10	51.37	3	Vertical	189	1.80	-	34.77	5.50	34.54
RMS	5.9086G	47.04	68.20	-21.16	41.26	3	Vertical	189	1.80	-	34.83	5.50	34.55
PK	6.4054G	119.69	Inf	-Inf	112.86	3	Vertical	189	1.80	-	35.30	6.09	34.56
RMS	6.4222G	109.97	Inf	-Inf	103.14	3	Vertical	189	1.80	-	35.30	6.08	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82852G	54.60	88.20	-33.60	40.77	3	Vertical	158	1.69	-	39.23	8.37	33.77
RMS	12.82664G	41.00	68.20	-27.20	27.17	3	Vertical	158	1.69	-	39.23	8.37	33.77

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83052G	54.87	88.20	-33.33	41.03	3	Horizontal	134	1.92	-	39.23	8.37	33.76
RMS	12.82076G	41.10	68.20	-27.10	27.29	3	Horizontal	134	1.92	-	39.22	8.37	33.78

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2494G	58.02	83.54	-25.52	55.75	1	Vertical	307	1.81	-	38.10	14.32	50.15
AV	19.23848G	43.90	63.54	-19.64	41.62	1	Vertical	307	1.81	-	38.11	14.32	50.15

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24376G	57.85	83.54	-25.69	55.57	1	Horizontal	336	1.84	-	38.11	14.32	50.15
AV	19.2546G	43.99	63.54	-19.55	41.72	1	Horizontal	336	1.84	-	38.09	14.33	50.15

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	57.60	88.20	-30.60	51.76	3	Vertical	191	1.89	-	34.89	5.50	34.55
RMS	5.8854G	47.07	68.20	-21.13	41.40	3	Vertical	191	1.89	-	34.71	5.50	34.54
PK	6.4446G	119.84	Inf	-Inf	113.03	3	Vertical	191	1.89	-	35.30	6.06	34.55
RMS	6.4422G	110.90	Inf	-Inf	104.09	3	Vertical	191	1.89	-	35.30	6.06	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.867G	54.73	88.20	-33.47	40.77	3	Vertical	305	1.97	-	39.27	8.39	33.70
RMS	12.87176G	40.93	68.20	-27.27	26.97	3	Vertical	305	1.97	-	39.27	8.39	33.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87272G	54.05	88.20	-34.15	40.08	3	Horizontal	128	2.33	-	39.27	8.39	33.69
RMS	12.87004G	40.97	68.20	-27.23	27.01	3	Horizontal	128	2.33	-	39.27	8.39	33.70

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3074G	57.56	83.54	-25.98	55.34	1	Vertical	156	1.76	-	38.03	14.33	50.14
AV	19.3086G	43.86	63.54	-19.68	41.64	1	Vertical	156	1.76	-	38.03	14.33	50.14

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30068G	58.09	83.54	-25.45	55.86	1	Horizontal	256	1.63	-	38.04	14.33	50.14
AV	19.30924G	43.96	63.54	-19.58	41.74	1	Horizontal	256	1.63	-	38.03	14.33	50.14

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9056G	56.81	88.20	-31.39	51.04	3	Vertical	189	1.79	-	34.82	5.50	34.55
RMS	5.916G	47.08	68.20	-21.12	41.27	3	Vertical	189	1.79	-	34.86	5.50	34.55
PK	6.4802G	122.29	Inf	-Inf	115.40	3	Vertical	189	1.79	-	35.42	6.02	34.55
RMS	6.4828G	110.12	Inf	-Inf	103.22	3	Vertical	189	1.79	-	35.43	6.02	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95122G	55.43	88.20	-32.77	41.16	3	Vertical	185	1.11	-	39.40	8.43	33.56
RMS	12.94904G	41.91	68.20	-26.29	27.65	3	Vertical	185	1.11	-	39.40	8.43	33.57

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94796G	55.46	88.20	-32.74	41.20	3	Horizontal	121	1.90	-	39.40	8.43	33.57
RMS	12.95312G	42.00	68.20	-26.20	27.72	3	Horizontal	121	1.90	-	39.41	8.43	33.56

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43324G	57.77	83.54	-25.77	55.66	1	Vertical	108	1.80	-	37.88	14.34	50.11
AV	19.42956G	44.31	63.54	-19.23	42.20	1	Vertical	108	1.80	-	37.88	14.34	50.11

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41832G	58.05	83.54	-25.49	55.93	1	Horizontal	206	1.86	-	37.90	14.34	50.12
AV	19.4302G	44.31	63.54	-19.23	42.20	1	Horizontal	206	1.86	-	37.88	14.34	50.11

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8374G	57.00	88.20	-31.20	51.57	3	Vertical	188	1.86	-	34.45	5.50	34.52
RMS	5.9046G	47.11	68.20	-21.09	41.34	3	Vertical	188	1.86	-	34.82	5.50	34.55
PK	6.5206G	119.18	Inf	-Inf	112.17	3	Vertical	188	1.86	-	35.58	5.98	34.55
RMS	6.5234G	109.65	Inf	-Inf	102.63	3	Vertical	188	1.86	-	35.59	5.98	34.55
PK	7.173G	59.68	88.20	-28.52	51.25	3	Vertical	188	1.86	-	36.89	6.19	34.65
RMS	7.215G	50.20	68.20	-18.00	41.63	3	Vertical	188	1.86	-	37.00	6.22	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03106G	55.24	88.20	-32.96	40.66	3	Vertical	136	1.80	-	39.56	8.46	33.44
RMS	13.0271G	41.74	68.20	-26.46	27.17	3	Vertical	136	1.80	-	39.55	8.46	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02742G	54.90	88.20	-33.30	40.33	3	Horizontal	161	1.07	-	39.55	8.46	33.44
RMS	13.02724G	41.69	68.20	-26.51	27.12	3	Horizontal	161	1.07	-	39.55	8.46	33.44

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54074G	57.99	83.54	-25.55	55.95	1	Vertical	4	1.86	-	37.77	14.35	50.08
AV	19.5474G	44.57	63.54	-18.97	42.54	1	Vertical	4	1.86	-	37.76	14.35	50.08

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54616G	58.41	83.54	-25.13	56.38	1	Horizontal	48	1.67	-	37.76	14.35	50.08
AV	19.5446G	44.51	63.54	-19.03	42.48	1	Horizontal	48	1.67	-	37.76	14.35	50.08

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	57.26	88.20	-30.94	51.84	3	Vertical	184	2.28	-	34.44	5.50	34.52
RMS	5.9134G	47.10	68.20	-21.10	41.30	3	Vertical	184	2.28	-	34.85	5.50	34.55
PK	6.5322G	120.50	Inf	-Inf	113.46	3	Vertical	184	2.28	-	35.63	5.97	34.56
RMS	6.5434G	110.01	Inf	-Inf	102.94	3	Vertical	184	2.28	-	35.67	5.96	34.56
PK	7.2238G	60.75	88.20	-27.45	52.18	3	Vertical	184	2.28	-	37.00	6.22	34.65
RMS	7.2294G	50.42	68.20	-17.78	41.84	3	Vertical	184	2.28	-	37.00	6.23	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06542G	54.78	88.20	-33.42	40.06	3	Vertical	281	1.05	-	39.63	8.48	33.39
RMS	13.06784G	41.63	68.20	-26.57	26.89	3	Vertical	281	1.05	-	39.64	8.48	33.38

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07128G	55.27	88.20	-32.93	40.53	3	Horizontal	298	1.53	-	39.64	8.48	33.38
RMS	13.07368G	41.64	68.20	-26.56	26.89	3	Horizontal	298	1.53	-	39.65	8.48	33.38

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6015G	58.98	83.54	-24.56	56.96	1	Vertical	32	1.81	-	37.72	14.36	50.06
AV	19.60144G	44.52	63.54	-19.02	42.50	1	Vertical	32	1.81	-	37.72	14.36	50.06

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60356G	57.92	83.54	-25.62	55.90	1	Horizontal	231	1.84	-	37.72	14.36	50.06
AV	19.60156G	44.51	63.54	-19.03	42.49	1	Horizontal	231	1.84	-	37.72	14.36	50.06

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	118.78	Inf	-Inf	111.41	3	Vertical	220	2.20	-	36.01	5.95	34.59
RMS	6.7016G	110.01	Inf	-Inf	102.65	3	Vertical	220	2.20	-	36.00	5.95	34.59
PK	7.2274G	60.23	88.20	-27.97	51.65	3	Vertical	220	2.20	-	37.00	6.23	34.65
RMS	7.245G	50.49	68.20	-17.71	41.89	3	Vertical	220	2.20	-	37.00	6.25	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38982G	55.48	74.00	-18.52	39.60	3	Vertical	258	2.85	-	40.18	8.63	32.93
AV	13.38678G	42.37	54.00	-11.63	26.51	3	Vertical	258	2.85	-	40.17	8.62	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3913G	55.54	74.00	-18.46	39.65	3	Horizontal	91	2.87	-	40.18	8.63	32.92
AV	13.39018G	42.31	54.00	-11.69	26.43	3	Horizontal	91	2.87	-	40.18	8.63	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08618G	58.64	83.54	-24.90	56.67	1	Vertical	309	1.83	-	37.45	14.44	49.92
AV	20.0822G	44.94	63.54	-18.60	42.97	1	Vertical	309	1.83	-	37.45	14.44	49.92

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08274G	58.79	83.54	-24.75	56.82	1	Horizontal	171	1.80	-	37.45	14.44	49.92
AV	20.08136G	44.97	63.54	-18.57	43.00	1	Horizontal	171	1.80	-	37.45	14.44	49.92

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	120.08	Inf	-Inf	112.39	3	Vertical	185	1.76	-	36.28	6.03	34.62
RMS	6.8466G	109.82	Inf	-Inf	102.11	3	Vertical	185	1.76	-	36.30	6.02	34.61
PK	7.1756G	61.77	88.20	-26.43	53.33	3	Vertical	185	1.76	-	36.90	6.19	34.65
RMS	7.2022G	50.06	68.20	-18.14	41.51	3	Vertical	185	1.76	-	37.00	6.20	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71072G	58.55	88.20	-29.65	42.11	3	Vertical	267	2.80	-	40.51	8.77	32.84
RMS	13.70682G	44.77	68.20	-23.43	28.33	3	Vertical	267	2.80	-	40.51	8.77	32.84

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71094G	58.12	88.20	-30.08	41.68	3	Horizontal	354	1.94	-	40.51	8.77	32.84
RMS	13.71262G	44.91	68.20	-23.29	28.47	3	Horizontal	354	1.94	-	40.51	8.77	32.84

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56724G	57.52	83.54	-26.02	55.08	1	Vertical	44	1.87	-	37.77	14.66	49.99
AV	20.56872G	43.98	63.54	-19.56	41.54	1	Vertical	44	1.87	-	37.77	14.66	49.99

802.11ax HEW20_Nss4,(MCS0)_4TX


6855MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56534G	57.73	83.54	-25.81	55.30	1	Horizontal	350	1.89	-	37.77	14.65	49.99
AV	20.56874G	44.00	63.54	-19.54	41.56	1	Horizontal	350	1.89	-	37.77	14.66	49.99

802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	118.40	Inf	-Inf	110.73	3	Vertical	186	1.80	-	36.25	6.04	34.62
RMS	6.8666G	109.55	Inf	-Inf	101.87	3	Vertical	186	1.80	-	36.27	6.03	34.62
PK	7.1354G	59.92	88.20	-28.28	51.66	3	Vertical	186	1.80	-	36.74	6.17	34.65
RMS	7.1738G	49.94	68.20	-18.26	41.50	3	Vertical	186	1.80	-	36.90	6.19	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75036G	57.81	88.20	-30.39	41.32	3	Vertical	230	2.27	-	40.55	8.79	32.85
RMS	13.74736G	44.63	68.20	-23.57	28.14	3	Vertical	230	2.27	-	40.55	8.79	32.85


802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7511G	57.81	88.20	-30.39	41.32	3	Horizontal	289	2.90	-	40.55	8.79	32.85
RMS	13.75356G	44.59	68.20	-23.61	28.10	3	Horizontal	289	2.90	-	40.55	8.79	32.85

802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




16/01/2021

EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6231G	59.17	83.54	-24.37	56.65	1	Vertical	160	1.85	-	37.82	14.68	49.98
AV	20.62636G	45.28	63.54	-18.26	42.74	1	Vertical	160	1.85	-	37.83	14.68	49.97

802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




16/01/2021

EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62638G	58.96	83.54	-24.58	56.42	1	Horizontal	56	1.70	-	37.83	14.68	49.97
AV	20.6287G	45.38	63.54	-18.16	42.84	1	Horizontal	56	1.70	-	37.83	14.68	49.97

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9046G	119.93	Inf	-Inf	112.28	3	Vertical	225	1.80	-	36.22	6.05	34.62
RMS	6.9034G	109.85	Inf	-Inf	102.21	3	Vertical	225	1.80	-	36.21	6.05	34.62
PK	7.195G	60.30	88.20	-27.90	51.77	3	Vertical	225	1.80	-	36.98	6.20	34.65
RMS	7.183G	50.05	68.20	-18.15	41.58	3	Vertical	225	1.80	-	36.93	6.19	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79326G	58.19	88.20	-30.01	41.65	3	Vertical	52	1.32	-	40.59	8.81	32.86
RMS	13.79388G	44.85	68.20	-23.35	28.31	3	Vertical	52	1.32	-	40.59	8.81	32.86

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




16/01/2021

EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78542G	58.56	88.20	-29.64	42.03	3	Horizontal	96	2.86	-	40.59	8.80	32.86
RMS	13.79384G	44.82	68.20	-23.38	28.28	3	Horizontal	96	2.86	-	40.59	8.81	32.86

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68558G	58.63	83.54	-24.91	55.99	1	Vertical	354	1.67	-	37.89	14.71	49.96
AV	20.68108G	45.25	63.54	-18.29	42.62	1	Vertical	354	1.67	-	37.88	14.71	49.96

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68332G	58.87	83.54	-24.67	56.24	1	Horizontal	75	1.66	-	37.88	14.71	49.96
AV	20.68336G	45.27	63.54	-18.27	42.64	1	Horizontal	75	1.66	-	37.88	14.71	49.96

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.004G	119.85	Inf	-Inf	111.99	3	Vertical	208	2.41	-	36.40	6.10	34.64
RMS	7.004G	110.47	Inf	-Inf	102.61	3	Vertical	208	2.41	-	36.40	6.10	34.64
PK	7.148G	61.10	88.20	-27.10	52.79	3	Vertical	208	2.41	-	36.79	6.17	34.65
RMS	7.148G	50.83	68.20	-17.37	42.52	3	Vertical	208	2.41	-	36.79	6.17	34.65

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98708G	58.20	88.20	-30.00	41.43	3	Vertical	304	1.88	-	40.81	8.89	32.93
RMS	13.98662G	44.83	68.20	-23.37	28.06	3	Vertical	304	1.88	-	40.81	8.89	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98524G	58.13	88.20	-30.07	41.36	3	Horizontal	303	2.26	-	40.81	8.89	32.93
RMS	13.98954G	44.82	68.20	-23.38	28.04	3	Horizontal	303	2.26	-	40.81	8.90	32.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98806G	56.91	83.54	-26.63	53.78	1	Vertical	243	1.83	-	38.19	14.84	49.90
AV	20.98146G	44.06	63.54	-19.48	40.94	1	Vertical	243	1.83	-	38.18	14.84	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98516G	58.31	83.54	-25.23	55.18	1	Horizontal	251	1.87	-	38.19	14.84	49.90
AV	20.98542G	43.95	63.54	-19.59	40.82	1	Horizontal	251	1.87	-	38.19	14.84	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0906G	118.58	Inf	-Inf	110.51	3	Vertical	222	1.80	-	36.56	6.15	34.64
RMS	7.1042G	109.34	Inf	-Inf	101.21	3	Vertical	222	1.80	-	36.62	6.15	34.64
PK	7.1262G	77.70	88.20	-10.50	69.49	3	Vertical	222	1.80	-	36.70	6.16	34.65
RMS	7.125G	67.00	68.20	-1.20	58.78	3	Vertical	222	1.80	-	36.70	6.16	34.64

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.191G	58.12	88.20	-30.08	41.39	3	Vertical	318	2.30	-	40.89	8.94	33.10
RMS	14.18968G	44.33	68.20	-23.87	27.60	3	Vertical	318	2.30	-	40.89	8.94	33.10

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1873G	58.20	88.20	-30.00	41.47	3	Horizontal	11	1.88	-	40.89	8.94	33.10
RMS	14.1868G	44.41	68.20	-23.79	27.68	3	Horizontal	11	1.88	-	40.89	8.94	33.10

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28034G	59.10	83.54	-24.44	55.93	1	Vertical	181	1.77	-	38.09	14.98	49.90
AV	21.2803G	46.01	63.54	-17.53	42.84	1	Vertical	181	1.77	-	38.09	14.98	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2814G	59.85	83.54	-23.69	56.68	1	Horizontal	312	1.81	-	38.09	14.98	49.90
AV	21.28304G	46.03	63.54	-17.51	42.86	1	Horizontal	312	1.81	-	38.09	14.98	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	57.37	88.20	-30.83	51.57	3	Vertical	204	1.64	-	34.85	5.50	34.55
RMS	5.925G	46.60	68.20	-21.60	40.75	3	Vertical	204	1.64	-	34.90	5.50	34.55
PK	6.122G	119.10	Inf	-Inf	112.67	3	Vertical	204	1.64	-	35.26	5.74	34.57
RMS	6.124G	108.02	Inf	-Inf	101.59	3	Vertical	204	1.64	-	35.25	5.75	34.57

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24504G	52.96	74.00	-21.04	40.84	3	Vertical	53	1.64	-	38.45	8.11	34.44
AV	12.25222G	39.67	54.00	-14.33	27.54	3	Vertical	53	1.64	-	38.45	8.11	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24748G	53.68	74.00	-20.32	41.56	3	Horizontal	123	2.12	-	38.45	8.11	34.44
AV	12.25204G	39.63	54.00	-14.37	27.50	3	Horizontal	123	2.12	-	38.45	8.11	34.43

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37184G	58.18	83.54	-25.36	56.61	1	Vertical	178	1.82	-	37.60	14.24	50.27
AV	18.37272G	44.32	63.54	-19.22	42.75	1	Vertical	178	1.82	-	37.60	14.24	50.27

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37344G	57.65	83.54	-25.89	56.08	1	Horizontal	216	1.83	-	37.60	14.24	50.27
AV	18.37218G	44.26	63.54	-19.28	42.69	1	Horizontal	216	1.83	-	37.60	14.24	50.27

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	57.33	88.20	-30.87	51.57	3	Vertical	192	1.80	-	34.81	5.50	34.55
RMS	5.9074G	46.55	68.20	-21.65	40.77	3	Vertical	192	1.80	-	34.83	5.50	34.55
PK	6.2402G	118.41	Inf	-Inf	111.90	3	Vertical	192	1.80	-	35.14	5.94	34.57
RMS	6.2514G	107.76	Inf	-Inf	101.27	3	Vertical	192	1.80	-	35.10	5.95	34.56

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4872G	54.37	74.00	-19.63	41.72	3	Vertical	137	1.68	-	38.76	8.22	34.33
AV	12.49106G	40.42	54.00	-13.58	27.75	3	Vertical	137	1.68	-	38.77	8.22	34.32

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49066G	53.70	74.00	-20.30	41.03	3	Horizontal	53	1.79	-	38.77	8.22	34.32
AV	12.48816G	40.39	54.00	-13.61	27.74	3	Horizontal	53	1.79	-	38.76	8.22	34.33

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7322G	57.15	83.54	-26.39	55.10	1	Vertical	97	1.81	-	38.03	14.27	50.25
AV	18.73098G	43.39	63.54	-20.15	41.35	1	Vertical	97	1.81	-	38.02	14.27	50.25

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73142G	56.73	83.54	-26.81	54.69	1	Horizontal	105	1.87	-	38.02	14.27	50.25
AV	18.73004G	43.48	63.54	-20.06	41.44	1	Horizontal	105	1.87	-	38.02	14.27	50.25

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	57.25	88.20	-30.95	51.42	3	Vertical	192	1.98	-	34.88	5.50	34.55
RMS	5.9082G	46.47	68.20	-21.73	40.69	3	Vertical	192	1.98	-	34.83	5.50	34.55
PK	6.4098G	118.84	Inf	-Inf	112.01	3	Vertical	192	1.98	-	35.30	6.09	34.56
RMS	6.3978G	107.14	Inf	-Inf	100.30	3	Vertical	192	1.98	-	35.30	6.10	34.56

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81212G	54.35	88.20	-33.85	40.57	3	Vertical	107	2.58	-	39.21	8.37	33.80
RMS	12.8123G	40.90	68.20	-27.30	27.12	3	Vertical	107	2.58	-	39.21	8.37	33.80

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.806G	54.07	88.20	-34.13	40.31	3	Horizontal	81	2.96	-	39.21	8.36	33.81
RMS	12.81276G	40.88	68.20	-27.32	27.09	3	Horizontal	81	2.96	-	39.21	8.37	33.79

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21814G	57.80	83.54	-25.74	55.50	1	Vertical	151	1.87	-	38.14	14.32	50.16
AV	19.21354G	43.75	63.54	-19.79	41.45	1	Vertical	151	1.87	-	38.14	14.32	50.16

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21972G	57.22	83.54	-26.32	54.92	1	Horizontal	339	1.89	-	38.14	14.32	50.16
AV	19.21902G	43.69	63.54	-19.85	41.39	1	Horizontal	339	1.89	-	38.14	14.32	50.16

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	56.85	88.20	-31.35	51.11	3	Vertical	188	1.80	-	34.79	5.50	34.55
RMS	5.925G	46.53	68.20	-21.67	40.68	3	Vertical	188	1.80	-	34.90	5.50	34.55
PK	6.4476G	118.15	Inf	-Inf	111.35	3	Vertical	188	1.80	-	35.30	6.05	34.55
RMS	6.4424G	107.35	Inf	-Inf	100.54	3	Vertical	188	1.80	-	35.30	6.06	34.55

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89436G	54.95	88.20	-33.25	40.92	3	Vertical	82	1.51	-	39.29	8.40	33.66
RMS	12.88988G	41.53	68.20	-26.67	27.51	3	Vertical	82	1.51	-	39.29	8.40	33.67

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89088G	55.42	88.20	-32.78	41.39	3	Horizontal	297	1.05	-	39.29	8.40	33.66
RMS	12.88954G	41.32	68.20	-26.88	27.30	3	Horizontal	297	1.05	-	39.29	8.40	33.67

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33602G	57.53	83.54	-26.01	55.33	1	Vertical	232	1.81	-	38.00	14.33	50.13
AV	19.33162G	44.15	63.54	-19.39	41.95	1	Vertical	232	1.81	-	38.00	14.33	50.13

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33438G	57.83	83.54	-25.71	55.63	1	Horizontal	189	1.84	-	38.00	14.33	50.13
AV	19.3305G	44.03	63.54	-19.51	41.83	1	Horizontal	189	1.84	-	38.00	14.33	50.13

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8438G	57.65	88.20	-30.55	52.20	3	Vertical	188	1.79	-	34.48	5.50	34.53
RMS	5.925G	46.53	68.20	-21.67	40.68	3	Vertical	188	1.79	-	34.90	5.50	34.55
PK	6.4906G	117.18	Inf	-Inf	110.26	3	Vertical	188	1.79	-	35.46	6.01	34.55
RMS	6.4822G	106.77	Inf	-Inf	99.87	3	Vertical	188	1.79	-	35.43	6.02	34.55
PK	7.1402G	60.03	88.20	-28.17	51.75	3	Vertical	188	1.79	-	36.76	6.17	34.65
RMS	7.1822G	49.57	68.20	-18.63	41.10	3	Vertical	188	1.79	-	36.93	6.19	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96634G	55.86	88.20	-32.34	41.54	3	Vertical	80	2.13	-	39.43	8.43	33.54
RMS	12.9737G	42.24	68.20	-25.96	27.87	3	Vertical	80	2.13	-	39.45	8.44	33.52

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




16/01/2021

EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97414G	55.60	88.20	-32.60	41.23	3	Horizontal	108	1.19	-	39.45	8.44	33.52
RMS	12.96654G	42.19	68.20	-26.01	27.87	3	Horizontal	108	1.19	-	39.43	8.43	33.54

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45188G	58.27	83.54	-25.27	56.17	1	Vertical	7	1.85	-	37.86	14.35	50.11
AV	19.45856G	44.84	63.54	-18.70	42.75	1	Vertical	7	1.85	-	37.85	14.35	50.11

802.11ax HEW40_Nss4,(MCS0)_4TX


6485MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45268G	58.96	83.54	-24.58	56.86	1	Horizontal	342	1.73	-	37.86	14.35	50.11
AV	19.45856G	44.91	63.54	-18.63	42.82	1	Horizontal	342	1.73	-	37.85	14.35	50.11


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	56.90	88.20	-31.30	51.16	3	Vertical	186	1.80	-	34.79	5.50	34.55
RMS	5.925G	46.51	68.20	-21.69	40.66	3	Vertical	186	1.80	-	34.90	5.50	34.55
PK	6.5306G	116.01	Inf	-Inf	108.98	3	Vertical	186	1.80	-	35.62	5.97	34.56
RMS	6.5306G	106.56	Inf	-Inf	99.53	3	Vertical	186	1.80	-	35.62	5.97	34.56
PK	7.1942G	59.81	88.20	-28.39	51.28	3	Vertical	186	1.80	-	36.98	6.20	34.65
RMS	7.2166G	49.78	68.20	-18.42	41.21	3	Vertical	186	1.80	-	37.00	6.22	34.65


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05034G	55.94	88.20	-32.26	41.28	3	Vertical	126	2.68	-	39.60	8.47	33.41
RMS	13.04524G	41.78	68.20	-26.42	27.14	3	Vertical	126	2.68	-	39.59	8.47	33.42


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05362G	55.04	88.20	-33.16	40.36	3	Horizontal	99	2.75	-	39.61	8.47	33.40
RMS	13.04534G	41.75	68.20	-26.45	27.11	3	Horizontal	99	2.75	-	39.59	8.47	33.42


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5742G	58.14	83.54	-25.40	56.11	1	Vertical	78	1.88	-	37.74	14.36	50.07
AV	19.57588G	44.60	63.54	-18.94	42.57	1	Vertical	78	1.88	-	37.74	14.36	50.07

802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57444G	58.38	83.54	-25.16	56.35	1	Horizontal	292	1.92	-	37.74	14.36	50.07
AV	19.57522G	44.62	63.54	-18.92	42.59	1	Horizontal	292	1.92	-	37.74	14.36	50.07

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	116.53	Inf	-Inf	109.42	3	Vertical	179	2.37	-	35.73	5.94	34.56
RMS	6.5626G	107.24	Inf	-Inf	100.13	3	Vertical	179	2.37	-	35.73	5.94	34.56
PK	7.1338G	59.20	88.20	-29.00	50.94	3	Vertical	179	2.37	-	36.74	6.17	34.65
RMS	7.153G	49.41	68.20	-18.79	41.07	3	Vertical	179	2.37	-	36.81	6.18	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13174G	55.46	88.20	-32.74	40.48	3	Vertical	204	2.17	-	39.76	8.51	33.29
RMS	13.1337G	41.93	68.20	-26.27	26.94	3	Vertical	204	2.17	-	39.77	8.51	33.29

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




16/01/2021

EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13066G	55.13	88.20	-33.07	40.15	3	Horizontal	120	1.71	-	39.76	8.51	33.29
RMS	13.13094G	41.95	68.20	-26.25	26.97	3	Horizontal	120	1.71	-	39.76	8.51	33.29

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69382G	57.79	83.54	-25.75	55.80	1	Vertical	355	1.83	-	37.64	14.37	50.02
AV	19.69732G	44.20	63.54	-19.34	42.21	1	Vertical	355	1.83	-	37.64	14.37	50.02

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.699G	57.78	83.54	-25.76	55.79	1	Horizontal	220	1.75	-	37.64	14.37	50.02
AV	19.69352G	44.27	63.54	-19.27	42.27	1	Horizontal	220	1.75	-	37.65	14.37	50.02

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.696G	115.68	Inf	-Inf	108.33	3	Vertical	222	2.40	-	35.99	5.95	34.59
RMS	6.6828G	106.34	Inf	-Inf	99.01	3	Vertical	222	2.40	-	35.97	5.94	34.58
PK	7.2306G	61.46	88.20	-26.74	52.88	3	Vertical	222	2.40	-	37.00	6.23	34.65
RMS	7.235G	49.93	68.20	-18.27	41.35	3	Vertical	222	2.40	-	37.00	6.23	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3691G	55.26	74.00	-18.74	39.46	3	Vertical	297	2.96	-	40.14	8.62	32.96
AV	13.3722G	42.49	54.00	-11.51	26.68	3	Vertical	297	2.96	-	40.14	8.62	32.95

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37114G	56.24	74.00	-17.76	40.43	3	Horizontal	261	2.25	-	40.14	8.62	32.95
AV	13.36914G	42.46	54.00	-11.54	26.66	3	Horizontal	261	2.25	-	40.14	8.62	32.96

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05746G	58.23	83.54	-25.31	56.28	1	Vertical	259	1.79	-	37.43	14.43	49.91
AV	20.05944G	44.72	63.54	-18.82	42.76	1	Vertical	259	1.79	-	37.44	14.43	49.91

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05236G	58.06	83.54	-25.48	56.12	1	Horizontal	322	1.87	-	37.43	14.42	49.91
AV	20.05972G	44.76	63.54	-18.78	42.80	1	Horizontal	322	1.87	-	37.44	14.43	49.91

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	117.31	Inf	-Inf	109.60	3	Vertical	226	1.86	-	36.30	6.02	34.61
RMS	6.8482G	106.68	Inf	-Inf	98.97	3	Vertical	226	1.86	-	36.30	6.02	34.61
PK	7.221G	61.08	88.20	-27.12	52.51	3	Vertical	226	1.86	-	37.00	6.22	34.65
RMS	7.245G	50.03	68.20	-18.17	41.43	3	Vertical	226	1.86	-	37.00	6.25	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.686G	58.38	88.20	-29.82	41.98	3	Vertical	78	2.61	-	40.47	8.76	32.83
RMS	13.6895G	44.88	68.20	-23.32	28.47	3	Vertical	78	2.61	-	40.48	8.76	32.83

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68694G	58.16	88.20	-30.04	41.76	3	Horizontal	302	2.70	-	40.47	8.76	32.83
RMS	13.68674G	44.82	68.20	-23.38	28.42	3	Horizontal	302	2.70	-	40.47	8.76	32.83

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53662G	57.34	83.54	-26.20	54.95	1	Vertical	270	1.75	-	37.74	14.64	49.99
AV	20.53044G	43.48	63.54	-20.06	41.10	1	Vertical	270	1.75	-	37.73	14.64	49.99

802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5351G	57.93	83.54	-25.61	55.54	1	Horizontal	226	1.74	-	37.74	14.64	49.99
AV	20.5369G	43.37	63.54	-20.17	40.98	1	Horizontal	226	1.74	-	37.74	14.64	49.99


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8826G	117.29	Inf	-Inf	109.64	3	Vertical	209	2.55	-	36.23	6.04	34.62
RMS	6.8838G	106.69	Inf	-Inf	99.04	3	Vertical	209	2.55	-	36.23	6.04	34.62
PK	7.1754G	60.18	88.20	-28.02	51.74	3	Vertical	209	2.55	-	36.90	6.19	34.65
RMS	7.1814G	49.58	68.20	-18.62	41.11	3	Vertical	209	2.55	-	36.93	6.19	34.65


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76792G	58.52	88.20	-29.68	42.01	3	Vertical	79	2.01	-	40.57	8.80	32.86
RMS	13.76776G	45.07	68.20	-23.13	28.56	3	Vertical	79	2.01	-	40.57	8.80	32.86

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




16/01/2021

EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76878G	58.42	88.20	-29.78	41.91	3	Horizontal	107	1.82	-	40.57	8.80	32.86
RMS	13.77086G	45.22	68.20	-22.98	28.71	3	Horizontal	107	1.82	-	40.57	8.80	32.86


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65786G	60.02	83.54	-23.52	57.43	1	Vertical	62	1.75	-	37.86	14.70	49.97
AV	20.65878G	45.44	63.54	-18.10	42.85	1	Vertical	62	1.75	-	37.86	14.70	49.97

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65984G	59.36	83.54	-24.18	56.77	1	Horizontal	173	1.79	-	37.86	14.70	49.97
AV	20.65268G	45.52	63.54	-18.02	42.95	1	Horizontal	173	1.79	-	37.85	14.69	49.97

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.929G	117.08	Inf	-Inf	109.33	3	Vertical	186	1.76	-	36.32	6.06	34.63
RMS	6.931G	105.85	Inf	-Inf	98.09	3	Vertical	186	1.76	-	36.32	6.07	34.63
PK	7.167G	60.34	88.20	-27.86	51.94	3	Vertical	186	1.76	-	36.87	6.18	34.65
RMS	7.155G	49.51	68.20	-18.69	41.16	3	Vertical	186	1.76	-	36.82	6.18	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84884G	58.61	88.20	-29.59	41.91	3	Vertical	17	1.33	-	40.75	8.83	32.88
RMS	13.8489G	45.26	68.20	-22.94	28.56	3	Vertical	17	1.33	-	40.75	8.83	32.88

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84848G	59.10	88.20	-29.10	42.40	3	Horizontal	249	1.79	-	40.75	8.83	32.88
RMS	13.8514G	45.23	68.20	-22.97	28.53	3	Horizontal	249	1.79	-	40.75	8.83	32.88

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77192G	58.80	83.54	-24.74	56.03	1	Vertical	353	1.81	-	37.97	14.75	49.95
AV	20.77014G	45.26	63.54	-18.28	42.49	1	Vertical	353	1.81	-	37.97	14.75	49.95

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77304G	59.45	83.54	-24.09	56.68	1	Horizontal	275	1.85	-	37.97	14.75	49.95
AV	20.77152G	45.40	63.54	-18.14	42.63	1	Horizontal	275	1.85	-	37.97	14.75	49.95

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.002G	116.86	Inf	-Inf	109.00	3	Vertical	212	1.96	-	36.40	6.10	34.64
RMS	7.0164G	106.31	Inf	-Inf	98.44	3	Vertical	212	1.96	-	36.40	6.11	34.64
PK	7.1364G	63.77	88.20	-24.43	55.50	3	Vertical	212	1.96	-	36.75	6.17	34.65
RMS	7.125G	52.57	68.20	-15.63	44.35	3	Vertical	212	1.96	-	36.70	6.16	34.64

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00728G	58.17	88.20	-30.03	41.41	3	Vertical	310	1.04	-	40.80	8.90	32.94
RMS	14.00992G	44.93	68.20	-23.27	28.17	3	Vertical	310	1.04	-	40.80	8.90	32.94

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01252G	58.14	88.20	-30.06	41.38	3	Horizontal	115	1.23	-	40.80	8.90	32.94
RMS	14.01492G	44.91	68.20	-23.29	28.15	3	Horizontal	115	1.23	-	40.80	8.90	32.94

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0179G	57.39	83.54	-26.15	54.24	1	Vertical	281	1.77	-	38.19	14.86	49.90
AV	21.01416G	43.72	63.54	-19.82	40.57	1	Vertical	281	1.77	-	38.19	14.86	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01262G	57.16	83.54	-26.38	54.01	1	Horizontal	41	1.74	-	38.19	14.86	49.90
AV	21.01798G	43.73	63.54	-19.81	40.58	1	Horizontal	41	1.74	-	38.19	14.86	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 22.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0762G	115.12	Inf	-Inf	107.12	3	Vertical	253	1.80	-	36.50	6.14	34.64
RMS	7.0902G	104.11	Inf	-Inf	96.04	3	Vertical	253	1.80	-	36.56	6.15	34.64
PK	7.1254G	80.26	88.20	-7.94	72.05	3	Vertical	253	1.80	-	36.70	6.16	34.65
RMS	7.125G	68.08	68.20	-0.12	59.86	3	Vertical	253	1.80	-	36.70	6.16	34.64

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 22.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16604G	58.08	88.20	-30.12	41.36	3	Vertical	138	2.18	-	40.87	8.93	33.08
RMS	14.17264G	44.65	68.20	-23.55	27.94	3	Vertical	138	2.18	-	40.87	8.93	33.09

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 22.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1662G	58.25	88.20	-29.95	41.53	3	Horizontal	276	1.95	-	40.87	8.93	33.08
RMS	14.167G	44.78	68.20	-23.42	28.06	3	Horizontal	276	1.95	-	40.87	8.93	33.08

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 22.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25504G	60.23	83.54	-23.31	57.07	1	Vertical	88	1.81	-	38.10	14.96	49.90
AV	21.25104G	46.21	63.54	-17.33	43.05	1	Vertical	88	1.81	-	38.10	14.96	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 22.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25824G	59.91	83.54	-23.63	56.74	1	Horizontal	267	1.72	-	38.10	14.97	49.90
AV	21.2503G	46.22	63.54	-17.32	43.06	1	Horizontal	267	1.72	-	38.10	14.96	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8846G	57.44	88.20	-30.76	51.77	3	Vertical	192	1.88	-	34.71	5.50	34.54
RMS	5.9218G	46.59	68.20	-21.61	40.75	3	Vertical	192	1.88	-	34.89	5.50	34.55
PK	6.1702G	116.48	Inf	-Inf	109.97	3	Vertical	192	1.88	-	35.24	5.84	34.57
RMS	6.1474G	104.66	Inf	-Inf	98.23	3	Vertical	192	1.88	-	35.21	5.79	34.57

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29544G	54.41	74.00	-19.59	42.29	3	Vertical	328	2.75	-	38.40	8.13	34.41
AV	12.29008G	40.57	54.00	-13.43	28.45	3	Vertical	328	2.75	-	38.41	8.13	34.42

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28704G	53.17	74.00	-20.83	41.05	3	Horizontal	344	1.70	-	38.41	8.13	34.42
AV	12.29004G	40.34	54.00	-13.66	28.22	3	Horizontal	344	1.70	-	38.41	8.13	34.42

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43812G	57.96	83.54	-25.58	56.36	1	Vertical	51	1.83	-	37.65	14.24	50.29
AV	18.43196G	44.14	63.54	-19.40	42.54	1	Vertical	51	1.83	-	37.65	14.24	50.29

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43586G	58.28	83.54	-25.26	56.68	1	Horizontal	144	1.88	-	37.65	14.24	50.29
AV	18.43036G	44.12	63.54	-19.42	42.53	1	Horizontal	144	1.88	-	37.64	14.24	50.29

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	57.49	88.20	-30.71	51.78	3	Vertical	190	2.03	-	34.75	5.50	34.54
RMS	5.9162G	46.35	68.20	-21.85	40.54	3	Vertical	190	2.03	-	34.86	5.50	34.55
PK	6.225G	114.69	Inf	-Inf	108.13	3	Vertical	190	2.03	-	35.20	5.93	34.57
RMS	6.2266G	104.57	Inf	-Inf	98.02	3	Vertical	190	2.03	-	35.19	5.93	34.57

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4522G	53.52	74.00	-20.48	41.00	3	Vertical	6	2.10	-	38.66	8.20	34.34
AV	12.45194G	40.44	54.00	-13.56	27.92	3	Vertical	6	2.10	-	38.66	8.20	34.34

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4526G	53.77	74.00	-20.23	41.25	3	Horizontal	287	1.42	-	38.66	8.20	34.34
AV	12.44668G	40.48	54.00	-13.52	27.98	3	Horizontal	287	1.42	-	38.64	8.20	34.34

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67998G	57.68	83.54	-25.86	55.72	1	Vertical	33	1.85	-	37.95	14.27	50.26
AV	18.6794G	43.86	63.54	-19.68	41.90	1	Vertical	33	1.85	-	37.95	14.27	50.26

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67926G	57.58	83.54	-25.96	55.62	1	Horizontal	86	1.70	-	37.95	14.27	50.26
AV	18.67892G	44.00	63.54	-19.54	42.04	1	Horizontal	86	1.70	-	37.95	14.27	50.26

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	56.99	88.20	-31.21	51.22	3	Vertical	187	1.80	-	34.82	5.50	34.55
RMS	5.9194G	46.32	68.20	-21.88	40.49	3	Vertical	187	1.80	-	34.88	5.50	34.55
PK	6.3754G	113.03	Inf	-Inf	106.21	3	Vertical	187	1.80	-	35.30	6.08	34.56
RMS	6.3874G	103.57	Inf	-Inf	96.74	3	Vertical	187	1.80	-	35.30	6.09	34.56

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




16/01/2021

EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77454G	54.74	88.20	-33.46	41.13	3	Vertical	111	2.92	-	39.12	8.35	33.86
RMS	12.7662G	40.79	68.20	-27.41	27.22	3	Vertical	111	2.92	-	39.10	8.34	33.87

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77212G	54.32	88.20	-33.88	40.71	3	Horizontal	356	1.16	-	39.12	8.35	33.86
RMS	12.76632G	40.83	68.20	-27.37	27.26	3	Horizontal	356	1.16	-	39.10	8.34	33.87

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15124G	58.43	83.54	-25.11	56.06	1	Vertical	268	1.82	-	38.22	14.32	50.17
AV	19.15586G	44.41	63.54	-19.13	42.05	1	Vertical	268	1.82	-	38.21	14.32	50.17

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15172G	58.35	83.54	-25.19	55.98	1	Horizontal	93	1.81	-	38.22	14.32	50.17
AV	19.1526G	44.34	63.54	-19.20	41.97	1	Horizontal	93	1.81	-	38.22	14.32	50.17

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	56.39	88.20	-31.81	50.58	3	Vertical	188	1.80	-	34.86	5.50	34.55
RMS	5.8852G	46.41	68.20	-21.79	40.74	3	Vertical	188	1.80	-	34.71	5.50	34.54
PK	6.4572G	113.50	Inf	-Inf	106.68	3	Vertical	188	1.80	-	35.33	6.04	34.55
RMS	6.4546G	103.71	Inf	-Inf	96.89	3	Vertical	188	1.80	-	35.32	6.05	34.55

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93048G	55.57	88.20	-32.63	41.39	3	Vertical	216	1.04	-	39.36	8.42	33.60
RMS	12.93388G	41.62	68.20	-26.58	27.42	3	Vertical	216	1.04	-	39.37	8.42	33.59

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92824G	55.00	88.20	-33.20	40.82	3	Horizontal	350	2.68	-	39.36	8.42	33.60
RMS	12.92574G	41.64	68.20	-26.56	27.47	3	Horizontal	350	2.68	-	39.35	8.42	33.60

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39808G	57.52	83.54	-26.02	55.38	1	Vertical	104	1.78	-	37.92	14.34	50.12
AV	19.3927G	43.93	63.54	-19.61	41.78	1	Vertical	104	1.78	-	37.93	14.34	50.12

802.11ax HEW80_Nss4,(MCS0)_4TX


6465MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39568G	57.39	83.54	-26.15	55.24	1	Horizontal	337	1.86	-	37.93	14.34	50.12
AV	19.3975G	44.05	63.54	-19.49	41.91	1	Horizontal	337	1.86	-	37.92	14.34	50.12


802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT_V_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	57.04	88.20	-31.16	51.36	3	Vertical	188	1.80	-	34.72	5.50	34.54
RMS	5.925G	46.33	68.20	-21.87	40.48	3	Vertical	188	1.80	-	34.90	5.50	34.55
PK	6.5506G	113.18	Inf	-Inf	106.09	3	Vertical	188	1.80	-	35.70	5.95	34.56
RMS	6.5366G	103.52	Inf	-Inf	96.47	3	Vertical	188	1.80	-	35.65	5.96	34.56
PK	7.2254G	60.42	88.20	-27.78	51.84	3	Vertical	188	1.80	-	37.00	6.23	34.65
RMS	7.2366G	49.88	68.20	-18.32	41.29	3	Vertical	188	1.80	-	37.00	6.24	34.65

802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX




16/01/2021

EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08656G	55.51	88.20	-32.69	40.71	3	Vertical	93	2.05	-	39.67	8.49	33.36
RMS	13.085G	41.92	68.20	-26.28	27.12	3	Vertical	93	2.05	-	39.67	8.49	33.36


802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09372G	55.31	88.20	-32.89	40.48	3	Horizontal	249	2.89	-	39.69	8.49	33.35
RMS	13.09148G	41.99	68.20	-26.21	27.17	3	Horizontal	249	2.89	-	39.68	8.49	33.35


802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.637G	57.69	83.54	-25.85	55.69	1	Vertical	21	1.82	-	37.69	14.36	50.05
AV	19.63824G	44.10	63.54	-19.44	42.09	1	Vertical	21	1.82	-	37.69	14.36	50.04

802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63942G	58.10	83.54	-25.44	56.09	1	Horizontal	235	1.88	-	37.69	14.36	50.04
AV	19.63632G	44.23	63.54	-19.31	42.23	1	Horizontal	235	1.88	-	37.69	14.36	50.05

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	113.67	Inf	-Inf	106.48	3	Vertical	177	2.31	-	35.85	5.91	34.57
RMS	6.6202G	103.50	Inf	-Inf	96.32	3	Vertical	177	2.31	-	35.84	5.91	34.57
PK	7.225G	60.92	88.20	-27.28	52.34	3	Vertical	177	2.31	-	37.00	6.23	34.65
RMS	7.2226G	49.80	68.20	-18.40	41.23	3	Vertical	177	2.31	-	37.00	6.22	34.65

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25012G	51.05	74.00	-22.95	35.66	3	Vertical	318	2.30	-	39.95	8.56	33.12
AV	13.25078G	43.44	54.00	-10.56	28.05	3	Vertical	318	2.30	-	39.95	8.56	33.12

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25083G	56.92	74.00	-17.08	41.53	3	Horizontal	128	1.42	-	39.95	8.56	33.12
AV	13.25069G	42.79	54.00	-11.21	27.40	3	Horizontal	128	1.42	-	39.95	8.56	33.12

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8708G	57.19	83.54	-26.35	55.25	1	Vertical	353	1.79	-	37.50	14.39	49.95
AV	19.87354G	43.52	63.54	-20.02	41.58	1	Vertical	353	1.79	-	37.50	14.39	49.95

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87538G	56.99	83.54	-26.55	55.05	1	Horizontal	51	1.83	-	37.50	14.39	49.95
AV	19.87342G	43.47	63.54	-20.07	41.53	1	Horizontal	51	1.83	-	37.50	14.39	49.95

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	114.62	Inf	-Inf	107.22	3	Vertical	213	2.33	-	36.03	5.96	34.59
RMS	6.713G	101.12	Inf	-Inf	93.72	3	Vertical	213	2.33	-	36.03	5.96	34.59
PK	7.183G	60.37	88.20	-27.83	51.90	3	Vertical	213	2.33	-	36.93	6.19	34.65
RMS	7.201G	49.63	68.20	-18.57	41.08	3	Vertical	213	2.33	-	37.00	6.20	34.65

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40987G	56.46	88.20	-31.74	40.53	3	Vertical	248	1.34	-	40.20	8.63	32.90
RMS	13.40909G	42.63	68.20	-25.57	26.70	3	Vertical	248	1.34	-	40.20	8.63	32.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4098G	56.10	88.20	-32.10	40.17	3	Horizontal	40	2.41	-	40.20	8.63	32.90
RMS	13.40919G	42.61	68.20	-25.59	26.68	3	Horizontal	40	2.41	-	40.20	8.63	32.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11082G	58.19	83.54	-25.35	56.19	1	Vertical	134	1.84	-	37.47	14.45	49.92
AV	20.11126G	44.76	63.54	-18.78	42.76	1	Vertical	134	1.84	-	37.47	14.45	49.92

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1197G	58.91	83.54	-24.63	56.91	1	Horizontal	335	1.83	-	37.47	14.45	49.92
AV	20.1124G	44.85	63.54	-18.69	42.85	1	Horizontal	335	1.83	-	37.47	14.45	49.92

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7626G	114.78	Inf	-Inf	107.25	3	Vertical	204	2.58	-	36.15	5.98	34.60
RMS	6.7962G	104.09	Inf	-Inf	96.41	3	Vertical	204	2.58	-	36.28	6.00	34.60
PK	7.1802G	59.88	88.20	-28.32	51.42	3	Vertical	204	2.58	-	36.92	6.19	34.65
RMS	7.177G	49.58	68.20	-18.62	41.13	3	Vertical	204	2.58	-	36.91	6.19	34.65

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57039G	56.44	88.20	-31.76	40.25	3	Vertical	113	2.51	-	40.27	8.71	32.79
RMS	13.56942G	42.93	68.20	-25.27	26.74	3	Vertical	113	2.51	-	40.27	8.71	32.79

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56954G	56.98	88.20	-31.22	40.79	3	Horizontal	159	2.75	-	40.27	8.71	32.79
RMS	13.57026G	43.06	68.20	-25.14	26.87	3	Horizontal	159	2.75	-	40.27	8.71	32.79

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35112G	58.01	83.54	-25.53	55.81	1	Vertical	191	1.86	-	37.61	14.56	49.97
AV	20.35404G	43.87	63.54	-19.67	41.67	1	Vertical	191	1.86	-	37.61	14.56	49.97

802.11ax HEW80_Nss4,(MCS0)_4TX


6785MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35244G	57.85	83.54	-25.69	55.65	1	Horizontal	57	1.77	-	37.61	14.56	49.97
AV	20.35004G	43.79	63.54	-19.75	41.59	1	Horizontal	57	1.77	-	37.61	14.56	49.97


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8506G	112.96	Inf	-Inf	105.24	3	Vertical	229	1.92	-	36.30	6.03	34.61
RMS	6.8446G	102.40	Inf	-Inf	94.69	3	Vertical	229	1.92	-	36.30	6.02	34.61
PK	7.135G	60.15	88.20	-28.05	51.89	3	Vertical	229	1.92	-	36.74	6.17	34.65
RMS	7.1386G	49.82	68.20	-18.38	41.55	3	Vertical	229	1.92	-	36.75	6.17	34.65


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73009G	58.69	88.20	-29.51	42.22	3	Vertical	266	1.69	-	40.53	8.78	32.84
RMS	13.72993G	45.10	68.20	-23.10	28.63	3	Vertical	266	1.69	-	40.53	8.78	32.84


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73033G	58.51	88.20	-29.69	42.04	3	Horizontal	205	1.60	-	40.53	8.78	32.84
RMS	13.73006G	45.21	68.20	-22.99	28.74	3	Horizontal	205	1.60	-	40.53	8.78	32.84


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59962G	57.72	83.54	-25.82	55.23	1	Vertical	194	1.89	-	37.80	14.67	49.98
AV	20.59994G	44.10	63.54	-19.44	41.61	1	Vertical	194	1.89	-	37.80	14.67	49.98

802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59922G	57.90	83.54	-25.64	55.41	1	Horizontal	166	1.77	-	37.80	14.67	49.98
AV	20.59984G	44.16	63.54	-19.38	41.67	1	Horizontal	166	1.77	-	37.80	14.67	49.98

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.962G	113.51	Inf	-Inf	105.66	3	Vertical	224	1.75	-	36.40	6.08	34.63
RMS	6.949G	102.74	Inf	-Inf	94.90	3	Vertical	224	1.75	-	36.40	6.07	34.63
PK	7.129G	66.21	88.20	-21.99	57.98	3	Vertical	224	1.75	-	36.72	6.16	34.65
RMS	7.125G	55.74	68.20	-12.46	47.52	3	Vertical	224	1.75	-	36.70	6.16	34.64

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89018G	58.47	88.20	-29.73	41.64	3	Vertical	143	2.60	-	40.87	8.85	32.89
RMS	13.88912G	45.43	68.20	-22.77	28.60	3	Vertical	143	2.60	-	40.87	8.85	32.89

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89072G	58.68	88.20	-29.52	41.86	3	Horizontal	174	2.10	-	40.87	8.85	32.90
RMS	13.8902G	45.36	68.20	-22.84	28.53	3	Horizontal	174	2.10	-	40.87	8.85	32.89

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8344G	58.07	83.54	-25.47	55.19	1	Vertical	330	1.79	-	38.03	14.78	49.93
AV	20.83442G	44.57	63.54	-18.97	41.69	1	Vertical	330	1.79	-	38.03	14.78	49.93

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83338G	57.96	83.54	-25.58	55.08	1	Horizontal	309	1.83	-	38.03	14.78	49.93
AV	20.83212G	44.50	63.54	-19.04	41.63	1	Horizontal	309	1.83	-	38.03	14.77	49.93

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0362G	113.44	Inf	-Inf	105.56	3	Vertical	260	1.75	-	36.40	6.12	34.64
RMS	7.0266G	102.21	Inf	-Inf	94.34	3	Vertical	260	1.75	-	36.40	6.11	34.64
PK	7.1282G	77.37	88.20	-10.83	69.15	3	Vertical	260	1.75	-	36.71	6.16	34.65
RMS	7.125G	66.68	68.20	-1.52	58.46	3	Vertical	260	1.75	-	36.70	6.16	34.64

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




16/01/2021

EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04928G	58.36	88.20	-29.84	41.62	3	Vertical	257	2.54	-	40.80	8.91	32.97
RMS	14.04903G	45.09	68.20	-23.11	28.35	3	Vertical	257	2.54	-	40.80	8.91	32.97

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




16/01/2021

EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04936G	58.95	88.20	-29.25	42.21	3	Horizontal	95	2.84	-	40.80	8.91	32.97
RMS	14.05032G	45.06	68.20	-23.14	28.33	3	Horizontal	95	2.84	-	40.80	8.91	32.98

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0755G	57.24	83.54	-26.30	54.09	1	Vertical	55	1.79	-	38.17	14.88	49.90
AV	21.07854G	43.44	63.54	-20.10	40.28	1	Vertical	55	1.79	-	38.17	14.89	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 24
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07056G	58.17	83.54	-25.37	55.02	1	Horizontal	134	1.82	-	38.17	14.88	49.90
AV	21.07854G	43.58	63.54	-19.96	40.42	1	Horizontal	134	1.82	-	38.17	14.89	49.90

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	58.30	88.20	-29.90	52.46	3	Vertical	204	1.73	-	34.89	5.50	34.55
RMS	5.9242G	49.05	68.20	-19.15	43.20	3	Vertical	204	1.73	-	34.90	5.50	34.55
PK	6.2218G	113.72	Inf	-Inf	107.16	3	Vertical	204	1.73	-	35.21	5.92	34.57
RMS	6.1994G	102.06	Inf	-Inf	95.43	3	Vertical	204	1.73	-	35.30	5.90	34.57

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37017G	54.56	74.00	-19.44	42.30	3	Vertical	96	2.33	-	38.47	8.17	34.38
AV	12.37064G	39.96	54.00	-14.04	27.70	3	Vertical	96	2.33	-	38.47	8.17	34.38

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36937G	53.52	74.00	-20.48	41.26	3	Horizontal	331	1.95	-	38.47	8.17	34.38
AV	12.37006G	39.88	54.00	-14.12	27.62	3	Horizontal	331	1.95	-	38.47	8.17	34.38

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55142G	57.78	83.54	-25.76	56.04	1	Vertical	50	1.74	-	37.77	14.26	50.29
AV	18.55114G	43.70	63.54	-19.84	41.96	1	Vertical	50	1.74	-	37.77	14.26	50.29

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55438G	57.70	83.54	-25.84	55.95	1	Horizontal	75	1.80	-	37.78	14.26	50.29
AV	18.55032G	43.80	63.54	-19.74	42.06	1	Horizontal	75	1.80	-	37.77	14.26	50.29

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	57.09	88.20	-31.11	51.57	3	Vertical	192	1.84	-	34.55	5.50	34.53
RMS	5.925G	46.43	68.20	-21.77	40.58	3	Vertical	192	1.84	-	34.90	5.50	34.55
PK	6.373G	112.89	Inf	-Inf	106.08	3	Vertical	192	1.84	-	35.30	6.07	34.56
RMS	6.331G	101.88	Inf	-Inf	95.15	3	Vertical	192	1.84	-	35.26	6.03	34.56

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69046G	53.82	74.00	-20.18	40.62	3	Vertical	229	1.40	-	38.89	8.31	34.00
AV	12.69043G	40.60	54.00	-13.40	27.40	3	Vertical	229	1.40	-	38.89	8.31	34.00

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69067G	54.42	74.00	-19.58	41.22	3	Horizontal	123	2.83	-	38.89	8.31	34.00
AV	12.69065G	40.57	54.00	-13.43	27.37	3	Horizontal	123	2.83	-	38.89	8.31	34.00

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03124G	58.83	83.54	-24.71	56.36	1	Vertical	246	1.76	-	38.36	14.30	50.19
AV	19.0313G	44.78	63.54	-18.76	42.31	1	Vertical	246	1.76	-	38.36	14.30	50.19

802.11ax HEW160_Nss4,(MCS0)_4TX


6345MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03418G	58.28	83.54	-25.26	55.81	1	Horizontal	156	1.67	-	38.36	14.30	50.19
AV	19.03358G	44.81	63.54	-18.73	42.34	1	Horizontal	156	1.67	-	38.36	14.30	50.19


802.11ax HEW160_Nss4,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT_Y_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	57.15	88.20	-31.05	51.40	3	Vertical	188	1.76	-	34.80	5.50	34.55
RMS	5.9058G	46.41	68.20	-21.79	40.64	3	Vertical	188	1.76	-	34.82	5.50	34.55
PK	6.4994G	111.04	Inf	-Inf	104.09	3	Vertical	188	1.76	-	35.50	6.00	34.55
RMS	6.4966G	99.89	Inf	-Inf	92.95	3	Vertical	188	1.76	-	35.49	6.00	34.55
PK	7.191G	60.08	88.20	-28.12	51.57	3	Vertical	188	1.76	-	36.96	6.20	34.65
RMS	7.1966G	49.63	68.20	-18.57	41.09	3	Vertical	188	1.76	-	36.99	6.20	34.65


802.11ax HEW160_Nss4,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01077G	56.33	88.20	-31.87	41.82	3	Vertical	228	1.22	-	39.52	8.45	33.46
RMS	13.01077G	41.90	68.20	-26.30	27.39	3	Vertical	228	1.22	-	39.52	8.45	33.46


802.11ax HEW160_Nss4,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00998G	56.29	88.20	-31.91	41.79	3	Horizontal	343	2.45	-	39.52	8.45	33.47
RMS	13.00974G	41.93	68.20	-26.27	27.43	3	Horizontal	343	2.45	-	39.52	8.45	33.47


802.11ax HEW160_Nss4,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51048G	57.93	83.54	-25.61	55.89	1	Vertical	117	1.68	-	37.79	14.35	50.10
AV	19.51268G	44.37	63.54	-19.17	42.32	1	Vertical	117	1.68	-	37.79	14.35	50.09

802.11ax HEW160_Nss4,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51012G	58.38	83.54	-25.16	56.34	1	Horizontal	71	1.75	-	37.79	14.35	50.10
AV	19.51074G	44.40	63.54	-19.14	42.36	1	Horizontal	71	1.75	-	37.79	14.35	50.10

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	109.63	Inf	-Inf	102.40	3	Vertical	221	2.35	-	35.88	5.92	34.57
RMS	6.632G	99.79	Inf	-Inf	92.58	3	Vertical	221	2.35	-	35.86	5.92	34.57
PK	7.1292G	59.88	88.20	-28.32	51.65	3	Vertical	221	2.35	-	36.72	6.16	34.65
RMS	7.215G	49.80	68.20	-18.40	41.23	3	Vertical	221	2.35	-	37.00	6.22	34.65

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32909G	55.91	74.00	-18.09	40.26	3	Vertical	150	2.61	-	40.06	8.60	33.01
AV	13.32913G	42.45	54.00	-11.55	26.80	3	Vertical	150	2.61	-	40.06	8.60	33.01

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32959G	56.18	74.00	-17.82	40.53	3	Horizontal	131	2.14	-	40.06	8.60	33.01
AV	13.32958G	42.47	54.00	-11.53	26.82	3	Horizontal	131	2.14	-	40.06	8.60	33.01

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99222G	58.17	83.54	-25.37	56.26	1	Vertical	206	1.84	-	37.41	14.40	49.90
AV	19.99244G	43.94	63.54	-19.60	42.03	1	Vertical	206	1.84	-	37.41	14.40	49.90

802.11ax HEW160_Nss4,(MCS0)_4TX


6665MHz_TX



EUT Y_4TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99666G	57.63	83.54	-25.91	55.73	1	Horizontal	241	1.79	-	37.40	14.40	49.90
AV	19.99542G	43.89	63.54	-19.65	41.99	1	Horizontal	241	1.79	-	37.40	14.40	49.90


802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8106G	111.17	Inf	-Inf	103.47	3	Vertical	186	1.80	-	36.30	6.01	34.61
RMS	6.817G	99.92	Inf	-Inf	92.22	3	Vertical	186	1.80	-	36.30	6.01	34.61
PK	7.1338G	66.14	88.20	-22.06	57.88	3	Vertical	186	1.80	-	36.74	6.17	34.65
RMS	7.1338G	55.08	68.20	-13.12	46.82	3	Vertical	186	1.80	-	36.74	6.17	34.65


802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64971G	57.97	88.20	-30.23	41.65	3	Vertical	78	1.41	-	40.40	8.74	32.82
RMS	13.64986G	45.03	68.20	-23.17	28.71	3	Vertical	78	1.41	-	40.40	8.74	32.82

802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




16/01/2021

EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64963G	58.31	88.20	-29.89	41.99	3	Horizontal	41	2.46	-	40.40	8.74	32.82
RMS	13.64989G	44.77	68.20	-23.43	28.45	3	Horizontal	41	2.46	-	40.40	8.74	32.82


802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.472G	57.38	83.54	-26.16	55.08	1	Vertical	211	1.87	-	37.68	14.61	49.99
AV	20.47518G	43.43	63.54	-20.11	41.13	1	Vertical	211	1.87	-	37.69	14.61	50.00

802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 25
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4737G	57.04	83.54	-26.50	54.74	1	Horizontal	134	1.72	-	37.68	14.61	49.99
AV	20.47862G	43.45	63.54	-20.09	41.14	1	Horizontal	134	1.72	-	37.69	14.62	50.00

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.967G	109.07	Inf	-Inf	101.22	3	Vertical	257	1.80	-	36.40	6.08	34.63
RMS	7.014G	98.25	Inf	-Inf	90.38	3	Vertical	257	1.80	-	36.40	6.11	34.64
PK	7.134G	80.77	88.20	-7.43	72.51	3	Vertical	257	1.80	-	36.74	6.17	34.65
RMS	7.134G	67.57	68.20	-0.63	59.31	3	Vertical	257	1.80	-	36.74	6.17	34.65

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 23
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97018G	58.47	88.20	-29.73	41.67	3	Vertical	220	2.86	-	40.83	8.89	32.92
RMS	13.96985G	45.07	68.20	-23.13	28.27	3	Vertical	220	2.86	-	40.83	8.89	32.92

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 23
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96951G	58.19	88.20	-30.01	41.39	3	Horizontal	93	1.76	-	40.83	8.89	32.92
RMS	13.96926G	45.04	68.20	-23.16	28.24	3	Horizontal	93	1.76	-	40.83	8.89	32.92

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 23
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95304G	59.21	83.54	-24.33	56.14	1	Vertical	96	1.81	-	38.15	14.83	49.91
AV	20.95478G	44.53	63.54	-19.01	41.46	1	Vertical	96	1.81	-	38.15	14.83	49.91

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX



EUT Y_4TX
Setting 23
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95506G	57.94	83.54	-25.60	54.86	1	Horizontal	78	1.78	-	38.16	14.83	49.91
AV	20.95422G	44.39	63.54	-19.15	41.32	1	Horizontal	78	1.78	-	38.15	14.83	49.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6115MHz_TnomVnom

05/01/2021

CF Freq
6.115GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12369G	-9.85	6.1538G	-61.25	-49.85	-11.40	1
6.12329G	-10.22	6.1491G	-61.47	-50.22	-11.25	2
6.12359G	-10.55	6.1597G	-61.34	-50.55	-10.79	3
6.12399G	-10.71	6.1487G	-61.44	-50.71	-10.73	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6255MHz_TnomVnom

05/01/2021

CF Freq
6.255GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26379G	-9.60	6.2129G	-60.88	-49.60	-11.28	1
6.26359G	-9.68	6.221G	-61.02	-49.68	-11.34	2
6.26339G	-9.11	6.2169G	-60.82	-49.11	-11.71	3
6.26389G	-10.36	6.2117G	-61.05	-50.36	-10.69	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

05/01/2021

CF Freq
6.415GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42399G	-10.19	6.4508G	-60.95	-50.19	-10.76	1
6.42379G	-10.08	6.4498G	-61.08	-50.08	-11.00	2
6.40631G	-10.11	6.3822G	-60.88	-50.11	-10.77	3
6.40651G	-11.24	6.3818G	-61.18	-51.24	-9.94	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

05/01/2021

CF Freq
6.435GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44339G	-9.30	6.4012G	-60.77	-49.30	-11.47	1
6.42621G	-9.34	6.4007G	-60.91	-49.34	-11.57	2
6.42651G	-9.76	6.4003G	-60.71	-49.76	-10.95	3
6.42631G	-10.55	6.399G	-61.00	-50.55	-10.45	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

05/01/2021

CF Freq
6.475GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46601G	-8.94	6.4319G	-60.64	-48.94	-11.70	1
6.48389G	-9.77	6.4362G	-60.95	-49.77	-11.18	2
6.48339G	-9.73	6.4315G	-60.85	-49.73	-11.12	3
6.48379G	-10.47	6.4256G	-60.95	-50.47	-10.48	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

05/01/2021

CF Freq
6.515GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52379G	-8.88	6.5574G	-60.84	-48.88	-11.96	1
6.50681G	-9.58	6.478G	-61.08	-49.58	-11.50	2
6.50641G	-9.31	6.4802G	-60.86	-49.31	-11.55	3
6.50751G	-10.09	6.4765G	-61.01	-50.09	-10.92	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

05/01/2021

CF Freq
6.535GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52621G	-9.46	6.5009G	-60.76	-49.46	-11.30	1
6.54329G	-9.78	6.4859G	-60.92	-49.78	-11.14	2
6.54339G	-10.09	6.5019G	-60.78	-50.09	-10.69	3
6.54329G	-10.30	6.492G	-60.80	-50.30	-10.50	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

05/01/2021

CF Freq
6.695GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70389G	-9.68	6.7276G	-60.78	-49.68	-11.10	1
6.68631G	-9.50	6.7362G	-60.89	-49.50	-11.39	2
6.70359G	-9.62	6.6613G	-60.85	-49.62	-11.23	3
6.68631G	-10.16	6.7401G	-60.87	-50.16	-10.71	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

05/01/2021

CF Freq
6.855GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84661G	-8.94	6.8159G	-59.94	-48.94	-11.00	1
6.86369G	-10.05	6.8888G	-60.27	-50.05	-10.22	2
6.86329G	-9.27	6.8891G	-60.22	-49.27	-10.95	3
6.84621G	-10.59	6.8949G	-60.24	-50.59	-9.65	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

05/01/2021

CF Freq
6.875GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86651G	-10.17	6.9122G	-59.84	-50.17	-9.67	1
6.88389G	-9.89	6.9232G	-60.07	-49.89	-10.18	2
6.86621G	-9.75	6.9096G	-60.14	-49.75	-10.39	3
6.86601G	-10.94	6.9223G	-60.13	-50.94	-9.19	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

06/01/2021

CF Freq
6.895GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90299G	-9.44	6.9292G	-59.69	-49.44	-10.25	1
6.90359G	-9.55	6.9288G	-59.58	-49.55	-10.03	2
6.88621G	-9.43	6.9419G	-59.69	-49.43	-10.26	3
6.88661G	-10.57	6.9409G	-59.63	-50.57	-9.06	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

06/01/2021

CF Freq
6.995GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98621G	-9.67	7.0268G	-59.02	-49.67	-9.35	1
6.98631G	-9.76	7.0311G	-59.00	-49.76	-9.24	2
7.00349G	-10.32	7.0295G	-59.16	-50.32	-8.84	3
6.98621G	-10.98	7.0327G	-58.98	-50.98	-8.00	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

06/01/2021

CF Freq
7.095GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08631G	-10.64	7.0487G	-59.27	-50.64	-8.63	1
7.08621G	-11.03	7.0461G	-59.11	-51.03	-8.08	2
7.08631G	-10.41	7.0483G	-59.29	-50.41	-8.88	3
7.08671G	-11.14	7.0571G	-59.09	-51.14	-7.95	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6125MHz_TnomVnom

06/01/2021

CF Freq
6.125GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13159G	-9.47	6.2076G	-51.98	-49.47	-2.51	1
6.13039G	-9.89	6.2222G	-52.12	-49.89	-2.23	2
6.1272G	-10.33	6.2204G	-51.89	-50.33	-1.56	3
6.1282G	-10.40	6.2024G	-52.12	-50.40	-1.72	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6245MHz_TnomVnom

06/01/2021

CF Freq
6.245GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2482G	-9.33	6.328G	-51.98	-49.33	-2.65	1
6.2428G	-9.43	6.3328G	-52.17	-49.43	-2.74	2
6.2476G	-9.40	6.3238G	-52.02	-49.40	-2.62	3
6.2428G	-9.62	6.331G	-52.12	-49.62	-2.50	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

06/01/2021

CF Freq
6.405GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39881G	-9.30	6.4942G	-51.87	-49.30	-2.57	1
6.39861G	-9.83	6.5016G	-52.06	-49.83	-2.23	2
6.4078G	-9.52	6.4998G	-51.93	-49.52	-2.41	3
6.4024G	-10.71	6.4942G	-52.19	-50.71	-1.48	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

06/01/2021

CF Freq
6.445GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.446G	-9.01	6.511G	-51.84	-49.01	-2.83	1
6.4422G	-9.49	6.5152G	-52.03	-49.49	-2.54	2
6.4402G	-9.65	6.5086G	-51.83	-49.65	-2.18	3
6.4464G	-10.32	6.5098G	-51.88	-50.32	-1.56	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

06/01/2021

CF Freq
6.485GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.484G	-9.26	6.423G	-51.84	-49.26	-2.58	1
6.4878G	-9.67	6.4192G	-52.08	-49.67	-2.41	2
6.4828G	-9.78	6.4238G	-51.88	-49.78	-2.10	3
6.49079G	-9.53	6.4118G	-52.07	-49.53	-2.54	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

06/01/2021

CF Freq
6.525GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5224G	-9.29	6.443G	-51.87	-49.29	-2.58	1
6.5228G	-9.54	6.4634G	-52.07	-49.54	-2.53	2
6.5222G	-9.92	6.4292G	-51.91	-49.92	-1.99	3
6.51981G	-10.29	6.435G	-52.00	-50.29	-1.71	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

06/01/2021

CF Freq
6.565GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5614G	-8.90	6.4664G	-51.89	-48.90	-2.99	1
6.5684G	-9.38	6.5044G	-51.93	-49.38	-2.55	2
6.5674G	-9.80	6.4974G	-51.88	-49.80	-2.08	3
6.5626G	-9.94	6.5014G	-51.84	-49.94	-1.90	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

06/01/2021

CF Freq
6.685GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67461G	-9.75	6.7804G	-51.81	-49.75	-2.06	1
6.6834G	-9.76	6.747G	-51.88	-49.76	-2.12	2
6.6832G	-9.50	6.7828G	-51.72	-49.50	-2.22	3
6.689G	-10.07	6.7806G	-51.73	-50.07	-1.66	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

06/01/2021

CF Freq
6.845GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8424G	-9.36	6.9316G	-51.01	-49.36	-1.65	1
6.83681G	-10.42	6.9362G	-51.14	-50.42	-0.72	2
6.846G	-10.36	6.9372G	-51.05	-50.36	-0.69	3
6.8454G	-10.34	6.9444G	-51.07	-50.34	-0.73	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

06/01/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8884G	-9.46	6.9792G	-51.01	-49.46	-1.55	1
6.8884G	-9.66	6.958G	-51.09	-49.66	-1.43	2
6.8826G	-9.62	6.9666G	-50.96	-49.62	-1.34	3
6.8818G	-10.71	6.9562G	-50.94	-50.71	-0.23	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

06/01/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9292G	-9.71	7.0024G	-50.22	-49.71	-0.51	1
6.9296G	-9.87	7.0044G	-50.12	-49.87	-0.25	2
6.9268G	-10.08	7.0034G	-50.23	-50.08	-0.15	3
6.926G	-10.00	7.0018G	-50.10	-50.00	-0.10	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

06/01/2021

CF Freq
7.005GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99961G	-10.54	6.9444G	-60.45	-50.54	-9.91	1
6.99441G	-10.07	6.935G	-60.38	-50.07	-10.31	2
6.99841G	-11.15	7.0794G	-60.57	-51.15	-9.42	3
6.99901G	-12.02	7.075G	-60.40	-52.02	-8.38	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

06/01/2021

CF Freq
7.085GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08G	-8.94	6.9932G	-59.58	-48.94	-10.64	1
7.07801G	-9.41	6.9892G	-59.53	-49.41	-10.12	2
7.0864G	-10.37	6.989G	-59.60	-50.37	-9.23	3
7.09019G	-10.99	6.9852G	-59.61	-50.99	-8.62	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

06/01/2021

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15659G	-8.95	6.2722G	-59.05	-48.95	-10.10	1
6.13741G	-9.88	6.2878G	-59.36	-49.88	-9.48	2
6.16338G	-10.86	6.2998G	-58.71	-50.86	-7.85	3
6.1426G	-9.22	6.2878G	-58.10	-49.22	-8.88	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TnomVnom

06/01/2021

CF Freq
6.225GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23659G	-9.98	6.3686G	-59.77	-49.98	-9.79	1
6.2226G	-9.86	6.3538G	-60.00	-49.86	-10.14	2
6.21861G	-10.66	6.3738G	-59.74	-50.66	-9.08	3
6.25417G	-9.47	6.3882G	-59.54	-49.47	-10.07	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

06/01/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.383G	-8.36	6.2398G	-58.34	-48.36	-9.98	1
6.3826G	-9.20	6.2262G	-58.89	-49.20	-9.69	2
6.39979G	-9.92	6.2498G	-58.21	-49.92	-8.29	3
6.37901G	-10.18	6.2242G	-58.24	-50.18	-8.06	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

06/01/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45261G	-9.07	6.3358G	-58.50	-49.07	-9.43	1
6.4654G	-9.38	6.3034G	-58.74	-49.38	-9.36	2
6.48738G	-10.45	6.3206G	-59.11	-50.45	-8.66	3
6.47859G	-10.43	6.3018G	-57.96	-50.43	-7.53	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

06/01/2021

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5422G	-9.53	6.7202G	-59.39	-49.53	-9.86	1
6.5486G	-10.17	6.679G	-59.82	-50.17	-9.65	2
6.5422G	-10.23	6.3966G	-59.21	-50.23	-8.98	3
6.56018G	-10.31	6.3766G	-59.27	-50.31	-8.96	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

06/01/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63099G	-9.87	6.8162G	-59.05	-49.87	-9.18	1
6.61621G	-10.44	6.797G	-59.69	-50.44	-9.25	2
6.6278G	-10.51	6.7854G	-59.44	-50.51	-8.93	3
6.6254G	-10.58	6.7938G	-59.32	-50.58	-8.74	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

06/01/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7026G	-10.07	6.851G	-59.09	-50.07	-9.02	1
6.7074G	-10.07	6.8382G	-59.32	-50.07	-9.25	2
6.69981G	-10.10	6.8578G	-58.93	-50.10	-8.83	3
6.68982G	-10.52	6.8574G	-58.98	-50.52	-8.46	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

06/01/2021

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82216G	-9.95	6.939G	-58.75	-49.95	-8.80	1
6.7806G	-10.07	6.9534G	-58.95	-50.07	-8.88	2
6.783G	-10.16	6.9434G	-58.56	-50.16	-8.40	3
6.76862G	-10.38	6.9598G	-58.56	-50.38	-8.18	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

06/01/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84142G	-9.37	7.0058G	-57.96	-49.37	-8.59	1
6.867G	-10.47	7.0018G	-58.33	-50.47	-7.86	2
6.8618G	-9.99	7.0154G	-58.09	-49.99	-8.10	3
6.85261G	-10.87	7.0042G	-58.05	-50.87	-7.18	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

06/01/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95299G	-9.20	7.0914G	-58.67	-49.20	-9.47	1
6.96098G	-9.92	7.075G	-58.64	-49.92	-8.72	2
6.95739G	-9.87	7.0734G	-58.50	-49.87	-8.63	3
6.9454G	-8.91	7.0834G	-58.39	-48.91	-9.48	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

06/01/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00782G	-9.10	6.8606G	-59.02	-49.10	-9.92	1
6.99943G	-9.15	6.875G	-58.90	-49.15	-9.75	2
7.021G	-10.66	6.8662G	-58.67	-50.66	-8.01	3
7.0226G	-10.37	6.8638G	-58.39	-50.37	-8.02	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

07/01/2021

CF Freq
6.185GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21217G	-9.26	6.4322G	-60.72	-49.26	-11.46	1
6.22336G	-10.16	6.4314G	-61.34	-50.16	-11.18	2
6.21217G	-10.80	6.4314G	-61.16	-50.80	-10.36	3
6.21137G	-10.04	6.4298G	-60.81	-50.04	-10.77	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

07/01/2021

CF Freq
6.345GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36018G	-9.66	6.7202G	-61.28	-49.66	-11.62	1
6.32742G	-10.20	6.7314G	-61.49	-50.20	-11.29	2
6.32182G	-10.51	6.1002G	-61.54	-50.51	-11.03	3
6.33621G	-9.24	6.7354G	-61.62	-49.24	-12.38	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

07/01/2021

CF Freq
6.505GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48822G	-11.24	6.2394G	-60.75	-51.24	-9.51	1
6.51459G	-11.65	6.2618G	-60.55	-51.63	-8.92	2
6.49301G	-11.79	6.261G	-60.84	-51.78	-9.06	3
6.49621G	-11.89	6.2594G	-60.98	-51.89	-9.09	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

07/01/2021

CF Freq
6.665GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.62744G	-9.70	6.9154G	-59.47	-49.70	-9.77	1
6.63623G	-10.85	6.9074G	-59.41	-50.71	-8.70	2
6.63303G	-11.37	6.417G	-60.00	-51.36	-8.64	3
6.63063G	-10.97	6.4194G	-60.11	-50.97	-9.14	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

07/01/2021

CF Freq
6.825GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84498G	-6.76	6.5738G	-60.80	-46.76	-14.04	1
6.8298G	-7.87	6.5778G	-60.84	-47.87	-12.97	2
6.84978G	-9.09	6.5682G	-61.24	-49.09	-12.15	3
6.83059G	-8.13	6.4346G	-60.72	-48.13	-12.59	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

07/01/2021

CF Freq
6.985GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01377G	-8.58	6.7394G	-60.78	-48.58	-12.20	1
7.00338G	-8.96	6.7354G	-60.72	-48.96	-11.76	2
7.00658G	-10.82	6.741G	-60.80	-50.82	-9.98	3
7.01057G	-9.94	6.7426G	-60.49	-49.94	-10.55	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6115MHz_TnomVnom

19/01/2021

CF Freq
6.115GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12339G	-3.01	6.0718G	-50.72	-43.01	-7.71	1
6.12309G	-3.01	6.0763G	-50.01	-43.01	-7.00	2
6.12369G	-4.15	6.0672G	-50.87	-44.15	-6.72	3
6.12379G	-3.17	6.0667G	-50.88	-43.17	-7.71	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6255MHz_TnomVnom

19/01/2021

CF Freq
6.255GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24641G	-3.13	6.2085G	-51.14	-43.13	-8.01	1
6.26289G	-3.34	6.207G	-50.39	-43.34	-7.05	2
6.26349G	-3.64	6.2165G	-51.25	-43.64	-7.61	3
6.26329G	-3.67	6.2083G	-51.24	-43.67	-7.57	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6415MHz_TnomVnom

19/01/2021

CF Freq
6.415GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40711G	-3.62	6.465G	-51.10	-43.62	-7.48	1
6.40671G	-3.21	6.4482G	-50.48	-43.21	-7.27	2
6.42349G	-3.90	6.4532G	-51.38	-43.90	-7.48	3
6.40631G	-3.58	6.4549G	-51.34	-43.58	-7.76	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6435MHz_TnomVnom

19/01/2021

CF Freq
6.435GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42641G	-3.30	6.3981G	-51.27	-43.30	-7.97	1
6.42611G	-3.15	6.3996G	-50.43	-43.15	-7.28	2
6.44229G	-3.59	6.3936G	-51.33	-43.59	-7.74	3
6.44369G	-3.60	6.4009G	-51.30	-43.60	-7.70	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6475MHz_TnomVnom

19/01/2021

CF Freq
6.475GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46631G	-3.44	6.5177G	-51.15	-43.44	-7.71	1
6.48349G	-3.42	6.5122G	-50.39	-43.42	-6.97	2
6.46641G	-3.87	6.428G	-51.21	-43.87	-7.34	3
6.48369G	-3.56	6.5202G	-51.19	-43.56	-7.63	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6515MHz_TnomVnom

19/01/2021

CF Freq
6.515GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52369G	-3.28	6.5623G	-50.86	-43.28	-7.58	1
6.50671G	-3.09	6.561G	-50.10	-43.09	-7.01	2
6.52309G	-4.05	6.5626G	-50.82	-44.05	-6.77	3
6.50631G	-3.52	6.5635G	-50.89	-43.52	-7.37	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TnomVnom

19/01/2021

CF Freq
6.535GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54349G	-3.06	6.5841G	-50.38	-43.06	-7.32	1
6.54369G	-3.33	6.5824G	-49.94	-43.33	-6.61	2
6.52711G	-3.87	6.5845G	-50.49	-43.87	-6.62	3
6.54379G	-3.32	6.5824G	-50.52	-43.32	-7.20	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TnomVnom

19/01/2021

CF Freq
6.695GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68601G	-3.50	6.7398G	-49.87	-43.50	-6.37	1
6.68611G	-3.44	6.7434G	-49.44	-43.44	-6.00	2
6.68631G	-3.92	6.7445G	-50.05	-43.92	-6.13	3
6.68611G	-3.54	6.7379G	-50.01	-43.54	-6.47	4