


**Intertek Testing Services**  
**RF VOLTAGE**

EUT: Bluetooth USB Adapter F8T001  
Manuf: Belkin Components  
Op Cond: AMN-L  
Operator: Elton  
Test Spec: FCC 15.207  
Comment: SN:825788/015  
120V 60Hz 24C 65%RH tx mode at low channel  
Date: 13. Dec 01 14:26

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	5k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: Bluetooth USB Adapter F8T001  
Manuf: Belkin Components  
Op Cond: AMN-N  
Operator: Elton  
Test Spec: FCC 15.207  
Comment: SN:825788/015  
120V 60Hz 24C 65%RH tx mode at low channel  
Date: 13. Dec 01 14:34

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: Bluetooth USB Adapter F8T001  
Manuf: Belkin Components  
Op Cond: AMN-L  
Operator: Eiton  
Test Spec: FCC 15.207  
Comment: SN:825788/015  
120V 60Hz 24C 65%RH tx mode at mid channel  
Date: 13. Dec 01 14:48

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: Bluetooth USB Adapter F8T001  
Manuf: Belkin Components  
Op Cond: AMN-N  
Operator: Elton  
Test Spec: FCC 15.207  
Comment: SN:825788/015  
120V 60Hz 24C 65%RH tx mode at mid channel  
Date: 13. Dec 01 14:41

Scan Settings (1 Range)  
|----- Frequencies -----| |----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp  
450k 30M 8k 9k PK 20ms AUTO LN OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: Bluetooth USB Adapter F8T001  
Manuf: Belkin Components  
Op Cond: AMN-L  
Operator: Elton  
Test Spec: FCC 15.207  
Comment: SN:825788/015  
120V 60Hz 24C 65%RH tx mode at high channel  
Date: 13. Dec 01 14:55

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP  
Meas Time: 1 s



**Intertek Testing Services**  
**RF VOLTAGE**

EUT: Bluetooth USB Adapter F8T001  
Manuf: Belkin Components  
Op Cond: AMN-N  
Operator: Elton  
Test Spec: FCC 15.207  
Comment: SN:825788/015  
120V 60Hz 24C 65%RH tx mode at high channel  
Date: 13. Dec 01 15:02

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP  
Meas Time: 1 s

