



ORIGINALFORMAT A3

REVISION	ECO NO.	ISSUED	APP'D	DATE
AB	RTC	PC-AA	EMe	2245
DESCRIPTION				
1208 MAIN LABEL				

FLEX CONTROLLED FIELDS

NO.	FIELD	SITE	PART NO.	MARKING FORMAT	EXAMPLE FORMAT
A	MODEL	ALL	-FLEX	<MODEL>	1208XX
B	SERIAL NO.	ALL	-FLEX	<YYAABC1234567>	22BKRL0011234
C	PRODUCTION DATE	ALL	-FLEX	<MM-YYYY>	03-2022
D	QR CODE LINKED TO MY ASSETS	ALL	-FLEX	<QR-CODE>	



STRING CONTROLLED FIELDS

NO.	FIELD	MODEL	PART NO.	PART. REV.	MARKING FORMAT	LANGUAGE
1.	BASE LAYER	1208A,1208C	-0001	AA	According to base layer artwork illustration	English
		1208C	-0002	AA	According to base layer artwork illustration	Chinese
2.	CONNECTION DIAGRAM	1208A	-0201	AA		All
		1208C	-0202	AA		All
3.	WARNING	1208C	-0301	AA	<p>SUBSTITUTION OF COMPONENTS MAY IMPAIR INTRINSIC SAFETY. TO PREVENT IGNITION OF FLAMMABLE OR COMBUSTIBLE ATMOSPHERES, DISCONNECT POWER BEFORE SERVICING. INSTALL PER CONTROL DRAWING.</p> <p>LA SUBSTITUTION DE COMPOSANTS PEUT COMPROMETTRE LA SECURITE INTRINSEQUE. POUR EVITER L'ALLUMAGE DE PRODUITS INFLAMMABLES OU ATMOSPHERES COMBUSTIBLES, DEBRANCHEZ L'ALIMENTATION AVANT L'ENTRETIEN INSTALLER SELON LE SCHEMA DE CONTROLE</p>	All
4.	LOGOS	1208C	-0401	AA		All
5.	LOGOS	1208A	-0501	AA		All
		1208C	-0502	AA		All
6.	SUPPLY	1208A	-0601	AA	--- 18-30 VDC 3.6W	All
		1208C	-0602	AB	HART® 4-20 mA --- 14-35 VDC 22.5mA	All
7.	MADE IN	1208C	-0703	AB	泰国制造	Chinese
		1208A,1208C	-0704	AB	Made in Thailand	English
8.	RADIO OUT.	1208A BT	-0901	AA		All
		1208A	-0902	AA		All
		1208C BT	-0903	AA		All
		1208C	-0904	AA		All

Description product variant	Model	Language	Part Number	Model string
Rosemount™ 1208A Level and Flow Transmitter	1208A	English	7000007-395	1208AG
Rosemount™ 1208A Level and Flow Transmitter	1208A	English	7000007-396	1208AN
Rosemount™ 1208C Level and Flow Transmitter	1208C	English	7000007-428	1208CG
Rosemount™ 1208C Level and Flow Transmitter	1208C	English	7000007-429	1208CN
Rosemount™ 1208CG Level and Flow Transmitter	1208C	Chinese	7000007-430	1208CGC
Rosemount™ 1208CN Level and Flow Transmitter	1208C	Chinese	7000007-431	1208CNC



- 7. THE PRODUCT IS NOT FOR USE WITH FLAMMABLE LIQUIDS
- 6. OUTLINES NOT TO BE PRINTED.
- 5. DO NOT PRINT BORDERS.
- 4. LABEL TO BE CUSTOMIZED ACCORDING TO FLEX CONTROLLED FIELDS
- 3. ALL APPROVAL LOGOS IN ACC. WITH RESP. LOGOTYPE.
- 2. TEXT TYPE: ARIAL NARROW BOLD & ARIAL BOLD
- 1. LASER ETCHED.

CERTIFIED PRODUCT  
No modification permitted without approval from the Authorized Person(s).

01208-6000	ISSUED BY <b>PC-AA</b>	DRAWN WEEK <b>2220</b>	PRODUCT CODE <b>1208</b>		
	APPROVED BY	APP'D WEEK	DOC TYPE <b>0</b>		LAYOUTVÄGEN 1, 435 33 MÖLNLYCKE, SWEDEN
	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN MILLIMETERS. REMOVE ALL BURRS AND SHARP EDGES.				TITLE <b>ROSEMOUNT 1208 Main Label</b>
	MACHINING: ISO 2768 CASTING: ISO 8062 WELDING: EN-ISO 13920	FINISH: ✓	ANGLES:	DRAWING NO. <b>01208-6000</b>	ISSUE SHEET <b>AB 1/3</b>
1 ST ANGLE 	SCALE <b>1:1</b>	SIZE <b>A3</b>	Adobe Illustrator DO NOT SCALE PRINT	THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN	

ORIGINALFORMAT A3

REVISION	ECO NO.	ISSUED	APP'D	DATE
AB	RTC	PC-AA	EMe	2245
DESCRIPTION				
1208 MAIN LABEL				



- 7. THE PRODUCT IS NOT FOR USE WITH FLAMMABLE LIQUIDS
- 6. OUTLINES NOT TO BE PRINTED.
- 5. DO NOT PRINT BORDERS.
- 4. LABEL TO BE CUSTOMIZED ACCORDING TO FLEX CONTROLLED FIELDS
- 3. ALL APPROVAL LOGOS IN ACC. WITH RESP. LOGOTYPE.
- 2. TEXT TYPE: ARIAL NARROW BOLD & ARIAL BOLD
- 1. LASER ETCHED.

CERTIFIED PRODUCT  
No modification permitted without approval from the Authorized Person(s).

01208-6000	ISSUED BY <b>PC-AA</b>	DRAWN WEEK <b>2220</b>	PRODUCT CODE <b>1208</b>	 <small>LAYOUTVÄGEN 1, 435 33 MÖLNLYCKE, SWEDEN</small>	
	APPROVED BY	APP'D WEEK	DOC TYPE <b>0</b>		
	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN MILLIMETERS. REMOVE ALL BURRS AND SHARP EDGES.				<b>ROSEMOUNT 1208 Main Label</b>
	- GENERAL TOLERANCES -				
MACHINING: ISO 2768	FINISH: <input checked="" type="checkbox"/>		<b>01208-6000</b>	DRAWING NO. <b>01208-6000</b>	
CASTING: ISO 8062	ANGLES:				ISSUE <b>AB</b>
WELDING: EN-ISO 13920	1 ST ANGLE	SCALE <b>1:1</b>	SIZE <b>A3</b>	DO NOT SCALE PRINT	SHEET <b>2/3</b>
THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN					



1

▼ 2


3


ORIGINALFORMAT A3

REVISION	ECO NO.	ISSUED	APP'D	DATE
AB	RTC	PC-AA	EMe	2245
DESCRIPTION				
1208 MAIN LABEL				

<p><b>EMERSON   ROSEMOUNT</b>  <b>MODEL 1208XX</b>  <b>SERIAL 22BKRL0011234</b>  DATE MFG: 03-2022  FCC ID: K8C1208LB  IC: 2827A-1208LB  HVIN: 1208LB1</p>	<p><b>Level &amp; Flow Transmitter</b>  <b>Made in Thailand</b>  SUPPLY: ---18-30 Vdc 3.6W  ENCL. TYPE: 4X/6P, IP66/68, IK07  MWP: 3 BAR</p>		 <b>EMERSON</b> <hr/> <b>ROSEMOUNT™</b> 1208 Level and Flow Transmitter
--	--	---	--

IO-Link




  
1 → BN L+  
2 → WH OUT2: switch/4...20mA  
3 → BK OUT1: switch/IO-link  
4 → BU L-


Certificate Holder  
Mölnlycke, Sweden  
Rosemount Tank Radar AB  
Layoutvägen 1, 435 33 Mölnlycke, SWE

EXAMPLE LABEL 1208A Radar + BLE

- 7. THE PRODUCT IS NOT FOR USE WITH FLAMMABLE LIQUIDS
- 6. OUTLINES NOT TO BE PRINTED.
- 5. DO NOT PRINT BORDERS.
- 4. LABEL TO BE CUSTOMIZED ACCORDING TO FLEX CONTROLLED FIELDS
- 3. ALL APPROVAL LOGOS IN ACC. WITH RESP. LOGOTYPE.
- 2. TEXT TYPE: ARIAL NARROW BOLD & ARIAL BOLD
- 1. LASER ETCHED.

CERTIFIED PRODUCT  
No modification permitted without  
approval from the Authorized  
Person(s).

<b>01208-6000</b>	ISSUED BY <b>PC-AA</b>	DRAWN WEEK <b>2220</b>	PRODUCT CODE <b>1208</b>	 <b>EMERSON™</b> <small>LAYOUTVÄGEN 1, 435 33 MÖLNLYCKE, SWEDEN</small>	
	APPROVED BY	APP'D WEEK	DOC TYPE <b>0</b>		
	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN MILLIMETERS. REMOVE ALL BURRS AND SHARP EDGES.				TITLE <b>ROSEMOUNT 1208 Main Label</b>
	- GENERAL TOLERANCES - MACHINING: ISO 2768 CASTING: ISO 8062 WELDING: EN-ISO 13920 FINISH: ✓ ANGLES:				DRAWING NO. <b>01208-6000</b>
1 ST ANGLE 	SCALE <b>1:1</b>	SIZE <b>A3</b>	Adobe Illustrator DO NOT SCALE PRINT	ISSUE <b>AB</b>	
THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN				SHEET <b>3/3</b>	

1

▲ 2 ▲

3