



Orthogonal Axis	X
Test Mode:	TX N-20M Mode 2462 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2997.500	58.52	-15.48	43.04	54.00	-10.96	AVG	
2		2999.960	61.42	-15.48	45.94	74.00	-28.06	peak	
3		3937.500	56.10	-13.34	42.76	54.00	-11.24	AVG	
4		3939.130	58.44	-13.34	45.10	74.00	-28.90	peak	
5		4800.155	56.22	-10.82	45.40	74.00	-28.60	peak	
6		4801.125	52.48	-10.82	41.66	54.00	-12.34	AVG	


Orthogonal Axis	X
Test Mode:	TX N-20M Mode 2462 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2461.300	68.92	31.99	100.91	54.00	46.91	AVG	No Limit
2	X	2461.450	76.08	31.99	108.07	74.00	34.07	peak	No Limit
3		2483.500	31.90	32.05	63.95	74.00	-10.05	peak	
4		2483.500	20.36	32.05	52.41	54.00	-1.59	AVG	


Orthogonal Axis	X
Test Mode:	TX N-20M Mode 2462 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2997.500	56.87	-15.48	41.39	54.00	-12.61	AVG	
2		3000.020	59.57	-15.48	44.09	74.00	-29.91	peak	
3		3937.500	52.87	-13.34	39.53	54.00	-14.47	AVG	
4		3939.140	56.38	-13.34	43.04	74.00	-30.96	peak	
5		4799.745	52.64	-10.82	41.82	74.00	-32.18	peak	
6		4801.125	48.81	-10.82	37.99	54.00	-16.01	AVG	


Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2422MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	31.31	31.79	63.10	74.00	-10.90	peak	
2		2390.000	19.12	31.79	50.91	54.00	-3.09	AVG	
3	X	2419.670	71.30	31.88	103.18	74.00	29.18	peak	No Limit
4	*	2419.900	62.44	31.88	94.32	54.00	40.32	AVG	No Limit

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.500	58.54	-15.48	43.06	54.00	-10.94	AVG	
2		2999.840	61.09	-15.48	45.61	74.00	-28.39	peak	
3	*	3872.875	56.85	-13.54	43.31	54.00	-10.69	AVG	
4		3875.245	58.90	-13.54	45.36	74.00	-28.64	peak	
5		4799.845	56.16	-10.82	45.34	74.00	-28.66	peak	
6		4801.125	52.65	-10.82	41.83	54.00	-12.17	AVG	

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2422MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	34.18	31.79	65.97	74.00	-8.03	peak	
2		2390.000	20.74	31.79	52.53	54.00	-1.47	AVG	
3	X	2419.600	71.47	31.88	103.35	74.00	29.35	peak	No Limit
4	*	2419.700	62.98	31.88	94.86	54.00	40.86	AVG	No Limit


Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2422MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.500	56.75	-15.48	41.27	54.00	-12.73	AVG	
2		3000.560	60.37	-15.48	44.89	74.00	-29.11	peak	
3	*	3872.875	55.79	-13.54	42.25	54.00	-11.75	AVG	
4		3875.075	58.89	-13.54	45.35	74.00	-28.65	peak	
5		4800.065	53.60	-10.82	42.78	74.00	-31.22	peak	
6		4801.125	48.44	-10.82	37.62	54.00	-16.38	AVG	


Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2437 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	27.16	31.79	58.95	74.00	-15.05	peak	
2		2390.000	17.15	31.79	48.94	54.00	-5.06	AVG	
3	X	2433.400	71.64	31.91	103.55	74.00	29.55	peak	No Limit
4	*	2435.000	63.95	31.91	95.86	54.00	41.86	AVG	No Limit
5		2483.500	22.40	32.05	54.45	74.00	-19.55	peak	
6		2483.500	11.09	32.05	43.14	54.00	-10.86	AVG	

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2437 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2997.500	58.42	-15.48	42.94	54.00	-11.06	AVG	
2		3000.070	60.92	-15.48	45.44	74.00	-28.56	peak	
3		3896.375	55.53	-13.48	42.05	54.00	-11.95	AVG	
4		3899.395	57.59	-13.47	44.12	74.00	-29.88	peak	
5		4799.955	56.00	-10.82	45.18	74.00	-28.82	peak	
6		4801.125	52.55	-10.82	41.73	54.00	-12.27	AVG	

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2437 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	33.02	31.79	64.81	74.00	-9.19	peak	
2		2390.000	21.46	31.79	53.25	54.00	-0.75	AVG	
3	X	2433.300	71.66	31.91	103.57	74.00	29.57	peak	No Limit
4	*	2434.900	64.43	31.91	96.34	54.00	42.34	AVG	No Limit
5		2483.500	25.61	32.05	57.66	74.00	-16.34	peak	
6		2483.500	13.59	32.05	45.64	54.00	-8.36	AVG	


Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2437 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2997.500	56.86	-15.48	41.38	54.00	-12.62	AVG	
2		3000.370	62.34	-15.48	46.86	74.00	-27.14	peak	
3		3896.375	54.74	-13.48	41.26	54.00	-12.74	AVG	
4		3899.415	57.42	-13.47	43.95	74.00	-30.05	peak	
5		4800.015	53.39	-10.82	42.57	74.00	-31.43	peak	
6		4801.125	48.45	-10.82	37.63	54.00	-16.37	AVG	


Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2452MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2450.200	64.87	31.96	96.83	54.00	42.83	AVG	No Limit
2	X	2454.900	73.88	31.97	105.85	74.00	31.85	peak	No Limit
3		2483.500	31.18	32.05	63.23	74.00	-10.77	peak	
4		2483.500	19.78	32.05	51.83	54.00	-2.17	AVG	
5		2484.300	32.24	32.05	64.29	74.00	-9.71	peak	
6		2484.300	21.16	32.05	53.21	54.00	-0.79	AVG	

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.500	59.15	-15.48	43.67	54.00	-10.33	AVG	
2		3000.020	61.63	-15.48	46.15	74.00	-27.85	peak	
3		3859.315	59.71	-13.59	46.12	74.00	-27.88	peak	
4	*	3861.125	57.47	-13.58	43.89	54.00	-10.11	AVG	
5		4798.735	56.27	-10.82	45.45	74.00	-28.55	peak	
6		4801.024	53.04	-10.82	42.22	54.00	-11.78	AVG	

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2453.900	64.71	31.97	96.68	54.00	42.68	AVG	No Limit
2	X	2457.100	72.69	31.98	104.67	74.00	30.67	peak	No Limit
3		2483.500	32.42	32.05	64.47	74.00	-9.53	peak	
4		2483.500	20.61	32.05	52.66	54.00	-1.34	AVG	

Orthogonal Axis	X
Test Mode:	TX N-40M Mode 2452MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2997.500	56.87	-15.48	41.39	54.00	-12.61	AVG	
2		3000.020	59.57	-15.48	44.09	74.00	-29.91	peak	
3		3937.500	52.87	-13.34	39.53	54.00	-14.47	AVG	
4		3939.140	56.38	-13.34	43.04	74.00	-30.96	peak	
5		4799.745	52.64	-10.82	41.82	74.00	-32.18	peak	
6		4801.125	48.81	-10.82	37.99	54.00	-16.01	AVG	

APPENDIX E - BANDWIDTH

Test Mode: TX B Mode_CH01/06/11

Frequency (MHz)	6 dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	10.07	14.44	500	Complies
2437	10.10	14.40	500	Complies
2462	9.59	14.36	500	Complies




Date: 11.OCT.2018 16:01:00

TX CH06



*RBW 100 kHz Delta 1 [T1]
*VBW 300 kHz 0.16 dB

Ref 20 dBm *Att 30 dB SWT 2.5 ms 10.100000000 MHz




Date: 11.OCT.2018 16:03:36

TX CH11



*RBW 100 kHz Delta 1 [T1]
*VBW 300 kHz 0.18 dB

Ref 20 dBm *Att 30 dB SWT 2.5 ms 9.588900000 MHz




Date: 11.OCT.2018 16:21:58

Test Mode: TX G Mode_CH01/06/11


Frequency (MHz)	6 dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	13.96	16.36	500	Complies
2437	13.96	16.36	500	Complies
2462	13.88	16.36	500	Complies

TX CH01




Date: 11.OCT.2018 16:24:21

TX CH06



Date: 11.OCT.2018 16:28:04

TX CH11




Date: 11.OCT.2018 16:31:26

Test Mode: TX N-20MHz Mode_CH01/06/11


Frequency (MHz)	6 dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	15.14	17.56	500	Complies
2437	15.16	17.52	500	Complies
2462	15.16	17.48	500	Complies

TX CH01




Date: 1.NOV.2018 18:04:54

TX CH06



Date: 1.NOV.2018 18:12:34

TX CH11




Date: 1.NOV.2018 18:15:23

Test Mode: TX N-40MHz Mode_CH03/06/09


Frequency (MHz)	6 dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422	35.28	35.76	500	Complies
2437	35.16	35.84	500	Complies
2452	35.16	35.76	500	Complies

TX CH03




Date: 1.NOV.2018 18:21:55

TX CH06



Date: 12.OCT.2018 16:31:31

TX CH09



Date: 12.OCT.2018 16:33:51

APPENDIX F - MAXIMUM PEAK CONDUCTED & AVG OUTPUT POWER TEST

Test Mode: TX B Mode_CH01/06/11							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.22	16.75	0.33	0.05	30.00	1.00	Complies
2437	25.12	16.30	0.33	0.04	30.00	1.00	Complies
2462	25.27	16.32	0.34	0.04	30.00	1.00	Complies

Test Mode: TX G Mode_CH01/06/11							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.86	16.59	0.39	0.05	30.00	1.00	Complies
2437	25.35	16.55	0.34	0.05	30.00	1.00	Complies
2462	25.72	16.82	0.37	0.05	30.00	1.00	Complies

Test Mode: TX N20 Mode_CH01/06/11_ANT 1							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.61	14.71	0.36	0.03	30.00	1.00	Complies
2437	25.74	16.16	0.37	0.04	30.00	1.00	Complies
2462	25.40	14.56	0.35	0.03	30.00	1.00	Complies

Test Mode: TX N20 Mode_CH01/06/11_ANT 2							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.27	14.61	0.34	0.03	30.00	1.00	Complies
2437	24.44	16.09	0.28	0.04	30.00	1.00	Complies
2462	25.20	14.75	0.33	0.03	30.00	1.00	Complies

Test Mode: TX N20 Mode_CH01/06/11_Total							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	28.45	18.82	0.70	0.08	30.00	1.00	Complies
2437	28.15	20.28	0.65	0.11	30.00	1.00	Complies
2462	28.31	18.81	0.68	0.08	30.00	1.00	Complies

Test Mode: TX N40 Mode_CH03/06/09_ANT 1							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	22.40	11.67	0.17	0.01	30.00	1.00	Complies
2437	25.38	14.53	0.35	0.03	30.00	1.00	Complies
2452	25.12	14.72	0.33	0.03	30.00	1.00	Complies


Test Mode: TX N40 Mode_CH03/06/09_ANT 2							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	22.80	11.46	0.19	0.01	30.00	1.00	Complies
2437	24.34	14.43	0.27	0.03	30.00	1.00	Complies
2452	24.32	14.46	0.27	0.03	30.00	1.00	Complies

Test Mode: TX N40 Mode_CH03/06/09_Total							
Frequency (MHz)	PK Output Power (dBm)	AVG Output Power (dBm)	PK Output Power (W)	AVG Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	25.61	16.58	0.36	0.05	30.00	1.00	Complies
2437	27.90	19.49	0.62	0.09	30.00	1.00	Complies
2452	27.75	19.61	0.60	0.09	30.00	1.00	Complies

APPENDIX G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: TX B Mode_ANT 1

TX B mode CH01




Date: 11.OCT.2018 16:01:24

TX B mode CH11




Date: 11.OCT.2018 16:22:22


TX B mode CH01 (10th Harmonic of the fundamental frequency)



Date: 11.OCT.2018 16:01:36




Date: 11.OCT.2018 16:01:43




Date: 11.OCT.2018 16:01:50


TX B mode CH06 (10th Harmonic of the fundamental frequency)



Date: 11.OCT.2018 16:04:12




Date: 11.OCT.2018 16:04:19




Date: 11.OCT.2018 16:04:26


TX B mode CH11 (10th Harmonic of the fundamental frequency)



Date: 11.OCT.2018 16:22:34




Date: 11.OCT.2018 16:22:41



Date: 11.OCT.2018 16:22:48


Test Mode: TX G Mode_ANT 1

TX G mode CH01




Date: 16.NOV.2018 09:05:52

TX G mode CH11




Date: 11.OCT.2018 16:31:49


TX G mode CH01 (10th Harmonic of the fundamental frequency)



Date: 16.NOV.2018 09:06:05




Date: 16.NOV.2018 09:06:12




Date: 16.NOV.2018 09:06:18


TX G mode CH06 (10th Harmonic of the fundamental frequency)



Date: 11.OCT.2018 16:28:40




Date: 11.OCT.2018 16:28:47




Date: 11.OCT.2018 16:28:54


TX G mode CH11 (10th Harmonic of the fundamental frequency)



Date: 11.OCT.2018 16:32:02




Date: 11.OCT.2018 16:32:09



Date: 11.OCT.2018 16:32:15


Test Mode: TX N-20M Mode_ANT 1

TX HT20 mode CH01




Date: 1.NOV.2018 18:05:01

TX HT20 mode CH11




Date: 1.NOV.2018 18:15:47


TX HT20 mode CH01 (10th Harmonic of the fundamental frequency)



Date: 1.NOV.2018 18:05:14



Date: 1.NOV.2018 18:05:20




Date: 1.NOV.2018 18:05:27

TX HT20 mode CH06 (10th Harmonic of the fundamental frequency)




Ref 20 dBm *Att 30 dB *RBW 100 kHz Marker 2 [T1] -48.36 dBm
*VBW 300 kHz 2.489160000 GHz
SWT 300 ms




Date: 1.NOV.2018 18:13:10



Ref 20 dBm *Att 30 dB *RBW 100 kHz Marker 1 [T1] -41.25 dBm
*VBW 300 kHz 14.520000000 GHz
SWT 1.2 s




Date: 1.NOV.2018 18:13:17




Date: 1.NOV.2018 18:13:23


TX HT20 mode CH11 (10th Harmonic of the fundamental frequency)



Date: 1.NOV.2018 18:15:59




Date: 1.NOV.2018 18:16:06



Date: 1.NOV.2018 18:16:13


Test Mode: TX N-20M Mode_ANT 2

TX HT20 mode CH01




Date: 1.NOV.2018 18:08:52

TX HT20 mode CH11




Date: 1.NOV.2018 18:17:35


TX HT20 mode CH01 (10th Harmonic of the fundamental frequency)



Date: 1.NOV.2018 18:09:04



Date: 1.NOV.2018 18:09:11




Date: 1.NOV.2018 18:09:18

TX HT20 mode CH06 (10th Harmonic of the fundamental frequency)




Ref 20 dBm *Att 30 dB *RBW 100 kHz Marker 2 [T1] *VW 300 kHz -47.96 dBm SWT 300 ms 2.382240000 GHz




Date: 1.NOV.2018 18:11:03



Ref 20 dBm *Att 30 dB *RBW 100 kHz Marker 1 [T1] *VW 300 kHz -41.28 dBm SWT 1.2 s 13.920000000 GHz




Date: 1.NOV.2018 18:11:09




Date: 1.NOV.2018 18:11:16


TX HT20 mode CH11 (10th Harmonic of the fundamental frequency)



Date: 1.NOV.2018 18:17:47




Date: 1.NOV.2018 18:17:54



Date: 1.NOV.2018 18:18:01


Test Mode: TX N-40M Mode_ANT 1

TX HT40 mode CH03



Date: 1.NOV.2018 18:22:02

TX HT40 mode CH09




Date: 12.OCT.2018 16:33:58

TX HT40 mode CH03 (10th Harmonic of the fundamental frequency)




*RBW 100 kHz Marker 2 [T1]
*VBW 300 kHz -48.08 dBm
SWT 300 ms 2.970300000 GHz




Date: 1.NOV.2018 18:22:14



*RBW 100 kHz Marker 1 [T1]
*VBW 300 kHz -41.86 dBm
SWT 1.2 s 14.496000000 GHz




Date: 1.NOV.2018 18:22:21




Date: 1.NOV.2018 18:22:27


TX HT40 mode CH06 (10th Harmonic of the fundamental frequency)



Date: 12.OCT.2018 16:32:07




Date: 12.OCT.2018 16:32:14




Date: 12.OCT.2018 16:32:21


TX HT40 mode CH09 (10th Harmonic of the fundamental frequency)



Date: 12.OCT.2018 16:34:11




Date: 12.OCT.2018 16:34:17



Date: 12.OCT.2018 16:34:24


Test Mode: TX N-40M Mode_ANT 2

TX HT40 mode CH03




Date: 1.NOV.2018 18:19:40

TX HT40 mode CH09




Date: 12.OCT.2018 16:35:18


TX HT40 mode CH03 (10th Harmonic of the fundamental frequency)



Date: 1.NOV.2018 18:19:53




Date: 1.NOV.2018 18:19:59




Date: 1.NOV.2018 18:20:06


TX HT40 mode CH06 (10th Harmonic of the fundamental frequency)



Date: 12.OCT.2018 16:30:16




Date: 12.OCT.2018 16:30:23




Date: 12.OCT.2018 16:30:29


TX HT40 mode CH09 (10th Harmonic of the fundamental frequency)



Date: 12.OCT.2018 16:35:31



Date: 12.OCT.2018 16:35:38




Date: 12.OCT.2018 16:35:44

APPENDIX H - POWER SPECTRAL DENSITY

Test Mode: TX B Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2412	-9.07	0.1239	8.00	Complies
2437	-10.57	0.0877	8.00	Complies
2462	-10.17	0.0962	8.00	Complies

TX CH01




Date: 11.OCT.2018 16:01:58

TX CH06



Date: 11.OCT.2018 16:04:34

TX CH11




Date: 11.OCT.2018 16:22:56

Test Mode: TX G Mode_CH01/06/11

Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2412	-10.69	0.0853	8.00	Complies
2437	-11.40	0.0724	8.00	Complies
2462	-10.34	0.0925	8.00	Complies

TX CH01




Date: 11.OCT.2018 16:25:19

TX CH06



Ref 20 dBm *Att 30 dB SWT 2.8 s Marker 1 [T1] -11.40 dBm
*REW 3 kHz *VEW 10 kHz 2.435450000 GHz




Date: 11.OCT.2018 16:29:02

TX CH11




Ref 20 dBm *Att 30 dB SWT 2.8 s Marker 1 [T1] -10.34 dBm
*REW 3 kHz *VEW 10 kHz 2.460750000 GHz



Date: 11.OCT.2018 16:32:24


Test Mode: TX N-20M Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2412	-12.90	0.0513	7.99	Complies
2437	-10.80	0.0832	7.99	Complies
2462	-12.05	0.0624	7.99	Complies




Date: 1.NOV.2018 18:05:36

TX CH06



Date: 1.NOV.2018 18:13:32

TX CH11




Date: 1.NOV.2018 18:16:21

Test Mode: TX N-20M Mode_CH01/06/11_ANT 2


Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2412	-11.25	0.0750	7.99	Complies
2437	-9.75	0.1059	7.99	Complies
2462	-11.67	0.0681	7.99	Complies

TX CH01




Date: 1.NOV.2018 18:09:26

TX CH06



Date: 1.NOV.2018 18:11:25

TX CH11



Date: 1.NOV.2018 18:18:09


Test Mode: TX N-20M Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2412	-8.99	0.1262	7.99	Complies
2437	-7.23	0.1892	7.99	Complies
2462	-8.85	0.1303	7.99	Complies

Test Mode: TX N-40M Mode_CH03/06/09_ANT 1


Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2422	-18.21	0.0151	7.99	Complies
2437	-18.98	0.0126	7.99	Complies
2452	-17.61	0.0173	7.99	Complies

TX CH03




Date: 1.NOV.2018 18:22:39

TX CH06



Date: 12.OCT.2018 16:32:32

TX CH09




Date: 12.OCT.2018 16:34:35

Test Mode: TX N-40M Mode_CH03/06/09_ANT 2


Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2422	-17.88	0.0163	7.99	Complies
2437	-19.65	0.0108	7.99	Complies
2452	-18.88	0.0129	7.99	Complies

TX CH03




Date: 1.NOV.2018 18:20:18

TX CH06



Date: 12.OCT.2018 16:30:41

TX CH09



Date: 12.OCT.2018 16:35:56

Test Mode: TX N-40M Mode_CH03/06/09_Total

Frequency (MHz)	Power Density (dBm/3 kHz)	Power Density (mW/3 kHz)	Max. Limit (dBm/3 kHz)	Result
2422	-15.03	0.0314	7.99	Complies
2437	-16.29	0.0235	7.99	Complies
2452	-15.19	0.0303	7.99	Complies

End of Test Report