Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5755 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11505.6900	47.40	-0.38	47.02	54.00	-6.98	AVG	
2	11510.2410	59.21	-0.37	58.84	74.00	-15.16	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	22.02	40.02	62.04	109.40	-47.36	Peak	
2	5725.0000	23.63	40.05	63.68	122.20	-58.52	Peak	
3	5850.0000	23.47	40.34	63.81	122.20	-58.39	Peak	
4 *	5860.0000	24.21	40.37	64.58	109.40	-44.82	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11589.9029	46.86	-0.33	46.53	74.00	-27.47	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	22.38	40.02	62.40	109.40	-47.00	Peak	
2	5725.0000	22.48	40.05	62.53	122.20	-59.67	Peak	
3	5850.0000	22.99	40.34	63.33	122.20	-58.87	Peak	
4 *	5860.0000	22.84	40.37	63.21	109.40	-46.19	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11587.6400	46.91	-0.33	46.58	54.00	-7.42	AVG	
2	11590.6740	60.04	-0.33	59.71	74.00	-14.29	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	21.56	39.07	60.63	74.00	-13.37	Peak	
2 *	5150.0000	6.40	39.07	45.47	54.00	-8.53	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10362.4420	46.94	-1.64	45.30	68.30	-23.00	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	21.60	39.07	60.67	74.00	-13.33	Peak	
2 *	5150.0000	8.09	39.07	47.16	54.00	-6.84	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10360.3400	52.00	-1.64	50.36	68.30	-17.94	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	21.63	39.07	60.70	74.00	-13.30	Peak	
2 *	5150.0000	5.42	39.07	44.49	54.00	-9.51	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10399.2130	47.47	-1.61	45.86	68.30	-22.44	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	21.33	39.07	60.40	74.00	-13.60	Peak	
2 *	5150.0000	6.31	39.07	45.38	54.00	-8.62	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10398.9349	52.67	-1.61	51.06	68.30	-17.24	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	20.84	39.07	59.91	74.00	-14.09	Peak	
2 *	5150.0000	5.05	39.07	44.12	54.00	-9.88	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10482.1280	46.63	-1.53	45.10	68.30	-23.20	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	22.37	39.07	61.44	74.00	-12.56	Peak	
2 *	5150.0000	5.71	39.07	44.78	54.00	-9.22	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10477.7930	52.72	-1.53	51.19	68.30	-17.11	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	22.35	39.07	61.42	74.00	-12.58	Peak	
2 *	5150.0000	8.53	39.07	47.60	54.00	-6.40	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10378.8259	47.78	-1.63	46.15	68.30	-22.15	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	22.58	39.07	61.65	74.00	-12.35	Peak	
2 *	5150.0000	13.64	39.07	52.71	54.00	-1.29	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10378.3350	50.78	-1.63	49.15	68.30	-19.15	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	22.82	39.07	61.89	74.00	-12.11	Peak	
2 *	5150.0000	5.31	39.07	44.38	54.00	-9.62	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10457.7089	47.63	-1.55	46.08	68.30	-22.22	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	21.94	39.07	61.01	74.00	-12.99	Peak	
2 *	5150.0000	7.27	39.07	46.34	54.00	-7.66	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10458.7900	51.47	-1.55	49.92	68.30	-18.38	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	22.51	39.07	61.58	74.00	-12.42	Peak	
2 *	5150.0000	7.54	39.07	46.61	54.00	-7.39	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10422.1289	49.46	-1.58	47.88	68.30	-20.42	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5150.0000	25.72	39.07	64.79	74.00	-9.21	Peak	
2 *	5150.0000	14.68	39.07	53.75	54.00	-0.25	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10420.5300	51.57	-1.59	49.98	68.30	-18.32	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	23.12	40.02	63.14	109.40	-46.26	Peak	
2	5725.0000	26.78	40.05	66.83	122.20	-55.37	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11488.5359	47.01	-0.37	46.64	74.00	-27.36	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	22.65	40.02	62.67	109.40	-46.73	Peak	
2	5725.0000	30.61	40.05	70.66	122.20	-51.54	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11488.1030	50.13	-0.36	49.77	54.00	-4.23	AVG	
2	11488.6800	63.26	-0.37	62.89	74.00	-11.11	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	21.64	40.02	61.66	109.40	-47.74	Peak	
2	5725.0000	22.36	40.05	62.41	122.20	-59.79	Peak	
3	5850.0000	23.17	40.34	63.51	122.20	-58.69	Peak	
4 *	5860.0000	22.36	40.37	62.73	109.40	-46.67	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11574.9029	47.08	-0.34	46.74	74.00	-27.26	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	21.74	40.02	61.76	109.40	-47.64	Peak	
2	5725.0000	22.87	40.05	62.92	122.20	-59.28	Peak	
3	5850.0000	22.34	40.34	62.68	122.20	-59.52	Peak	
4 *	5860.0000	22.63	40.37	63.00	109.40	-46.40	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11568.7710	49.70	-0.34	49.36	54.00	-4.64	AVG	
2	11569.2410	62.42	-0.34	62.08	74.00	-11.92	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5850.0000	23.46	40.34	63.80	122.20	-58.40	Peak	
2 *	5860.0000	22.27	40.37	62.64	109.40	-46.76	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11651.7150	47.81	-0.30	47.51	74.00	-26.49	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5850.0000	24.29	40.34	64.63	122.20	-57.57	Peak	
2 *	5860.0000	23.85	40.37	64.22	109.40	-45.18	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	11648.4820	62.55	-0.30	62.25	74.00	-11.75	Peak	
2 *	11649.4120	49.50	-0.30	49.20	54.00	-4.80	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	27.82	40.02	67.84	109.40	-41.56	Peak	
2	5725.0000	30.52	40.05	70.57	122.20	-51.63	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11504.3320	48.78	-0.38	48.40	74.00	-25.60	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	27.60	40.02	67.62	109.40	-41.78	Peak	
2	5725.0000	33.59	40.05	73.64	122.20	-48.56	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	11508.7400	59.17	-0.38	58.79	74.00	-15.21	Peak	
2 *	11520.2350	46.87	-0.37	46.50	54.00	-7.50	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	22.87	40.02	62.89	109.40	-46.51	Peak	
2	5725.0000	21.40	40.05	61.45	122.20	-60.75	Peak	
3	5850.0000	24.03	40.34	64.37	122.20	-57.83	Peak	
4	5860.0000	21.83	40.37	62.20	109.40	-47.20	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11596.5400	46.89	-0.33	46.56	74.00	-27.44	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	23.81	40.02	63.83	109.40	-45.57	Peak	
2	5725.0000	22.48	40.05	62.53	122.20	-59.67	Peak	
3	5850.0000	22.66	40.34	63.00	122.20	-59.20	Peak	
4 *	5860.0000	24.12	40.37	64.49	109.40	-44.91	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11582.0850	46.08	-0.33	45.75	54.00	-8.25	AVG	
2	11586.5900	58.31	-0.33	57.98	74.00	-16.02	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	27.72	40.02	67.74	109.40	-41.66	Peak	
2	5725.0000	30.03	40.05	70.08	122.20	-52.12	Peak	
3	5850.0000	23.40	40.34	63.74	122.20	-58.46	Peak	
4	5860.0000	23.19	40.37	63.56	109.40	-45.84	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11527.1600	47.50	-0.36	47.14	74.00	-26.86	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	32.77	40.02	72.79	109.40	-36.61	Peak	
2	5725.0000	34.67	40.05	74.72	122.20	-47.48	Peak	
3	5850.0000	27.61	40.34	67.95	122.20	-54.25	Peak	
4	5860.0000	27.68	40.37	68.05	109.40	-41.35	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	11545.7300	58.57	-0.35	58.22	74.00	-15.78	Peak	
2 *	11545.7300	43.59	-0.35	43.24	54.00	-10.76	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	22.90	17.00
40	5200	23.16	16.90
48	5240	22.45	16.90

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	24.20	18.00
40	5200	23.85	18.10
48	5240	23.59	18.10

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	43.70	36.40
46	5230	43.19	36.40

CH38



CH46



Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.39	500	Complies
157	5785	16.45	500	Complies
165	5825	16.39	500	Complies

CH149



CH157



CH165



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	17.00
157	5785	16.90
165	5825	16.90

CH149



CH157



CH165



Test Mode	UNII-3_TX N (HT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	500	Complies
157	5785	17.59	500	Complies
165	5825	17.65	500	Complies

CH149



CH157



CH165



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	18.10
157	5785	18.10
165	5825	18.00

CH149



CH157



CH165



Test Mode	UNII-3_TX N (HT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.70	500	Complies
159	5795	36.50	500	Complies

CH151



CH159



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
151	5755	37.20
159	5795	37.20

CH151



CH159



Test Mode	UNII-1_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	23.85	18.10
40	5200	23.69	18.10
48	5240	23.59	18.10

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	43.50	36.40
46	5230	43.59	36.40

CH38



CH46



Test Mode	UNII-1_TX AC (VHT80)

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	86.40	76.40

CH42



Test Mode	UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	500	Complies
157	5785	17.59	500	Complies
165	5825	17.80	500	Complies

CH149



CH157



CH165



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	18.20
157	5785	18.10
165	5825	18.00

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.59	500	Complies
159	5795	36.60	500	Complies

CH151



CH159



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
151	5755	37.20
159	5795	37.00

CH151



CH159



Test Mode	UNII-3_TX AC (VHT80)

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.79	500	Complies

CH155



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
155	5775	76.00

CH155



APPENDIX F - CONDUCTED OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.56	0.13	12.69	17.99	0.063	Complies
40	5200	12.57	0.13	12.70	17.99	0.063	Complies
48	5240	12.62	0.13	12.74	17.99	0.063	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.28	0.13	13.41	17.99	0.063	Complies
40	5200	13.21	0.13	13.34	17.99	0.063	Complies
48	5240	12.65	0.13	12.78	17.99	0.063	Complies

Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.08	17.99	0.063	Complies
40	5200	16.05	17.99	0.063	Complies
48	5240	15.78	17.99	0.063	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.40	0.59	12.99	17.99	0.063	Complies
40	5200	12.45	0.59	13.04	17.99	0.063	Complies
48	5240	12.55	0.59	13.14	17.99	0.063	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.16	0.59	13.75	17.99	0.063	Complies
40	5200	13.19	0.59	13.78	17.99	0.063	Complies
48	5240	12.64	0.59	13.23	17.99	0.063	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.40	17.99	0.063	Complies
40	5200	16.44	17.99	0.063	Complies
48	5240	16.20	17.99	0.063	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.41	0.50	13.91	17.99	0.063	Complies
46	5230	13.60	0.50	14.10	17.99	0.063	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.60	0.50	15.10	17.99	0.063	Complies
46	5230	14.40	0.50	14.90	17.99	0.063	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.56	17.99	0.063	Complies
46	5230	17.53	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.41	0.26	12.67	17.99	0.063	Complies
40	5200	12.46	0.26	12.72	17.99	0.063	Complies
48	5240	12.60	0.26	12.86	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.10	0.26	13.36	17.99	0.063	Complies
40	5200	13.18	0.26	13.44	17.99	0.063	Complies
48	5240	12.62	0.26	12.88	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.04	17.99	0.063	Complies
40	5200	16.10	17.99	0.063	Complies
48	5240	15.88	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.00	0.68	14.68	17.99	0.063	Complies
46	5230	14.50	0.68	15.18	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.81	0.68	14.49	17.99	0.063	Complies
46	5230	13.74	0.68	14.42	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.60	17.99	0.063	Complies
46	5230	17.83	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.50	0.66	13.16	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.38	0.66	12.04	17.99	0.063	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.65	17.99	0.063	Complies

Test Mode	TX Mode IEEE 802.11ac (VHT20)_5180MHz		
EIRP	102.66-95.2=7.46dBm	EIRP	100.73-95.2=5.53dBm

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5175.750	64.89	37.77	102.66			AVG	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5174.250	62.95	37.78	100.73			AVG	

Test Mode	TX Mode IEEE 802.11ac (VHT20)_5240MHz		
EIRP	103.63-95.2=8.43dBm	EIRP	101.13-95.2=5.93dBm

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5245.500	66.02	37.61	103.63			AVG	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5243.550	63.51	37.62	101.13			AVG	

Test Mode	TX Mode IEEE 802.11ac (VHT40)_5190MHz		
EIRP	100.59-95.2=5.39dBm	EIRP	97.95-95.2=2.75dBm
Vertical		**Horizontal**	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5194.200	62.89	37.70	100.59			AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5175.750	60.18	37.77	97.95			AVG	

Test Mode	TX Mode IEEE 802.11ac (VHT40)_5230MHz		
EIRP	101.48-95.2=6.28dBm	EIRP	99.28-95.2=4.08dBm
Vertical		**Horizontal**	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5237.250	63.85	37.63	101.48			AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5235.150	61.65	37.63	99.28			AVG	

Test Mode	TX Mode IEEE 802.11ac (VHT80)_5210MHz		
EIRP	97.70-95.2=2.50dBm	EIRP	96.32-95.2=1.12dBm
Vertical		**Horizontal**	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5194.650	60.00	37.70	97.70			AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5235.000	58.69	37.63	96.32			AVG	

Note: (1) The EUT conform to the part II. H.1.b) of KDB 789033 D02.
(2) According to the KDB 789033 part G. 2.d).(iii), EIRP(dBm) = E(dBuV/m)-95.2; d=3m
(3) All of the elevation angle above 30 degrees as measured from the horizon have pre-tested, the 8.43dBm is the max. EIRP. And the maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon not exceed 125 mW (21 dBm).

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.72	0.13	13.85	17.99	0.063	Complies
157	5785	14.66	0.13	14.79	17.99	0.063	Complies
165	5825	14.95	0.13	15.08	17.99	0.063	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.90	0.13	15.03	17.99	0.063	Complies
157	5785	14.30	0.13	14.43	17.99	0.063	Complies
165	5825	13.65	0.13	13.78	17.99	0.063	Complies

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.49	17.99	0.063	Complies
157	5785	17.63	17.99	0.063	Complies
165	5825	17.49	17.99	0.063	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.63	0.59	14.22	17.99	0.063	Complies
157	5785	14.52	0.59	15.11	17.99	0.063	Complies
165	5825	14.76	0.59	15.35	17.99	0.063	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.93	0.59	15.52	17.99	0.063	Complies
157	5785	14.18	0.59	14.77	17.99	0.063	Complies
165	5825	13.64	0.59	14.23	17.99	0.063	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.93	17.99	0.063	Complies
157	5785	17.96	17.99	0.063	Complies
165	5825	17.84	17.99	0.063	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.07	0.50	14.57	17.99	0.063	Complies
159	5795	14.18	0.50	14.68	17.99	0.063	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.65	0.50	15.15	17.99	0.063	Complies
159	5795	14.15	0.50	14.65	17.99	0.063	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.88	17.99	0.063	Complies
159	5795	17.68	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.77	0.26	14.03	17.99	0.063	Complies
157	5785	14.51	0.26	14.77	17.99	0.063	Complies
165	5825	14.85	0.26	15.11	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.84	0.26	15.10	17.99	0.063	Complies
157	5785	14.18	0.26	14.44	17.99	0.063	Complies
165	5825	13.66	0.26	13.92	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.61	17.99	0.063	Complies
157	5785	17.62	17.99	0.063	Complies
165	5825	17.57	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.00	0.68	14.68	17.99	0.063	Complies
159	5795	13.50	0.68	14.18	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.11	0.68	14.79	17.99	0.063	Complies
159	5795	14.21	0.68	14.89	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.75	17.99	0.063	Complies
159	5795	17.56	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.00	0.66	14.66	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.87	0.66	14.53	17.99	0.063	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.61	17.99	0.063	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.01	0.13	1.14	4.99	Complies
40	5200	0.94	0.13	1.07	4.99	Complies
48	5240	1.46	0.13	1.59	4.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.19	0.13	2.32	4.99	Complies
40	5200	1.98	0.13	2.11	4.99	Complies
48	5240	1.58	0.13	1.71	4.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.78	4.99	Complies
40	5200	4.64	4.99	Complies
48	5240	4.67	4.99	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.65	0.59	1.24	4.99	Complies
40	5200	0.41	0.59	1.00	4.99	Complies
48	5240	0.39	0.59	0.98	4.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.91	0.59	2.50	4.99	Complies
40	5200	1.70	0.59	2.29	4.99	Complies
48	5240	1.13	0.59	1.72	4.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.93	4.99	Complies
40	5200	4.71	4.99	Complies
48	5240	4.38	4.99	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.40	0.50	-0.90	4.99	Complies
46	5230	-1.08	0.50	-0.58	4.99	Complies

CH38



CH46



Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.03	0.50	0.47	4.99	Complies
46	5230	-0.65	0.50	-0.15	4.99	Complies

CH38



CH46



Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.85	4.99	Complies
46	5230	2.65	4.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.57	0.13	0.70	4.99	Complies
157	5785	0.95	0.13	1.08	4.99	Complies
165	5825	1.20	0.13	1.33	4.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.77	0.13	1.90	4.99	Complies
157	5785	0.89	0.13	1.02	4.99	Complies
165	5825	0.24	0.13	0.37	4.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.36	4.99	Complies
157	5785	4.07	4.99	Complies
165	5825	3.89	4.99	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.28	0.59	0.31	4.99	Complies
157	5785	0.43	0.59	1.02	4.99	Complies
165	5825	0.65	0.59	1.24	4.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.67	0.59	1.26	4.99	Complies
157	5785	0.24	0.59	0.83	4.99	Complies
165	5825	-0.33	0.59	0.26	4.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.83	4.99	Complies
157	5785	3.94	4.99	Complies
165	5825	3.79	4.99	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.02	0.50	-2.52	4.99	Complies
159	5795	-2.47	0.50	-1.97	4.99	Complies

CH151



CH159

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.40	0.50	-1.90	4.99	Complies
159	5795	-2.75	0.50	-2.25	4.99	Complies

CH151



CH159



Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.81	4.99	Complies
159	5795	0.90	4.99	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.46	0.26	0.72	4.99	Complies
40	5200	0.39	0.26	0.65	4.99	Complies
48	5240	0.28	0.26	0.54	4.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.75	0.26	2.01	4.99	Complies
40	5200	1.56	0.26	1.82	4.99	Complies
48	5240	1.12	0.26	1.38	4.99	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.42	4.99	Complies
40	5200	4.28	4.99	Complies
48	5240	3.99	4.99	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.49	0.68	-0.81	4.99	Complies
46	5230	-1.79	0.68	-1.11	4.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.23	0.68	0.45	4.99	Complies
46	5230	-0.60	0.68	0.08	4.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.88	4.99	Complies
46	5230	2.54	4.99	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.95	0.66	-4.29	4.99	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.71	0.66	-3.05	4.99	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.61	4.99	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.39	0.26	-0.13	17.99	Complies
157	5785	0.49	0.26	0.75	17.99	Complies
165	5825	0.73	0.26	0.99	17.99	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.63	0.26	0.89	17.99	Complies
157	5785	0.30	0.26	0.56	17.99	Complies
165	5825	-0.15	0.26	0.11	17.99	Complies

CH149

CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.42	17.99	Complies
157	5785	3.67	17.99	Complies
165	5825	3.58	17.99	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.04	0.68	-2.36	17.99	Complies
159	5795	-2.97	0.68	-2.29	17.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.63	0.68	-1.95	17.99	Complies
159	5795	-3.29	0.68	-2.61	17.99	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.86	17.99	Complies
159	5795	0.56	17.99	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.20	0.66	-6.54	17.99	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.27	0.66	-6.61	17.99	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.56	17.99	Complies

End of Test Report