


| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH40: 5200 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10400.00 | 53.23 | 2.89 | 56.12 | 68.20 | -12.08 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH48: 5240 MHz | Polarization | Vertical |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10480.00 | 55.42 | 3.00 | 58.42 | 68.20 | -9.78 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH48: 5240 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10480.00 | 53.96 | 3.00 | 56.96 | 68.20 | -11.24 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH149: 5745 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11490.00 | 55.34 | 3.89 | 59.23 | 74.00 | -14.77 | peak | |
| 2 | * | 11490.00 | 45.49 | 3.89 | 49.38 | 54.00 | -4.62 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH149: 5745 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11490.00 | 54.27 | 3.89 | 58.16 | 74.00 | -15.84 | peak | |
| 2 | * | 11490.00 | 41.31 | 3.89 | 45.20 | 54.00 | -8.80 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH157: 5785 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11570.00 | 54.37 | 3.57 | 57.94 | 74.00 | -16.06 | peak | |
| 2 | * | 11570.00 | 43.09 | 3.57 | 46.66 | 54.00 | -7.34 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH157: 5785 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11570.00 | 52.93 | 3.57 | 56.50 | 74.00 | -17.50 | peak | |
| 2 | * | 11570.00 | 40.90 | 3.57 | 44.47 | 54.00 | -9.53 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH165: 5825 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11650.00 | 53.91 | 3.18 | 57.09 | 74.00 | -16.91 | peak | |
| 2 | * | 11650.00 | 42.78 | 3.18 | 45.96 | 54.00 | -8.04 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT20)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH165: 5825 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11650.00 | 53.95 | 3.18 | 57.13 | 74.00 | -16.87 | peak | |
| 2 | * | 11650.00 | 41.58 | 3.18 | 44.76 | 54.00 | -9.24 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH38: 5190 MHz | Polarization | Vertical |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10380.00 | 55.56 | 2.85 | 58.41 | 68.20 | -9.79 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH38: 5190 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10380.00 | 54.15 | 2.85 | 57.00 | 68.20 | -11.20 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH46: 5230 MHz | Polarization | Vertical |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10460.00 | 55.21 | 2.98 | 58.19 | 68.20 | -10.01 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH46: 5230 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10460.00 | 53.86 | 2.98 | 56.84 | 68.20 | -11.36 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH151: 5755 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11510.00 | 54.52 | 3.86 | 58.38 | 74.00 | -15.62 | peak | |
| 2 | * | 11510.00 | 43.77 | 3.86 | 47.63 | 54.00 | -6.37 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH151: 5755 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11510.00 | 53.79 | 3.86 | 57.65 | 74.00 | -16.35 | peak | |
| 2 | * | 11510.00 | 41.25 | 3.86 | 45.11 | 54.00 | -8.89 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH159: 5795 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11590.00 | 54.72 | 3.47 | 58.19 | 74.00 | -15.81 | peak | |
| 2 | * | 11590.00 | 43.33 | 3.47 | 46.80 | 54.00 | -7.20 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--------------------------------------|--------------|------------|
| Test Mode | IEEE 802.11n (HT40)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH159: 5795 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11590.00 | 54.15 | 3.47 | 57.62 | 74.00 | -16.38 | peak | |
| 2 | * | 11590.00 | 41.32 | 3.47 | 44.79 | 54.00 | -9.21 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH42: 5210 MHz | Polarization | Vertical |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10420.00 | 54.58 | 2.91 | 57.49 | 68.20 | -10.71 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH42: 5210 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10420.00 | 54.10 | 2.91 | 57.01 | 68.20 | -11.19 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH155: 5775 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11550.00 | 55.36 | 3.67 | 59.03 | 74.00 | -14.97 | peak | |
| 2 | * | 11550.00 | 44.56 | 3.67 | 48.23 | 54.00 | -5.77 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80)_External Antenna | Test Date | 2019/11/28 |
| Test Frequency | CH155: 5775 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11550.00 | 53.83 | 3.67 | 57.50 | 74.00 | -16.50 | peak | |
| 2 | * | 11550.00 | 41.85 | 3.67 | 45.52 | 54.00 | -8.48 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH36: 5180 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10360.00 | 54.49 | 2.83 | 57.32 | 68.20 | -10.88 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH36: 5180 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10360.00 | 53.91 | 2.83 | 56.74 | 68.20 | -11.46 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH40: 5200 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10400.00 | 53.71 | 2.89 | 56.60 | 68.20 | -11.60 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH40: 5200 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10400.00 | 53.79 | 2.89 | 56.68 | 68.20 | -11.52 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH48: 5240 MHz | Polarization | Vertical |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10480.00 | 55.27 | 3.00 | 58.27 | 68.20 | -9.93 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH48: 5240 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10480.00 | 53.77 | 3.00 | 56.77 | 68.20 | -11.43 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH149: 5745 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11490.00 | 55.40 | 3.89 | 59.29 | 74.00 | -14.71 | peak | |
| 2 | * | 11490.00 | 44.40 | 3.89 | 48.29 | 54.00 | -5.71 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH149: 5745 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11490.00 | 54.73 | 3.89 | 58.62 | 74.00 | -15.38 | peak | |
| 2 | * | 11490.00 | 41.39 | 3.89 | 45.28 | 54.00 | -8.72 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH157: 5785 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11570.00 | 54.02 | 3.57 | 57.59 | 74.00 | -16.41 | peak | |
| 2 | * | 11570.00 | 42.22 | 3.57 | 45.79 | 54.00 | -8.21 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH157: 5785 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11570.00 | 53.70 | 3.57 | 57.27 | 74.00 | -16.73 | peak | |
| 2 | * | 11570.00 | 40.98 | 3.57 | 44.55 | 54.00 | -9.45 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH165: 5825 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11650.00 | 55.26 | 3.18 | 58.44 | 74.00 | -15.56 | peak | |
| 2 | * | 11650.00 | 43.17 | 3.18 | 46.35 | 54.00 | -7.65 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW20)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH165: 5825 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11650.00 | 54.28 | 3.18 | 57.46 | 74.00 | -16.54 | peak | |
| 2 | * | 11650.00 | 41.27 | 3.18 | 44.45 | 54.00 | -9.55 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH38: 5190 MHz | Polarization | Vertical |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10380.00 | 54.99 | 2.85 | 57.84 | 68.20 | -10.36 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH38: 5190 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10380.00 | 53.81 | 2.85 | 56.66 | 68.20 | -11.54 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH46: 5230 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10460.00 | 55.88 | 2.98 | 58.86 | 68.20 | -9.34 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH46: 5230 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10460.00 | 54.03 | 2.98 | 57.01 | 68.20 | -11.19 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH151: 5755 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11510.00 | 54.45 | 3.86 | 58.31 | 74.00 | -15.69 | peak | |
| 2 | * | 11510.00 | 43.21 | 3.86 | 47.07 | 54.00 | -6.93 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH151: 5755 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11510.00 | 53.99 | 3.86 | 57.85 | 74.00 | -16.15 | peak | |
| 2 | * | 11510.00 | 41.37 | 3.86 | 45.23 | 54.00 | -8.77 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH159: 5795 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11590.00 | 54.62 | 3.47 | 58.09 | 74.00 | -15.91 | peak | |
| 2 | * | 11590.00 | 42.89 | 3.47 | 46.36 | 54.00 | -7.64 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW40)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH159: 5795 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11590.00 | 53.74 | 3.47 | 57.21 | 74.00 | -16.79 | peak | |
| 2 | * | 11590.00 | 41.44 | 3.47 | 44.91 | 54.00 | -9.09 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH42: 5210 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10420.00 | 54.66 | 2.91 | 57.57 | 68.20 | -10.63 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH42: 5210 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | | |
| 1 | * | 10420.00 | 53.50 | 2.91 | 56.41 | 68.20 | -11.79 | peak | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH155: 5775 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11550.00 | 54.83 | 3.67 | 58.50 | 74.00 | -15.50 | peak | |
| 2 | * | 11550.00 | 42.56 | 3.67 | 46.23 | 54.00 | -7.77 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|--|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80)_External Antenna | Test Date | 2019/12/11 |
| Test Frequency | CH155: 5775 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 11550.00 | 54.19 | 3.67 | 57.86 | 74.00 | -16.14 | peak | |
| 2 | * | 11550.00 | 42.07 | 3.67 | 45.74 | 54.00 | -8.26 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH42: 5210 MHz + CH155: 5775 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 10420.00 | 53.28 | 2.91 | 56.19 | 68.20 | -12.01 | peak | |
| 2 | | 11550.00 | 54.29 | 3.67 | 57.96 | 74.00 | -16.04 | peak | |
| 3 | * | 11550.00 | 42.74 | 3.67 | 46.41 | 54.00 | -7.59 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH42: 5210 MHz + CH155: 5775 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 10420.00 | 53.29 | 2.91 | 56.20 | 68.20 | -12.00 | peak | |
| 2 | | 11550.00 | 53.76 | 3.67 | 57.43 | 74.00 | -16.57 | peak | |
| 3 | * | 11550.00 | 41.92 | 3.67 | 45.59 | 54.00 | -8.41 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH155: 5775 MHz + CH42: 5210 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10420.00 | 57.15 | 2.91 | 60.06 | 68.20 | -8.14 | peak | |
| 2 | | 11550.00 | 53.90 | 3.67 | 57.57 | 74.00 | -16.43 | peak | |
| 3 | | 11550.00 | 41.94 | 3.67 | 45.61 | 54.00 | -8.39 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH155: 5775 MHz + CH42: 5210 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 10420.00 | 54.35 | 2.91 | 57.26 | 68.20 | -10.94 | peak | |
| 2 | | 11550.00 | 54.14 | 3.67 | 57.81 | 74.00 | -16.19 | peak | |
| 3 | * | 11550.00 | 41.82 | 3.67 | 45.49 | 54.00 | -8.51 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH42: 5210 MHz + CH155: 5775 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 10420.00 | 53.41 | 2.91 | 56.32 | 68.20 | -11.88 | peak | |
| 2 | | 11550.00 | 54.08 | 3.67 | 57.75 | 74.00 | -16.25 | peak | |
| 3 | * | 11550.00 | 42.71 | 3.67 | 46.38 | 54.00 | -7.62 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH42: 5210 MHz + CH155: 5775 MHz | Polarization | Horizontal |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 10420.00 | 53.01 | 2.91 | 55.92 | 68.20 | -12.28 | peak | |
| 2 | | 11550.00 | 53.38 | 3.67 | 57.05 | 74.00 | -16.95 | peak | |
| 3 | * | 11550.00 | 41.79 | 3.67 | 45.46 | 54.00 | -8.54 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH155: 5775 MHz + CH42: 5210 MHz | Polarization | Vertical |




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | * | 10420.00 | 57.44 | 2.91 | 60.35 | 68.20 | -7.85 | peak | |
| 2 | | 11550.00 | 53.94 | 3.67 | 57.61 | 74.00 | -16.39 | peak | |
| 3 | | 11550.00 | 41.85 | 3.67 | 45.52 | 54.00 | -8.48 | AVG | |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

| | | | |
|----------------|---|--------------|------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_External Antenna | Test Date | 2019/12/30 |
| Test Frequency | CH155: 5775 MHz + CH42: 5210 MHz | Polarization | Horizontal |



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Margin dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1 | | 10420.00 | 54.17 | 2.91 | 57.08 | 68.20 | -11.12 | peak | |
| 2 | | 11550.00 | 54.06 | 3.67 | 57.73 | 74.00 | -16.27 | peak | |
| 3 | * | 11550.00 | 41.75 | 3.67 | 45.42 | 54.00 | -8.58 | AVG | |





REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.





APPENDIX D BANDWIDTH

| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 1 |
|-----------|--------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5180 | 19.39 | 16.50 | No limit |
| 5200 | 20.11 | 16.70 | No limit |
| 5240 | 19.99 | 16.70 | No limit |







| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5745 | 15.15 | 16.10 | 500 | Pass |
| 5785 | 16.45 | 16.60 | 500 | Pass |
| 5825 | 14.45 | 16.20 | 500 | Pass |







| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 1 |
|-----------|---------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5180 | 21.15 | 17.80 | No limit |
| 5200 | 20.95 | 17.60 | No limit |
| 5240 | 20.49 | 17.50 | No limit |





| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5745 | 17.65 | 17.70 | 500 | Pass |
| 5785 | 17.50 | 17.70 | 500 | Pass |
| 5825 | 15.21 | 17.70 | 500 | Pass |





| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 1 |
|-----------|---------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5190 | 42.01 | 36.60 | No limit |
| 5230 | 41.60 | 36.40 | No limit |




| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5755 | 35.90 | 36.00 | 500 | Pass |
| 5795 | 33.50 | 36.20 | 500 | Pass |




| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5210 | 82.20 | 75.60 | No limit |







| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5775 | 74.80 | 76.00 | 500 | Pass |







| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5180 | 21.30 | 19.00 | No limit |
| 5200 | 21.55 | 18.90 | No limit |
| 5240 | 21.25 | 19.00 | No limit |





| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5745 | 16.50 | 18.50 | 500 | Pass |
| 5785 | 13.95 | 18.80 | 500 | Pass |
| 5825 | 15.65 | 18.80 | 500 | Pass |





| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5190 | 42.40 | 38.00 | No limit |
| 5230 | 42.00 | 37.80 | No limit |




| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5755 | 33.30 | 37.60 | 500 | Pass |
| 5795 | 35.50 | 37.60 | 500 | Pass |




| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5210 | 82.40 | 77.20 | No limit |




| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5775 | 73.99 | 77.20 | 500 | Pass |




| | |
|-----------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 1 |
|-----------|--------------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|-----------------------|----------------------|-------------------------------|------------------------------------|----------|
| 5210 (@5210+5775) | 82.20 | | 76.40 | | No limit |
| 5775 (@5210+5775) | | 69.59 | 73.60 | 500 | Pass |




| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|-----------------------|----------------------|-------------------------------|------------------------------------|----------|
| 5210 (@5775+5210) | 81.59 | | 74.00 | | No limit |
| 5775 (@5775+5210) | | 77.20 | 76.40 | 500 | Pass |




| | |
|-----------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 1 |
|-----------|--------------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|-----------------------|----------------------|-------------------------------|------------------------------------|----------|
| 5210 (@5210+5775) | 82.81 | | 78.00 | | No limit |
| 5775 (@5210+5775) | | 73.40 | 77.20 | 500 | Pass |



| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|-----------------------|----------------------|-------------------------------|------------------------------------|----------|
| 5210 (@5775+5210) | 81.59 | | 76.80 | | No limit |
| 5775 (@5775+5210) | | 73.60 | 77.20 | 500 | Pass |



APPENDIX E OUTPUT POWER

| | |
|-----------|----------------------|
| Test Mode | Non-Beamforming mode |
|-----------|----------------------|

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.60 | 0.0724 | 30.00 | 1.0000 | Pass |
| 5200 | 18.69 | 0.0740 | 30.00 | 1.0000 | Pass |
| 5240 | 18.93 | 0.0782 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 20.52 | 0.1127 | 30.00 | 1.0000 | Pass |
| 5785 | 21.64 | 0.1459 | 30.00 | 1.0000 | Pass |
| 5825 | 20.26 | 0.1062 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.43 | 0.0697 | 30.00 | 1.0000 | Pass |
| 5200 | 18.39 | 0.0690 | 30.00 | 1.0000 | Pass |
| 5240 | 18.73 | 0.0746 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 21.91 | 0.1552 | 30.00 | 1.0000 | Pass |
| 5785 | 20.66 | 0.1164 | 30.00 | 1.0000 | Pass |
| 5825 | 21.68 | 0.1472 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 19.12 | 0.0817 | 30.00 | 1.0000 | Pass |
| 5200 | 19.24 | 0.0839 | 30.00 | 1.0000 | Pass |
| 5240 | 19.16 | 0.0824 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 21.87 | 0.1538 | 30.00 | 1.0000 | Pass |
| 5785 | 21.18 | 0.1312 | 30.00 | 1.0000 | Pass |
| 5825 | 21.52 | 0.1419 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 19.07 | 0.0807 | 30.00 | 1.0000 | Pass |
| 5200 | 19.18 | 0.0828 | 30.00 | 1.0000 | Pass |
| 5240 | 19.28 | 0.0847 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.17 | 0.1648 | 30.00 | 1.0000 | Pass |
| 5785 | 21.29 | 0.1346 | 30.00 | 1.0000 | Pass |
| 5825 | 21.10 | 0.1288 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 24.84 | 0.3045 | 30.00 | 1.0000 | Pass |
| 5200 | 24.91 | 0.3097 | 30.00 | 1.0000 | Pass |
| 5240 | 25.05 | 0.3199 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 27.68 | 0.5866 | 30.00 | 1.0000 | Pass |
| 5785 | 27.23 | 0.5281 | 30.00 | 1.0000 | Pass |
| 5825 | 27.19 | 0.5241 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.94 | 0.0783 | 30.00 | 1.0000 | Pass |
| 5200 | 19.63 | 0.0918 | 30.00 | 1.0000 | Pass |
| 5240 | 19.26 | 0.0843 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 21.29 | 0.1346 | 30.00 | 1.0000 | Pass |
| 5785 | 20.28 | 0.1067 | 30.00 | 1.0000 | Pass |
| 5825 | 20.67 | 0.1167 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.92 | 0.0780 | 30.00 | 1.0000 | Pass |
| 5200 | 18.91 | 0.0778 | 30.00 | 1.0000 | Pass |
| 5240 | 18.49 | 0.0706 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.38 | 0.1730 | 30.00 | 1.0000 | Pass |
| 5785 | 21.39 | 0.1377 | 30.00 | 1.0000 | Pass |
| 5825 | 23.17 | 0.2075 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 19.77 | 0.0948 | 30.00 | 1.0000 | Pass |
| 5200 | 19.92 | 0.0982 | 30.00 | 1.0000 | Pass |
| 5240 | 19.28 | 0.0847 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.27 | 0.1687 | 30.00 | 1.0000 | Pass |
| 5785 | 21.82 | 0.1521 | 30.00 | 1.0000 | Pass |
| 5825 | 22.05 | 0.1603 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 20.11 | 0.1026 | 30.00 | 1.0000 | Pass |
| 5200 | 19.80 | 0.0955 | 30.00 | 1.0000 | Pass |
| 5240 | 19.37 | 0.0865 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.62 | 0.1828 | 30.00 | 1.0000 | Pass |
| 5785 | 21.81 | 0.1517 | 30.00 | 1.0000 | Pass |
| 5825 | 22.01 | 0.1589 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 25.49 | 0.3537 | 30.00 | 1.0000 | Pass |
| 5200 | 25.60 | 0.3633 | 30.00 | 1.0000 | Pass |
| 5240 | 25.13 | 0.3262 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 28.19 | 0.6590 | 30.00 | 1.0000 | Pass |
| 5785 | 27.39 | 0.5481 | 30.00 | 1.0000 | Pass |
| 5825 | 28.08 | 0.6434 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 18.65 | 0.0733 | 30.00 | 1.0000 | Pass |
| 5230 | 19.82 | 0.0959 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.22 | 0.1667 | 30.00 | 1.0000 | Pass |
| 5795 | 21.83 | 0.1524 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 18.19 | 0.0659 | 30.00 | 1.0000 | Pass |
| 5230 | 20.01 | 0.1002 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.24 | 0.1675 | 30.00 | 1.0000 | Pass |
| 5795 | 22.31 | 0.1702 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 18.94 | 0.0783 | 30.00 | 1.0000 | Pass |
| 5230 | 21.13 | 0.1297 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.75 | 0.1884 | 30.00 | 1.0000 | Pass |
| 5795 | 22.60 | 0.1820 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 19.21 | 0.0834 | 30.00 | 1.0000 | Pass |
| 5230 | 21.02 | 0.1265 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.85 | 0.1928 | 30.00 | 1.0000 | Pass |
| 5795 | 22.10 | 0.1622 | 30.00 | 1.0000 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5190 | 24.78 | 0.3009 | 30.00 | 1.0000 | Pass |
| 5230 | 26.55 | 0.4524 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5755 | 28.55 | 0.7153 | 30.00 | 1.0000 | Pass |
| 5795 | 28.24 | 0.6668 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.28 | 0.0673 | 30.00 | 1.0000 | Pass |
| 5200 | 18.27 | 0.0671 | 30.00 | 1.0000 | Pass |
| 5240 | 15.82 | 0.0382 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.45 | 0.1758 | 30.00 | 1.0000 | Pass |
| 5785 | 19.86 | 0.0968 | 30.00 | 1.0000 | Pass |
| 5825 | 21.52 | 0.1419 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 17.12 | 0.0515 | 30.00 | 1.0000 | Pass |
| 5200 | 16.93 | 0.0493 | 30.00 | 1.0000 | Pass |
| 5240 | 16.35 | 0.0432 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.42 | 0.1746 | 30.00 | 1.0000 | Pass |
| 5785 | 21.71 | 0.1483 | 30.00 | 1.0000 | Pass |
| 5825 | 22.30 | 0.1698 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.56 | 0.0718 | 30.00 | 1.0000 | Pass |
| 5200 | 17.88 | 0.0614 | 30.00 | 1.0000 | Pass |
| 5240 | 17.44 | 0.0555 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 21.54 | 0.1426 | 30.00 | 1.0000 | Pass |
| 5785 | 21.69 | 0.1476 | 30.00 | 1.0000 | Pass |
| 5825 | 22.10 | 0.1622 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.44 | 0.0698 | 30.00 | 1.0000 | Pass |
| 5200 | 18.52 | 0.0711 | 30.00 | 1.0000 | Pass |
| 5240 | 17.60 | 0.0575 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.12 | 0.1629 | 30.00 | 1.0000 | Pass |
| 5785 | 21.81 | 0.1517 | 30.00 | 1.0000 | Pass |
| 5825 | 21.90 | 0.1549 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 24.16 | 0.2604 | 30.00 | 1.0000 | Pass |
| 5200 | 23.96 | 0.2490 | 30.00 | 1.0000 | Pass |
| 5240 | 22.89 | 0.1944 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 28.17 | 0.6559 | 30.00 | 1.0000 | Pass |
| 5785 | 27.36 | 0.5444 | 30.00 | 1.0000 | Pass |
| 5825 | 27.99 | 0.6288 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 16.55 | 0.0452 | 30.00 | 1.0000 | Pass |
| 5230 | 19.88 | 0.0973 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.19 | 0.1656 | 30.00 | 1.0000 | Pass |
| 5795 | 21.74 | 0.1493 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 15.86 | 0.0385 | 30.00 | 1.0000 | Pass |
| 5230 | 19.86 | 0.0968 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.29 | 0.1694 | 30.00 | 1.0000 | Pass |
| 5795 | 22.22 | 0.1667 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 17.13 | 0.0516 | 30.00 | 1.0000 | Pass |
| 5230 | 21.09 | 0.1285 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.59 | 0.1816 | 30.00 | 1.0000 | Pass |
| 5795 | 22.51 | 0.1782 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 17.31 | 0.0538 | 30.00 | 1.0000 | Pass |
| 5230 | 21.24 | 0.1330 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.92 | 0.1959 | 30.00 | 1.0000 | Pass |
| 5795 | 22.13 | 0.1633 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5190 | 22.77 | 0.1892 | 30.00 | 1.0000 | Pass |
| 5230 | 26.59 | 0.4557 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5755 | 28.53 | 0.7124 | 30.00 | 1.0000 | Pass |
| 5795 | 28.18 | 0.6575 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 12.61 | 0.0182 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 21.71 | 0.1483 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 12.64 | 0.0184 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 21.72 | 0.1486 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 13.49 | 0.0223 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 22.24 | 0.1675 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 13.99 | 0.0251 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 22.03 | 0.1596 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210 | 19.24 | 0.0840 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775 | 27.95 | 0.6239 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 17.48 | 0.0560 | 30.00 | 1.0000 | Pass |
| 5200 | 17.11 | 0.0514 | 30.00 | 1.0000 | Pass |
| 5240 | 17.06 | 0.0508 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 21.79 | 0.1510 | 30.00 | 1.0000 | Pass |
| 5785 | 21.57 | 0.1435 | 30.00 | 1.0000 | Pass |
| 5825 | 21.77 | 0.1503 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 16.84 | 0.0483 | 30.00 | 1.0000 | Pass |
| 5200 | 17.75 | 0.0596 | 30.00 | 1.0000 | Pass |
| 5240 | 16.01 | 0.0399 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.20 | 0.1660 | 30.00 | 1.0000 | Pass |
| 5785 | 21.77 | 0.1503 | 30.00 | 1.0000 | Pass |
| 5825 | 22.44 | 0.1754 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.25 | 0.0668 | 30.00 | 1.0000 | Pass |
| 5200 | 17.89 | 0.0615 | 30.00 | 1.0000 | Pass |
| 5240 | 16.96 | 0.0497 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 22.99 | 0.1991 | 30.00 | 1.0000 | Pass |
| 5785 | 22.33 | 0.1710 | 30.00 | 1.0000 | Pass |
| 5825 | 22.31 | 0.1702 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 18.33 | 0.0681 | 30.00 | 1.0000 | Pass |
| 5200 | 18.36 | 0.0685 | 30.00 | 1.0000 | Pass |
| 5240 | 17.25 | 0.0531 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 23.08 | 0.2032 | 30.00 | 1.0000 | Pass |
| 5785 | 21.92 | 0.1556 | 30.00 | 1.0000 | Pass |
| 5825 | 21.81 | 0.1517 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 23.79 | 0.2392 | 30.00 | 1.0000 | Pass |
| 5200 | 23.82 | 0.2410 | 30.00 | 1.0000 | Pass |
| 5240 | 22.87 | 0.1935 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 28.57 | 0.7193 | 30.00 | 1.0000 | Pass |
| 5785 | 27.93 | 0.6205 | 30.00 | 1.0000 | Pass |
| 5825 | 28.11 | 0.6476 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 15.00 | 0.0316 | 30.00 | 1.0000 | Pass |
| 5230 | 20.06 | 0.1014 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 21.96 | 0.1570 | 30.00 | 1.0000 | Pass |
| 5795 | 21.63 | 0.1455 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 14.68 | 0.0294 | 30.00 | 1.0000 | Pass |
| 5230 | 19.91 | 0.0979 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.31 | 0.1702 | 30.00 | 1.0000 | Pass |
| 5795 | 22.21 | 0.1663 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 15.51 | 0.0356 | 30.00 | 1.0000 | Pass |
| 5230 | 21.01 | 0.1262 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.50 | 0.1778 | 30.00 | 1.0000 | Pass |
| 5795 | 22.42 | 0.1746 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 15.65 | 0.0367 | 30.00 | 1.0000 | Pass |
| 5230 | 20.77 | 0.1194 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 22.94 | 0.1968 | 30.00 | 1.0000 | Pass |
| 5795 | 22.06 | 0.1607 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5190 | 21.25 | 0.1333 | 30.00 | 1.0000 | Pass |
| 5230 | 26.48 | 0.4449 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5755 | 28.46 | 0.7019 | 30.00 | 1.0000 | Pass |
| 5795 | 28.11 | 0.6472 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 10.82 | 0.0121 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 21.62 | 0.1452 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 11.18 | 0.0131 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 21.75 | 0.1496 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 12.09 | 0.0162 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 22.49 | 0.1774 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 12.13 | 0.0163 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 22.40 | 0.1738 | 30.00 | 1.0000 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210 | 17.61 | 0.0577 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775 | 28.10 | 0.6460 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 13.19 | 0.0208 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 14.81 | 0.0303 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 13.03 | 0.0201 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 14.89 | 0.0308 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 13.71 | 0.0235 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 14.50 | 0.0282 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 13.63 | 0.0231 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 14.38 | 0.0274 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210+5775 | 19.42 | 0.0875 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775+5210 | 20.67 | 0.1167 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 1 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 11.52 | 0.0142 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 13.56 | 0.0227 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 2 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 10.35 | 0.0108 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 13.56 | 0.0227 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 3 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 13.06 | 0.0202 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 11.99 | 0.0158 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 4 |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 12.41 | 0.0174 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 11.83 | 0.0152 | 30.00 | 1.0000 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_Total |
| Tested Date | 2020/2/26 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210+5775 | 17.97 | 0.0627 | 30.00 | 1.0000 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775+5210 | 18.83 | 0.0765 | 30.00 | 1.0000 | Pass |

| | |
|-----------|------------------|
| Test Mode | Beamforming mode |
|-----------|------------------|

| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 1 |
|-----------|--------------------|

| | |
|-------------|----------|
| Tested Date | 2020/3/3 |
|-------------|----------|

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.58 | 0.0181 | 25.60 | 0.3631 | Pass |
| 5200 | 12.67 | 0.0185 | 25.60 | 0.3631 | Pass |
| 5240 | 12.91 | 0.0195 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 14.50 | 0.0282 | 25.60 | 0.3631 | Pass |
| 5785 | 15.62 | 0.0365 | 25.60 | 0.3631 | Pass |
| 5825 | 14.24 | 0.0265 | 25.60 | 0.3631 | Pass |

| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 2 |
|-----------|--------------------|

| | |
|-------------|----------|
| Tested Date | 2020/3/3 |
|-------------|----------|

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.41 | 0.0174 | 25.60 | 0.3631 | Pass |
| 5200 | 12.37 | 0.0173 | 25.60 | 0.3631 | Pass |
| 5240 | 12.71 | 0.0187 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 15.89 | 0.0388 | 25.60 | 0.3631 | Pass |
| 5785 | 14.64 | 0.0291 | 25.60 | 0.3631 | Pass |
| 5825 | 15.66 | 0.0368 | 25.60 | 0.3631 | Pass |

| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 3 |
|-----------|--------------------|

| | |
|-------------|----------|
| Tested Date | 2020/3/3 |
|-------------|----------|

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 13.10 | 0.0204 | 25.60 | 0.3631 | Pass |
| 5200 | 13.22 | 0.0210 | 25.60 | 0.3631 | Pass |
| 5240 | 13.14 | 0.0206 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 15.85 | 0.0385 | 25.60 | 0.3631 | Pass |
| 5785 | 15.16 | 0.0328 | 25.60 | 0.3631 | Pass |
| 5825 | 15.50 | 0.0355 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 13.05 | 0.0202 | 25.60 | 0.3631 | Pass |
| 5200 | 13.16 | 0.0207 | 25.60 | 0.3631 | Pass |
| 5240 | 13.26 | 0.0212 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.15 | 0.0412 | 25.60 | 0.3631 | Pass |
| 5785 | 15.27 | 0.0337 | 25.60 | 0.3631 | Pass |
| 5825 | 15.08 | 0.0322 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------|
| Test Mode | IEEE 802.11a_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 18.82 | 0.0761 | 25.60 | 0.3631 | Pass |
| 5200 | 18.89 | 0.0774 | 25.60 | 0.3631 | Pass |
| 5240 | 19.03 | 0.0800 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 21.66 | 0.1467 | 25.60 | 0.3631 | Pass |
| 5785 | 21.21 | 0.1320 | 25.60 | 0.3631 | Pass |
| 5825 | 21.17 | 0.1311 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.92 | 0.0196 | 25.60 | 0.3631 | Pass |
| 5200 | 13.61 | 0.0230 | 25.60 | 0.3631 | Pass |
| 5240 | 13.24 | 0.0211 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 15.27 | 0.0337 | 25.60 | 0.3631 | Pass |
| 5785 | 14.26 | 0.0267 | 25.60 | 0.3631 | Pass |
| 5825 | 14.65 | 0.0292 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.90 | 0.0195 | 25.60 | 0.3631 | Pass |
| 5200 | 12.89 | 0.0195 | 25.60 | 0.3631 | Pass |
| 5240 | 12.47 | 0.0177 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.36 | 0.0433 | 25.60 | 0.3631 | Pass |
| 5785 | 15.37 | 0.0344 | 25.60 | 0.3631 | Pass |
| 5825 | 17.15 | 0.0519 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 13.75 | 0.0237 | 25.60 | 0.3631 | Pass |
| 5200 | 13.90 | 0.0245 | 25.60 | 0.3631 | Pass |
| 5240 | 13.26 | 0.0212 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.25 | 0.0422 | 25.60 | 0.3631 | Pass |
| 5785 | 15.80 | 0.0380 | 25.60 | 0.3631 | Pass |
| 5825 | 16.03 | 0.0401 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 14.09 | 0.0256 | 25.60 | 0.3631 | Pass |
| 5200 | 13.78 | 0.0239 | 25.60 | 0.3631 | Pass |
| 5240 | 13.35 | 0.0216 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.60 | 0.0457 | 25.60 | 0.3631 | Pass |
| 5785 | 15.79 | 0.0379 | 25.60 | 0.3631 | Pass |
| 5825 | 15.99 | 0.0397 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 19.47 | 0.0884 | 25.60 | 0.3631 | Pass |
| 5200 | 19.58 | 0.0908 | 25.60 | 0.3631 | Pass |
| 5240 | 19.11 | 0.0816 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 22.17 | 0.1648 | 25.60 | 0.3631 | Pass |
| 5785 | 21.37 | 0.1371 | 25.60 | 0.3631 | Pass |
| 5825 | 22.06 | 0.1609 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 12.63 | 0.0183 | 25.60 | 0.3631 | Pass |
| 5230 | 13.80 | 0.0240 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.20 | 0.0417 | 25.60 | 0.3631 | Pass |
| 5795 | 15.81 | 0.0381 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 12.17 | 0.0165 | 25.60 | 0.3631 | Pass |
| 5230 | 13.99 | 0.0251 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.22 | 0.0419 | 25.60 | 0.3631 | Pass |
| 5795 | 16.29 | 0.0426 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 12.92 | 0.0196 | 25.60 | 0.3631 | Pass |
| 5230 | 15.11 | 0.0324 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.73 | 0.0471 | 25.60 | 0.3631 | Pass |
| 5795 | 16.58 | 0.0455 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 13.19 | 0.0208 | 25.60 | 0.3631 | Pass |
| 5230 | 15.00 | 0.0316 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.83 | 0.0482 | 25.60 | 0.3631 | Pass |
| 5795 | 16.08 | 0.0406 | 25.60 | 0.3631 | Pass |

| | |
|-------------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5190 | 18.76 | 0.0752 | 25.60 | 0.3631 | Pass |
| 5230 | 20.53 | 0.1131 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5755 | 22.53 | 0.1789 | 25.60 | 0.3631 | Pass |
| 5795 | 22.22 | 0.1667 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.26 | 0.0168 | 25.60 | 0.3631 | Pass |
| 5200 | 12.25 | 0.0168 | 25.60 | 0.3631 | Pass |
| 5240 | 9.80 | 0.0095 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.43 | 0.0440 | 25.60 | 0.3631 | Pass |
| 5785 | 13.84 | 0.0242 | 25.60 | 0.3631 | Pass |
| 5825 | 15.50 | 0.0355 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 11.10 | 0.0129 | 25.60 | 0.3631 | Pass |
| 5200 | 10.91 | 0.0123 | 25.60 | 0.3631 | Pass |
| 5240 | 10.33 | 0.0108 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.40 | 0.0437 | 25.60 | 0.3631 | Pass |
| 5785 | 15.69 | 0.0371 | 25.60 | 0.3631 | Pass |
| 5825 | 16.28 | 0.0425 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.54 | 0.0179 | 25.60 | 0.3631 | Pass |
| 5200 | 11.86 | 0.0153 | 25.60 | 0.3631 | Pass |
| 5240 | 11.42 | 0.0139 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 15.52 | 0.0356 | 25.60 | 0.3631 | Pass |
| 5785 | 15.67 | 0.0369 | 25.60 | 0.3631 | Pass |
| 5825 | 16.08 | 0.0406 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.42 | 0.0175 | 25.60 | 0.3631 | Pass |
| 5200 | 12.50 | 0.0178 | 25.60 | 0.3631 | Pass |
| 5240 | 11.58 | 0.0144 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.10 | 0.0407 | 25.60 | 0.3631 | Pass |
| 5785 | 15.79 | 0.0379 | 25.60 | 0.3631 | Pass |
| 5825 | 15.88 | 0.0387 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 18.14 | 0.0651 | 25.60 | 0.3631 | Pass |
| 5200 | 17.94 | 0.0622 | 25.60 | 0.3631 | Pass |
| 5240 | 16.87 | 0.0486 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 22.15 | 0.1640 | 25.60 | 0.3631 | Pass |
| 5785 | 21.34 | 0.1361 | 25.60 | 0.3631 | Pass |
| 5825 | 21.97 | 0.1572 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 10.53 | 0.0113 | 25.60 | 0.3631 | Pass |
| 5230 | 13.86 | 0.0243 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.17 | 0.0414 | 25.60 | 0.3631 | Pass |
| 5795 | 15.72 | 0.0373 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 9.84 | 0.0096 | 25.60 | 0.3631 | Pass |
| 5230 | 13.84 | 0.0242 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.27 | 0.0424 | 25.60 | 0.3631 | Pass |
| 5795 | 16.20 | 0.0417 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 11.11 | 0.0129 | 25.60 | 0.3631 | Pass |
| 5230 | 15.07 | 0.0321 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.57 | 0.0454 | 25.60 | 0.3631 | Pass |
| 5795 | 16.49 | 0.0446 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 11.29 | 0.0135 | 25.60 | 0.3631 | Pass |
| 5230 | 15.22 | 0.0333 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.90 | 0.0490 | 25.60 | 0.3631 | Pass |
| 5795 | 16.11 | 0.0408 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5190 | 16.75 | 0.0473 | 25.60 | 0.3631 | Pass |
| 5230 | 20.57 | 0.1139 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5755 | 22.51 | 0.1781 | 25.60 | 0.3631 | Pass |
| 5795 | 22.16 | 0.1644 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 6.59 | 0.0046 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 15.69 | 0.0371 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 6.62 | 0.0046 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 15.70 | 0.0372 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 7.47 | 0.0056 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 16.22 | 0.0419 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 7.97 | 0.0063 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 16.01 | 0.0399 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210 | 13.22 | 0.0210 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775 | 21.93 | 0.1560 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 11.46 | 0.0140 | 25.60 | 0.3631 | Pass |
| 5200 | 11.09 | 0.0129 | 25.60 | 0.3631 | Pass |
| 5240 | 11.04 | 0.0127 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 15.77 | 0.0378 | 25.60 | 0.3631 | Pass |
| 5785 | 15.55 | 0.0359 | 25.60 | 0.3631 | Pass |
| 5825 | 15.75 | 0.0376 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 10.82 | 0.0121 | 25.60 | 0.3631 | Pass |
| 5200 | 11.73 | 0.0149 | 25.60 | 0.3631 | Pass |
| 5240 | 9.99 | 0.0100 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.18 | 0.0415 | 25.60 | 0.3631 | Pass |
| 5785 | 15.75 | 0.0376 | 25.60 | 0.3631 | Pass |
| 5825 | 16.42 | 0.0439 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.23 | 0.0167 | 25.60 | 0.3631 | Pass |
| 5200 | 11.87 | 0.0154 | 25.60 | 0.3631 | Pass |
| 5240 | 10.94 | 0.0124 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 16.97 | 0.0498 | 25.60 | 0.3631 | Pass |
| 5785 | 16.31 | 0.0428 | 25.60 | 0.3631 | Pass |
| 5825 | 16.29 | 0.0426 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5180 | 12.31 | 0.0170 | 25.60 | 0.3631 | Pass |
| 5200 | 12.34 | 0.0171 | 25.60 | 0.3631 | Pass |
| 5240 | 11.23 | 0.0133 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5745 | 17.06 | 0.0508 | 25.60 | 0.3631 | Pass |
| 5785 | 15.90 | 0.0389 | 25.60 | 0.3631 | Pass |
| 5825 | 15.79 | 0.0379 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW20)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5180 | 17.77 | 0.0598 | 25.60 | 0.3631 | Pass |
| 5200 | 17.80 | 0.0603 | 25.60 | 0.3631 | Pass |
| 5240 | 16.85 | 0.0484 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5745 | 22.55 | 0.1798 | 25.60 | 0.3631 | Pass |
| 5785 | 21.91 | 0.1551 | 25.60 | 0.3631 | Pass |
| 5825 | 22.09 | 0.1619 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 8.98 | 0.0079 | 25.60 | 0.3631 | Pass |
| 5230 | 14.04 | 0.0254 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 15.94 | 0.0393 | 25.60 | 0.3631 | Pass |
| 5795 | 15.61 | 0.0364 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 8.66 | 0.0073 | 25.60 | 0.3631 | Pass |
| 5230 | 13.89 | 0.0245 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.29 | 0.0426 | 25.60 | 0.3631 | Pass |
| 5795 | 16.19 | 0.0416 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 9.49 | 0.0089 | 25.60 | 0.3631 | Pass |
| 5230 | 14.99 | 0.0316 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.48 | 0.0445 | 25.60 | 0.3631 | Pass |
| 5795 | 16.40 | 0.0437 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5190 | 9.63 | 0.0092 | 25.60 | 0.3631 | Pass |
| 5230 | 14.75 | 0.0299 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5755 | 16.92 | 0.0492 | 25.60 | 0.3631 | Pass |
| 5795 | 16.04 | 0.0402 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW40)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5190 | 15.23 | 0.0333 | 25.60 | 0.3631 | Pass |
| 5230 | 20.46 | 0.1112 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5755 | 22.44 | 0.1755 | 25.60 | 0.3631 | Pass |
| 5795 | 22.09 | 0.1618 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 4.80 | 0.0030 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 15.60 | 0.0363 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 5.16 | 0.0033 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 15.73 | 0.0374 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 6.07 | 0.0040 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 16.47 | 0.0444 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210 | 6.11 | 0.0041 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775 | 16.38 | 0.0435 | 25.60 | 0.3631 | Pass |

| | |
|-------------|-----------------------------|
| Test Mode | IEEE 802.11ax (HEW80)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210 | 11.59 | 0.0144 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775 | 22.08 | 0.1615 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 7.17 | 0.0052 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 8.79 | 0.0076 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 7.01 | 0.0050 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 8.87 | 0.0077 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 7.69 | 0.0059 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 8.48 | 0.0070 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 7.61 | 0.0058 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 8.36 | 0.0069 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ac (VHT80+80)_Total |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210+5775 | 13.40 | 0.0219 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775+5210 | 14.65 | 0.0292 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 1 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 5.50 | 0.0035 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 7.54 | 0.0057 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 2 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 4.33 | 0.0027 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 7.54 | 0.0057 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 3 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 7.04 | 0.0051 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 5.97 | 0.0040 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_ANT 4 |
| Tested Date | 2020/3/3 |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5210+5775 | 6.39 | 0.0044 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Maximum Conducted Power (dBm) | Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|-------------------------------|-----------------------------|---------------------|-------------------|--------|
| 5775+5210 | 5.81 | 0.0038 | 25.60 | 0.3631 | Pass |

| | |
|-------------|--------------------------------|
| Test Mode | IEEE 802.11ax (HEW80+80)_Total |
| Tested Date | 2020/3/3 |





| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5210+5775 | 11.95 | 0.0157 | 25.60 | 0.3631 | Pass |

| Test Frequency (MHz) | Calculated Maximum Conducted Power (dBm) | Calculated Maximum Conducted Power (W) | Maximum Limit (dBm) | Maximum Limit (W) | Result |
|----------------------|--|--|---------------------|-------------------|--------|
| 5775+5210 | 12.81 | 0.0191 | 25.60 | 0.3631 | Pass |

APPENDIX F POWER SPECTRAL DENSITY



| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 1 |
|-----------|--------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 5.95 | 0.30 | 6.25 | 12.60 | Pass |
| 5200 | 5.51 | 0.30 | 5.81 | 12.60 | Pass |
| 5240 | 6.05 | 0.30 | 6.35 | 12.60 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 8.84 | 5.83 | 0.30 | 6.13 | 25.60 | Pass |
| 5785 | 8.81 | 5.80 | 0.30 | 6.10 | 25.60 | Pass |
| 5825 | 8.73 | 5.72 | 0.30 | 6.02 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$





| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 2 |
|-----------|--------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 5.50 | 0.30 | 5.80 | 12.60 | Pass |
| 5200 | 4.68 | 0.30 | 4.98 | 12.60 | Pass |
| 5240 | 5.52 | 0.30 | 5.82 | 12.60 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 7.96 | 4.95 | 0.30 | 5.25 | 25.60 | Pass |
| 5785 | 9.18 | 6.17 | 0.30 | 6.47 | 25.60 | Pass |
| 5825 | 9.51 | 6.50 | 0.30 | 6.80 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$





| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 3 |
|-----------|--------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 5.92 | 0.30 | 6.22 | 12.60 | Pass |
| 5200 | 6.54 | 0.30 | 6.84 | 12.60 | Pass |
| 5240 | 6.08 | 0.30 | 6.38 | 12.60 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 9.29 | 6.28 | 0.30 | 6.58 | 25.60 | Pass |
| 5785 | 7.57 | 4.56 | 0.30 | 4.86 | 25.60 | Pass |
| 5825 | 9.21 | 6.20 | 0.30 | 6.50 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$





| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_ANT 4 |
|-----------|--------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 6.49 | 0.30 | 6.79 | 12.60 | Pass |
| 5200 | 6.52 | 0.30 | 6.82 | 12.60 | Pass |
| 5240 | 6.43 | 0.30 | 6.73 | 12.60 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 8.74 | 5.73 | 0.30 | 6.03 | 25.60 | Pass |
| 5785 | 9.28 | 6.27 | 0.30 | 6.57 | 25.60 | Pass |
| 5825 | 8.60 | 5.59 | 0.30 | 5.89 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







| | |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Total |
|-----------|--------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5180 | 12.30 | 12.60 | Pass |
| 5200 | 12.20 | 12.60 | Pass |
| 5240 | 12.35 | 12.60 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5745 | 12.04 | 25.60 | Pass |
| 5785 | 12.07 | 25.60 | Pass |
| 5825 | 12.34 | 25.60 | Pass |



| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 5.49 | 0.19 | 5.68 | 12.60 | Pass |
| 5200 | 5.94 | 0.19 | 6.13 | 12.60 | Pass |
| 5240 | 6.41 | 0.19 | 6.60 | 12.60 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 6.54 | 3.53 | 0.19 | 3.72 | 25.60 | Pass |
| 5785 | 6.89 | 3.88 | 0.19 | 4.07 | 25.60 | Pass |
| 5825 | 6.93 | 3.92 | 0.19 | 4.11 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 2 |
|-----------|---------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 4.90 | 0.19 | 5.09 | 12.60 | Pass |
| 5200 | 4.91 | 0.19 | 5.10 | 12.60 | Pass |
| 5240 | 4.25 | 0.19 | 4.44 | 12.60 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 6.03 | 3.02 | 0.19 | 3.21 | 25.60 | Pass |
| 5785 | 6.53 | 3.52 | 0.19 | 3.71 | 25.60 | Pass |
| 5825 | 7.79 | 4.78 | 0.19 | 4.97 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 3 |
|-----------|---------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 6.27 | 0.19 | 6.46 | 12.60 | Pass |
| 5200 | 6.56 | 0.19 | 6.75 | 12.60 | Pass |
| 5240 | 6.38 | 0.19 | 6.57 | 12.60 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 8.64 | 5.63 | 0.19 | 5.82 | 25.60 | Pass |
| 5785 | 6.97 | 3.96 | 0.19 | 4.15 | 25.60 | Pass |
| 5825 | 7.33 | 4.32 | 0.19 | 4.51 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_ANT 4 |
|-----------|---------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 7.00 | 0.19 | 7.19 | 12.60 | Pass |
| 5200 | 5.86 | 0.19 | 6.05 | 12.60 | Pass |
| 5240 | 6.18 | 0.19 | 6.37 | 12.60 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 7.06 | 4.05 | 0.19 | 4.24 | 25.60 | Pass |
| 5785 | 7.18 | 4.17 | 0.19 | 4.36 | 25.60 | Pass |
| 5825 | 7.76 | 4.75 | 0.19 | 4.94 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT20)_Total |
|-----------|---------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5180 | 12.20 | 12.60 | Pass |
| 5200 | 12.07 | 12.60 | Pass |
| 5240 | 12.10 | 12.60 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5745 | 10.38 | 25.60 | Pass |
| 5785 | 10.10 | 25.60 | Pass |
| 5825 | 10.67 | 25.60 | Pass |

| | |
|-----------|---------------------------|
| Test Mode | IEEE 802.11n (HT40)_ANT 1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5190 | 1.46 | 0.24 | 1.70 | 12.60 | Pass |
| 5230 | 5.66 | 0.24 | 5.90 | 12.60 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5755 | 3.76 | 0.75 | 0.24 | 0.99 | 25.60 | Pass |
| 5795 | 2.67 | -0.34 | 0.24 | -0.10 | 25.60 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$

