



Test Mode	IEEE 802.11n (HT40)_ANT 2
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	2.01	0.24	2.25	12.60	Pass
5230	6.44	0.24	6.68	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.43	1.42	0.24	1.66	25.60	Pass
5795	1.77	-1.24	0.24	-1.00	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_ANT 3
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	2.69	0.24	2.93	12.60	Pass
5230	6.31	0.24	6.55	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.59	1.58	0.24	1.82	25.60	Pass
5795	3.36	0.35	0.24	0.59	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_ANT 4
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	3.14	0.24	3.38	12.60	Pass
5230	6.78	0.24	7.02	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	3.45	-3.01	0.44	1.17	25.60	Pass
5795	1.27	-3.01	-1.74	0.71	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Total
-----------	---------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	8.63	12.60	Pass
5230	12.57	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	7.33	25.60	Pass
5795	5.59	25.60	Pass


Test Mode	IEEE 802.11ac (VHT80)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-4.68	0.49	-4.19	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	0.07	-2.94	0.49	-2.45	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ANT 2
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.50	0.49	-5.01	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	0.20	-2.81	0.49	-2.32	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ANT 3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-3.63	0.49	-3.14	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	0.54	-2.47	0.49	-1.98	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ANT 4
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-3.60	0.49	-3.11	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-0.41	-3.42	0.49	-2.93	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$









Test Mode	IEEE 802.11ac (VHT80)_Total		
-----------	-----------------------------	--	--

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	2.22	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	3.61	25.60	Pass



Test Mode	IEEE 802.11ax (HEW20)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.94	0.23	6.17	12.60	Pass
5200	5.57	0.23	5.80	12.60	Pass
5240	5.65	0.23	5.88	12.60	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	6.93	3.92	0.23	4.15	25.60	Pass
5785	7.93	4.92	0.23	5.15	25.60	Pass
5825	6.68	3.67	0.23	3.90	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$





Test Mode	IEEE 802.11ax (HEW20)_ANT 2
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.98	0.23	5.21	12.60	Pass
5200	5.91	0.23	6.14	12.60	Pass
5240	5.75	0.23	5.98	12.60	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	8.12	5.11	0.23	5.34	25.60	Pass
5785	6.62	3.61	0.23	3.84	25.60	Pass
5825	7.29	4.28	0.23	4.51	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW20)_ANT 3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	7.05	0.23	7.28	12.60	Pass
5200	6.35	0.23	6.58	12.60	Pass
5240	5.60	0.23	5.83	12.60	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.68	4.67	0.23	4.90	25.60	Pass
5785	7.28	4.27	0.23	4.50	25.60	Pass
5825	7.04	4.03	0.23	4.26	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW20)_ANT 4
-----------	-----------------------------



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.94	0.23	7.17	12.60	Pass
5200	6.99	0.23	7.22	12.60	Pass
5240	6.40	0.23	6.63	12.60	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	8.07	5.06	0.23	5.29	25.60	Pass
5785	6.41	3.40	0.23	3.63	25.60	Pass
5825	6.42	3.41	0.23	3.64	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	12.56	12.60	Pass
5200	12.49	12.60	Pass
5240	12.12	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	10.97	25.60	Pass
5785	10.34	25.60	Pass
5825	10.11	25.60	Pass


Test Mode	IEEE 802.11ax (HEW40)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.89	0.20	-0.69	12.60	Pass
5230	5.78	0.20	5.98	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	3.75	0.74	0.20	0.94	25.60	Pass
5795	3.66	0.65	0.20	0.85	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 2
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-1.03	0.20	-0.83	12.60	Pass
5230	5.09	0.20	5.29	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.60	1.59	0.20	1.79	25.60	Pass
5795	3.14	0.13	0.20	0.33	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.24	0.20	-0.04	12.60	Pass
5230	6.78	0.20	6.98	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.89	1.88	0.20	2.08	25.60	Pass
5795	3.67	0.66	0.20	0.86	25.60	Pass

**NOTE:**  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 4
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.01	0.20	0.19	12.60	Pass
5230	6.13	0.20	6.33	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.38	1.37	0.20	1.57	25.60	Pass
5795	3.62	0.61	0.20	0.81	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	5.70	12.60	Pass
5230	12.21	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	7.64	25.60	Pass
5795	6.74	25.60	Pass


Test Mode	IEEE 802.11ax (HEW80)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.97	0.31	-5.66	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	2.68	-0.33	0.31	-0.02	25.60	Pass


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$






Test Mode	IEEE 802.11ax (HEW80)_ANT 2
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.56	0.31	-6.25	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	2.15	-0.86	0.31	-0.55	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.42	0.31	-5.11	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	2.41	-0.60	0.31	-0.29	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 4
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-4.52	0.31	-4.21	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.64	-1.37	0.31	-1.06	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_Total		
-----------	-----------------------------	--	--

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	0.78	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	5.56	25.60	Pass


Test Mode	IEEE 802.11ac (VHT80+80)_ANT 1
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-4.13	0.34	-3.79	12.60	Pass
5210 (@5775+5210)	-21.97	0.34	-21.63	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-4.93	-7.94	0.34	-7.60	25.60	Pass
5775 (@5210+5775)	-22.17	-25.18	0.34	-24.84	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80+80)_ANT 2
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-5.82	0.34	-5.48	12.60	Pass
5210 (@5775+5210)	-17.82	0.34	-17.48	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-6.74	-9.75	0.34	-9.41	25.60	Pass
5775 (@5210+5775)	-19.18	-22.19	0.34	-21.85	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80+80)_ANT 3
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-26.14	0.34	-25.80	12.60	Pass
5210 (@5775+5210)	0.98	0.34	1.32	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-24.43	-27.44	0.34	-27.10	25.60	Pass
5775 (@5210+5775)	-9.15	-12.16	0.34	-11.82	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80+80)_ANT 4
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-24.77	0.34	-24.43	12.60	Pass
5210 (@5775+5210)	1.10	0.34	1.44	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-22.91	-25.92	0.34	-25.58	25.60	Pass
5775 (@5210+5775)	-9.23	-12.24	0.34	-11.90	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$






Test Mode	IEEE 802.11ac (VHT80+80)_Total
-----------	--------------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-1.50	12.60	Pass
5210 (@5775+5210)	4.43	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5210+5775)	-5.33	25.60	Pass
5775 (@5775+5210)	-8.53	25.60	Pass


Test Mode	IEEE 802.11ax (HEW80+80)_ANT 1
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-6.10	0.34	-5.76	12.60	Pass
5210 (@5775+5210)	-31.80	0.34	-31.46	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-7.56	-10.57	0.34	-10.23	25.60	Pass
5775 (@5210+5775)	-24.14	-27.15	0.34	-26.81	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80+80)_ANT 2
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-7.26	0.34	-6.92	12.60	Pass
5210 (@5775+5210)	-25.41	0.34	-25.07	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-7.65	-10.66	0.34	-10.32	25.60	Pass
5775 (@5210+5775)	-20.49	-23.50	0.34	-23.16	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80+80)_ANT 3
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-27.51	0.34	-27.17	12.60	Pass
5210 (@5775+5210)	-5.13	0.34	-4.79	12.60	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-26.78	-29.79	0.34	-29.45	25.60	Pass
5775 (@5210+5775)	-9.38	-12.39	0.34	-12.05	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80+80)_ANT 4
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-25.80	0.34	-25.46	12.60	Pass
5210 (@5775+5210)	-5.29	0.34	-4.95	12.60	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-25.67	-28.68	0.34	-28.34	25.60	Pass
5775 (@5210+5775)	-10.05	-13.06	0.34	-12.72	25.60	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW80+80)_Total
-----------	--------------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210 (@5210+5775)	-3.25	12.60	Pass
5210 (@5775+5210)	-1.83	12.60	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775 (@5775+5210)	-7.20	25.60	Pass
5775 (@5210+5775)	-9.11	25.60	Pass

**End of Test Report**