


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.65	17.90
116	5580	20.80	17.90
140	5700	20.69	17.90

CH100




Date: 23_NOV_2020 18:39:08

CH116 26 dB Bandwidth




Date: 23_NOV_2020 18:41:30

CH140




Date: 23_NOV_2020 18:43:00


99 % Emission Bandwidth



Date: 23_NOV_2020 18:38:18



Date: 23_NOV_2020 18:40:40




Date: 23_NOV_2020 18:42:09

Test Mode UNII-2C_TX AC(VHT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.90	36.80
110	5550	40.39	36.40
134	5670	40.50	36.60

CH102




Date: 23_NOV_2020 17:53:19

CH110
26 dB Bandwidth




Date: 23_NOV_2020 17:54:55

CH134




Date: 23_NOV_2020 17:56:27


99 % Emission Bandwidth



Date: 23_NOV_2020 17:52:25



Date: 23_NOV_2020 17:54:04




Date: 23_NOV_2020 17:55:36

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	115.99	75.60
122	5610	117.20	76.00

CH106




Date: 23.NOV.2020 16:01:56

CH122 26 dB Bandwidth




Date: 23.NOV.2020 16:09:22

99 % Emission Bandwidth



Date: 23.NOV.2020 16:00:13




Date: 23.NOV.2020 16:02:52

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.50	18.20	500	Complies
157	5785	15.50	18.30	500	Complies
165	5825	15.90	27.50	500	Complies

CH149




Date: 27_NOV_2020 16:54:55

CH157




Date: 27_NOV_2020 16:56:34

CH165




Date: 27_NOV_2020 16:58:11


99 % Emission Bandwidth



Date: 27_NOV_2020 16:54:04



Date: 27_NOV_2020 16:55:37




Date: 27_NOV_2020 16:57:16

Test Mode UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	34.10	43.00	500	Complies
159	5795	32.59	49.40	500	Complies


CH151



Date: 27_NOV.2020 17:00:21


CH159

6 dB Bandwidth




Date: 27_NOV.2020 17:02:02

99 % Emission Bandwidth



Date: 27_NOV.2020 16:59:32




Date: 27_NOV.2020 17:01:05

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	73.00	76.00	500	Complies

CH155 6 dB Bandwidth



Date: 27_NOV_2020 16:51:52

99 % Emission Bandwidth




Date: 27_NOV_2020 16:50:52

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	31.60	19.30
40	5200	37.30	19.50
48	5240	47.65	25.20

CH36




Date: 29_NOV.2020 15:44:34

CH40
26 dB Bandwidth




Date: 29_NOV.2020 15:45:35

CH48




Date: 29_NOV.2020 15:46:22


99 % Emission Bandwidth



Date: 29_NOV.2020 15:43:54



Date: 29_NOV.2020 15:45:10




Date: 29_NOV.2020 15:46:11

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	39.80	37.80
46	5230	57.90	38.60

CH38




Date: 27.NOV.2020 16:28:19

CH46 26 dB Bandwidth




Date: 30.NOV.2020 16:06:13

CH38



Date: 27.NOV.2020 16:27:34

CH46 99 % Emission Bandwidth




Date: 30.NOV.2020 16:04:52

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	81.00	76.80

CH42 26 dB Bandwidth



Date: 27_NOV_2020 16:31:23

99 % Emission Bandwidth




Date: 27_NOV_2020 16:30:26

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	32.00	19.40
60	5300	34.30	19.40
64	5320	26.29	19.40

CH52




Date: 23.NOV.2020 16:48:49

CH60
26 dB Bandwidth




Date: 23.NOV.2020 16:49:54

CH64




Date: 23.NOV.2020 19:35:21


99 % Emission Bandwidth



Date: 23.NOV.2020 16:48:02



Date: 23.NOV.2020 16:49:24




Date: 23.NOV.2020 16:50:32

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.79	38.20
62	5310	39.50	38.40

CH54




Date: 23.NOV.2020 17:05:22

CH62 26 dB Bandwidth




Date: 23.NOV.2020 17:08:45

CH54



Date: 23.NOV.2020 17:04:05

99 % Emission Bandwidth




Date: 23.NOV.2020 17:06:03

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	99.19	77.60

CH58 26 dB Bandwidth



Date: 23_NOV_2020 17:34:18

99 % Emission Bandwidth




Date: 23_NOV_2020 17:31:25

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	27.55	19.20
116	5580	33.45	19.20
140	5700	30.90	19.20

CH100




Date: 23.NOV.2020 16:56:04

CH116
26 dB Bandwidth




Date: 23.NOV.2020 16:57:22

CH140




Date: 23.NOV.2020 16:59:15


99 % Emission Bandwidth



Date: 23.NOV.2020 16:55:25



Date: 23.NOV.2020 16:56:49




Date: 23.NOV.2020 16:58:26

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.70	38.00
110	5550	39.60	37.80
134	5670	39.70	37.80

CH102




Date: 23.NOV.2020 17:11:11

CH110
26 dB Bandwidth




Date: 23.NOV.2020 17:12:49

CH134




Date: 23.NOV.2020 17:16:50


99 % Emission Bandwidth



Date: 23.NOV.2020 17:10:18



Date: 23.NOV.2020 17:11:58




Date: 23.NOV.2020 17:16:00


Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	94.00	77.20
122	5610	96.80	77.60



CH106



CH122 26 dB Bandwidth




99 % Emission Bandwidth



Test Mode UNII-3_TX AX(HE20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	18.50	21.80	500	Complies
157	5785	18.75	19.90	500	Complies
165	5825	18.19	27.90	500	Complies

CH149




Date: 27_NOV_2020 16:44:59

CH157




Date: 27_NOV_2020 16:46:22

CH165




Date: 27_NOV_2020 16:47:44


99 % Emission Bandwidth



Date: 27_NOV_2020 16:44:13



Date: 27_NOV_2020 16:45:37




Date: 27_NOV_2020 16:46:56

Test Mode UNII-3_TX AX(HE40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	31.79	44.20	500	Complies
159	5795	33.90	53.80	500	Complies

CH151




Date: 27.NOV.2020 16:43:02

CH159 6 dB Bandwidth




Date: 27.NOV.2020 16:40:47

99 % Emission Bandwidth



Date: 27.NOV.2020 16:42:08




Date: 27.NOV.2020 16:39:58

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	53.99	77.60	500	Complies

CH155 6 dB Bandwidth



Date: 27_NOV_2020 16:36:32

99 % Emission Bandwidth



Date: 27_NOV_2020 16:33:11

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.61	0.49	20.10	30.00	1.00	Complies
40	5200	21.53	0.49	22.02	30.00	1.00	Complies
48	5240	24.82	0.49	25.31	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.06	0.48	19.54	30.00	1.00	Complies
40	5200	20.31	0.48	20.79	30.00	1.00	Complies
48	5240	22.39	0.48	22.87	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.72	0.48	19.20	30.00	1.00	Complies
40	5200	19.78	0.48	20.26	30.00	1.00	Complies
48	5240	22.12	0.48	22.60	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.38	30.00	1.00	Complies
40	5200	23.54	30.00	1.00	Complies
48	5240	25.74	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.32	1.07	18.39	30.00	1.00	Complies
46	5230	20.92	1.07	21.99	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.96	1.07	18.03	30.00	1.00	Complies
46	5230	20.53	1.07	21.60	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.22	30.00	1.00	Complies
46	5230	24.80	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.58	0.49	21.07	24.00	0.25	Complies
60	5300	20.53	0.49	21.02	24.00	0.25	Complies
64	5320	19.08	0.49	19.57	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.40	0.48	18.88	24.00	0.25	Complies
60	5300	18.02	0.48	18.50	24.00	0.25	Complies
64	5320	17.05	0.48	17.53	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.33	0.48	18.81	24.00	0.25	Complies
60	5300	17.96	0.48	18.44	24.00	0.25	Complies
64	5320	16.98	0.48	17.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.85	24.00	0.25	Complies
60	5300	21.48	24.00	0.25	Complies
64	5320	20.50	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.62	1.07	20.69	24.00	0.25	Complies
62	5310	17.38	1.07	18.45	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.79	1.07	20.86	24.00	0.25	Complies
62	5310	17.47	1.07	18.54	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.78	24.00	0.25	Complies
62	5310	21.50	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.42	0.49	19.91	24.00	0.25	Complies
116	5580	19.64	0.49	20.13	24.00	0.25	Complies
140	5700	18.94	0.49	19.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.33	0.48	17.81	24.00	0.25	Complies
116	5580	16.90	0.48	17.38	24.00	0.25	Complies
140	5700	16.18	0.48	16.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.21	0.48	17.69	24.00	0.25	Complies
116	5580	16.75	0.48	17.23	24.00	0.25	Complies
140	5700	16.05	0.48	16.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.75	24.00	0.25	Complies
116	5580	20.31	24.00	0.25	Complies
140	5700	19.60	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.83	1.07	18.90	24.00	0.25	Complies
110	5550	19.21	1.07	20.28	24.00	0.25	Complies
134	5670	17.78	1.07	18.85	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.77	1.07	18.84	24.00	0.25	Complies
110	5550	18.83	1.07	19.90	24.00	0.25	Complies
134	5670	19.10	1.07	20.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.88	24.00	0.25	Complies
110	5550	23.10	24.00	0.25	Complies
134	5670	22.56	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.98	0.49	23.47	30.00	1.00	Complies
157	5785	22.97	0.49	23.46	30.00	1.00	Complies
165	5825	23.51	0.49	24.00	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.17	0.48	20.65	30.00	1.00	Complies
157	5785	20.31	0.48	20.79	30.00	1.00	Complies
165	5825	23.72	0.48	24.20	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.02	0.48	20.50	30.00	1.00	Complies
157	5785	20.14	0.48	20.62	30.00	1.00	Complies
165	5825	23.60	0.48	24.08	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.58	30.00	1.00	Complies
157	5785	23.72	30.00	1.00	Complies
165	5825	27.15	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.70	1.07	23.77	30.00	1.00	Complies
159	5795	22.54	1.07	23.61	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.04	1.07	23.11	30.00	1.00	Complies
159	5795	22.30	1.07	23.37	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.46	30.00	1.00	Complies
159	5795	26.50	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.06	0.21	19.27	30.00	1.00	Complies
40	5200	20.81	0.21	21.02	30.00	1.00	Complies
48	5240	23.11	0.21	23.32	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.53	0.21	19.74	30.00	1.00	Complies
40	5200	20.18	0.21	20.39	30.00	1.00	Complies
48	5240	22.41	0.21	22.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.52	30.00	1.00	Complies
40	5200	23.73	30.00	1.00	Complies
48	5240	26.00	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.63	0.90	18.53	30.00	1.00	Complies
46	5230	21.27	0.90	22.17	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.99	0.90	17.89	30.00	1.00	Complies
46	5230	20.76	0.90	21.66	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.23	30.00	1.00	Complies
46	5230	24.93	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.68	1.93	17.61	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.18	1.93	17.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.38	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.83	0.21	19.04	24.00	0.25	Complies
60	5300	18.23	0.21	18.44	24.00	0.25	Complies
64	5320	17.83	0.21	18.04	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.94	0.21	19.15	24.00	0.25	Complies
60	5300	18.83	0.21	19.04	24.00	0.25	Complies
64	5320	18.22	0.21	18.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.11	24.00	0.25	Complies
60	5300	21.76	24.00	0.25	Complies
64	5320	21.25	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.16	0.90	21.06	24.00	0.25	Complies
62	5310	17.77	0.90	18.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.96	0.90	20.86	24.00	0.25	Complies
62	5310	17.45	0.90	18.35	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.97	24.00	0.25	Complies
62	5310	21.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.18	1.93	18.11	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.88	1.93	17.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.97	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.94	0.21	18.15	24.00	0.25	Complies
116	5580	17.36	0.21	17.57	24.00	0.25	Complies
140	5700	16.21	0.21	16.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.41	0.21	17.62	24.00	0.25	Complies
116	5580	16.97	0.21	17.18	24.00	0.25	Complies
140	5700	17.68	0.21	17.89	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.91	24.00	0.25	Complies
116	5580	20.39	24.00	0.25	Complies
140	5700	20.23	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.65	0.90	19.55	24.00	0.25	Complies
110	5550	19.34	0.90	20.24	24.00	0.25	Complies
134	5670	18.23	0.90	19.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.96	0.90	18.86	24.00	0.25	Complies
110	5550	19.07	0.90	19.97	24.00	0.25	Complies
134	5670	19.27	0.90	20.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.22	24.00	0.25	Complies
110	5550	23.11	24.00	0.25	Complies
134	5670	22.69	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.25	1.93	18.18	24.00	0.25	Complies
122	5610	18.42	1.93	20.35	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.31	1.93	17.24	24.00	0.25	Complies
122	5610	18.88	1.93	20.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.75	24.00	0.25	Complies
122	5610	23.60	24.00	0.25	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.65	0.21	20.86	30.00	1.00	Complies
157	5785	20.76	0.21	20.97	30.00	1.00	Complies
165	5825	24.32	0.21	24.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.44	0.21	20.65	30.00	1.00	Complies
157	5785	20.44	0.21	20.65	30.00	1.00	Complies
165	5825	23.81	0.21	24.02	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.77	30.00	1.00	Complies
157	5785	23.82	30.00	1.00	Complies
165	5825	27.29	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.77	0.90	23.67	30.00	1.00	Complies
159	5795	22.74	0.90	23.64	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.62	0.90	23.52	30.00	1.00	Complies
159	5795	22.65	0.90	23.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.60	30.00	1.00	Complies
159	5795	26.60	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.31	1.93	21.24	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.91	1.93	20.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.06	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.04	0.64	19.68	30.00	1.00	Complies
40	5200	20.34	0.64	20.98	30.00	1.00	Complies
48	5240	23.31	0.64	23.95	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.35	0.64	18.99	30.00	1.00	Complies
40	5200	20.32	0.64	20.96	30.00	1.00	Complies
48	5240	23.22	0.64	23.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.36	30.00	1.00	Complies
40	5200	23.98	30.00	1.00	Complies
48	5240	26.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.62	1.22	18.84	30.00	1.00	Complies
46	5230	21.21	1.22	22.43	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.91	1.22	18.13	30.00	1.00	Complies
46	5230	20.81	1.22	22.03	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.51	30.00	1.00	Complies
46	5230	25.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.63	2.14	17.77	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.26	2.14	17.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.60	30.00	1.00	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.85	0.64	19.49	24.00	0.25	Complies
60	5300	19.08	0.64	19.72	24.00	0.25	Complies
64	5320	17.06	0.64	17.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.51	0.64	19.15	24.00	0.25	Complies
60	5300	18.83	0.64	19.47	24.00	0.25	Complies
64	5320	17.95	0.64	18.59	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.33	24.00	0.25	Complies
60	5300	22.61	24.00	0.25	Complies
64	5320	21.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.13	1.22	20.35	24.00	0.25	Complies
62	5310	17.77	1.22	18.99	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.68	1.22	20.90	24.00	0.25	Complies
62	5310	16.78	1.22	18.00	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.64	24.00	0.25	Complies
62	5310	21.53	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.55	2.14	17.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.98	2.14	18.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.25	0.64	17.89	24.00	0.25	Complies
116	5580	17.39	0.64	18.03	24.00	0.25	Complies
140	5700	15.64	0.64	16.28	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.96	0.64	17.60	24.00	0.25	Complies
116	5580	17.19	0.64	17.83	24.00	0.25	Complies
140	5700	17.32	0.64	17.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.76	24.00	0.25	Complies
116	5580	20.94	24.00	0.25	Complies
140	5700	20.21	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.92	1.22	19.14	24.00	0.25	Complies
110	5550	18.83	1.22	20.05	24.00	0.25	Complies
134	5670	17.43	1.22	18.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.65	1.22	18.87	24.00	0.25	Complies
110	5550	18.61	1.22	19.83	24.00	0.25	Complies
134	5670	18.84	1.22	20.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.02	24.00	0.25	Complies
110	5550	22.95	24.00	0.25	Complies
134	5670	22.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.79	2.14	17.93	24.00	0.25	Complies
122	5610	18.18	2.14	20.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.33	2.14	17.47	24.00	0.25	Complies
122	5610	18.73	2.14	20.87	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.71	24.00	0.25	Complies
122	5610	23.61	24.00	0.25	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.44	0.64	23.08	30.00	1.00	Complies
157	5785	21.55	0.64	22.19	30.00	1.00	Complies
165	5825	24.28	0.64	24.92	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.88	0.64	22.52	30.00	1.00	Complies
157	5785	20.61	0.64	21.25	30.00	1.00	Complies
165	5825	23.02	0.64	23.66	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.82	30.00	1.00	Complies
157	5785	24.76	30.00	1.00	Complies
165	5825	27.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.88	1.22	23.10	30.00	1.00	Complies
159	5795	22.73	1.22	23.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.21	1.22	23.43	30.00	1.00	Complies
159	5795	23.26	1.22	24.48	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.28	30.00	1.00	Complies
159	5795	27.23	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.12	2.14	21.26	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.21	2.14	21.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.31	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.92	0.48	19.40	30.00	1.00	Complies
40	5200	20.08	0.48	20.56	30.00	1.00	Complies
48	5240	22.18	0.48	22.66	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.36	0.48	18.84	30.00	1.00	Complies
40	5200	19.58	0.48	20.06	30.00	1.00	Complies
48	5240	21.65	0.48	22.13	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.14	30.00	1.00	Complies
40	5200	23.32	30.00	1.00	Complies
48	5240	25.41	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.93	1.07	18.00	30.00	1.00	Complies
46	5230	20.52	1.07	21.59	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.80	1.07	17.87	30.00	1.00	Complies
46	5230	20.31	1.07	21.38	30.00	1.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.94	30.00	1.00	Complies
46	5230	24.49	30.00	1.00	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.29	0.48	18.77	24.00	0.25	Complies
60	5300	17.69	0.48	18.17	24.00	0.25	Complies
64	5320	16.71	0.48	17.19	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.88	0.48	18.36	24.00	0.25	Complies
60	5300	17.71	0.48	18.19	24.00	0.25	Complies
64	5320	16.58	0.48	17.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.58	24.00	0.25	Complies
60	5300	21.19	24.00	0.25	Complies
64	5320	20.13	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.22	1.07	20.29	24.00	0.25	Complies
62	5310	17.18	1.07	18.25	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.41	1.07	20.48	24.00	0.25	Complies
62	5310	17.21	1.07	18.28	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.39	24.00	0.25	Complies
62	5310	21.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.17	0.48	17.65	24.00	0.25	Complies
116	5580	16.60	0.48	17.08	24.00	0.25	Complies
140	5700	15.71	0.48	16.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.91	0.48	17.39	24.00	0.25	Complies
116	5580	16.26	0.48	16.74	24.00	0.25	Complies
140	5700	15.91	0.48	16.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.53	24.00	0.25	Complies
116	5580	19.92	24.00	0.25	Complies
140	5700	19.30	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.49	1.07	18.56	24.00	0.25	Complies
110	5550	19.07	1.07	20.14	24.00	0.25	Complies
134	5670	17.60	1.07	18.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.53	1.07	18.60	24.00	0.25	Complies
110	5550	18.47	1.07	19.54	24.00	0.25	Complies
134	5670	18.63	1.07	19.70	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.59	24.00	0.25	Complies
110	5550	22.86	24.00	0.25	Complies
134	5670	22.22	24.00	0.25	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.01	0.48	20.49	30.00	1.00	Complies
157	5785	20.19	0.48	20.67	30.00	1.00	Complies
165	5825	23.35	0.48	23.83	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.79	0.48	20.27	30.00	1.00	Complies
157	5785	19.86	0.48	20.34	30.00	1.00	Complies
165	5825	23.48	0.48	23.96	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.39	30.00	1.00	Complies
157	5785	23.51	30.00	1.00	Complies
165	5825	26.90	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.41	1.07	23.48	30.00	1.00	Complies
159	5795	22.13	1.07	23.20	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.89	1.07	22.96	30.00	1.00	Complies
159	5795	21.92	1.07	22.99	30.00	1.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.23	30.00	1.00	Complies
159	5795	26.10	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.66	0.21	18.87	30.00	1.00	Complies
40	5200	20.33	0.21	20.54	30.00	1.00	Complies
48	5240	23.01	0.21	23.22	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.42	0.21	19.63	30.00	1.00	Complies
40	5200	19.99	0.21	20.20	30.00	1.00	Complies
48	5240	21.97	0.21	22.18	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.28	30.00	1.00	Complies
40	5200	23.39	30.00	1.00	Complies
48	5240	25.74	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.52	0.90	18.42	30.00	1.00	Complies
46	5230	20.95	0.90	21.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.56	0.90	17.46	30.00	1.00	Complies
46	5230	20.38	0.90	21.28	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.97	30.00	1.00	Complies
46	5230	24.58	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.26	1.93	17.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.80	1.93	16.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.98	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.51	0.21	18.72	24.00	0.25	Complies
60	5300	17.98	0.21	18.19	24.00	0.25	Complies
64	5320	17.55	0.21	17.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.68	0.21	18.89	24.00	0.25	Complies
60	5300	18.65	0.21	18.86	24.00	0.25	Complies
64	5320	17.74	0.21	17.95	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.82	24.00	0.25	Complies
60	5300	21.55	24.00	0.25	Complies
64	5320	20.87	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.74	0.90	20.64	24.00	0.25	Complies
62	5310	17.33	0.90	18.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.81	0.90	20.71	24.00	0.25	Complies
62	5310	17.20	0.90	18.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.68	24.00	0.25	Complies
62	5310	21.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.85	1.93	17.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.53	1.93	17.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.64	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.72	0.21	17.93	24.00	0.25	Complies
116	5580	17.13	0.21	17.34	24.00	0.25	Complies
140	5700	16.04	0.21	16.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.30	0.21	17.51	24.00	0.25	Complies
116	5580	16.64	0.21	16.85	24.00	0.25	Complies
140	5700	17.30	0.21	17.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.74	24.00	0.25	Complies
116	5580	20.11	24.00	0.25	Complies
140	5700	19.94	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.42	0.90	19.32	24.00	0.25	Complies
110	5550	19.16	0.90	20.06	24.00	0.25	Complies
134	5670	18.11	0.90	19.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.79	0.90	18.69	24.00	0.25	Complies
110	5550	18.88	0.90	19.78	24.00	0.25	Complies
134	5670	18.97	0.90	19.87	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.02	24.00	0.25	Complies
110	5550	22.93	24.00	0.25	Complies
134	5670	22.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.99	1.93	17.92	24.00	0.25	Complies
122	5610	18.15	1.93	20.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.98	1.93	16.91	24.00	0.25	Complies
122	5610	18.58	1.93	20.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.46	24.00	0.25	Complies
122	5610	23.31	24.00	0.25	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.25	0.21	20.46	30.00	1.00	Complies
157	5785	20.56	0.21	20.77	30.00	1.00	Complies
165	5825	24.12	0.21	24.33	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.31	0.21	20.52	30.00	1.00	Complies
157	5785	19.98	0.21	20.19	30.00	1.00	Complies
165	5825	23.36	0.21	23.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.50	30.00	1.00	Complies
157	5785	23.50	30.00	1.00	Complies
165	5825	26.98	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.48	0.90	23.38	30.00	1.00	Complies
159	5795	22.26	0.90	23.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.21	0.90	23.11	30.00	1.00	Complies
159	5795	22.27	0.90	23.17	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.25	30.00	1.00	Complies
159	5795	26.17	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.94	1.93	20.87	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.66	1.93	20.59	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.74	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.80	0.64	19.44	30.00	1.00	Complies
40	5200	20.16	0.64	20.80	30.00	1.00	Complies
48	5240	23.03	0.64	23.67	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.08	0.64	18.72	30.00	1.00	Complies
40	5200	20.13	0.64	20.77	30.00	1.00	Complies
48	5240	22.76	0.64	23.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.11	30.00	1.00	Complies
40	5200	23.80	30.00	1.00	Complies
48	5240	26.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.29	1.22	18.51	30.00	1.00	Complies
46	5230	20.78	1.22	22.00	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.78	1.22	18.00	30.00	1.00	Complies
46	5230	20.42	1.22	21.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.27	30.00	1.00	Complies
46	5230	24.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.63	2.14	17.77	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.06	2.14	17.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.50	30.00	1.00	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.51	0.64	19.15	24.00	0.25	Complies
60	5300	18.74	0.64	19.38	24.00	0.25	Complies
64	5320	16.58	0.64	17.22	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.40	0.64	19.04	24.00	0.25	Complies
60	5300	18.73	0.64	19.37	24.00	0.25	Complies
64	5320	17.75	0.64	18.39	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.11	24.00	0.25	Complies
60	5300	22.39	24.00	0.25	Complies
64	5320	20.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.66	1.22	19.88	24.00	0.25	Complies
62	5310	17.62	1.22	18.84	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.51	1.22	20.73	24.00	0.25	Complies
62	5310	16.67	1.22	17.89	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.33	24.00	0.25	Complies
62	5310	21.40	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.55	2.14	17.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.50	2.14	17.64	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.85	0.64	17.49	24.00	0.25	Complies
116	5580	16.90	0.64	17.54	24.00	0.25	Complies
140	5700	15.52	0.64	16.16	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.79	0.64	17.43	24.00	0.25	Complies
116	5580	16.92	0.64	17.56	24.00	0.25	Complies
140	5700	16.92	0.64	17.56	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.47	24.00	0.25	Complies
116	5580	20.56	24.00	0.25	Complies
140	5700	19.93	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.82	1.22	19.04	24.00	0.25	Complies
110	5550	18.59	1.22	19.81	24.00	0.25	Complies
134	5670	17.43	1.22	18.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.39	1.22	18.61	24.00	0.25	Complies
110	5550	18.34	1.22	19.56	24.00	0.25	Complies
134	5670	18.41	1.22	19.63	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.84	24.00	0.25	Complies
110	5550	22.70	24.00	0.25	Complies
134	5670	22.18	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.79	2.14	17.93	24.00	0.25	Complies
122	5610	18.18	2.14	20.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.09	2.14	17.23	24.00	0.25	Complies
122	5610	18.31	2.14	20.45	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.60	24.00	0.25	Complies
122	5610	23.39	24.00	0.25	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.17	0.64	22.81	30.00	1.00	Complies
157	5785	21.17	0.64	21.81	30.00	1.00	Complies
165	5825	23.90	0.64	24.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.57	0.64	22.21	30.00	1.00	Complies
157	5785	20.38	0.64	21.02	30.00	1.00	Complies
165	5825	22.74	0.64	23.38	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.53	30.00	1.00	Complies
157	5785	24.44	30.00	1.00	Complies
165	5825	27.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.88	1.22	23.10	30.00	1.00	Complies
159	5795	22.73	1.22	23.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.81	1.22	23.03	30.00	1.00	Complies
159	5795	22.87	1.22	24.09	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.07	30.00	1.00	Complies
159	5795	27.03	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.12	2.14	21.26	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.07	2.14	21.21	30.00	1.00	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.24	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.34	0.49	10.83	17.00	Complies
40	5200	12.23	0.49	12.72	17.00	Complies
48	5240	15.43	0.49	15.92	17.00	Complies






Date: 26_NOV_2020 15:58:43

Date: 26_NOV_2020 11:36:24

Date: 26_NOV_2020 15:59:35

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.27	0.49	10.76	11.00	Complies
60	5300	10.12	0.49	10.61	11.00	Complies
64	5320	10.25	0.49	10.74	11.00	Complies





Date: 23_NOV_2020 18:45:04

Date: 23_NOV_2020 18:46:10

Date: 23_NOV_2020 18:47:18

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.05	0.49	10.54	11.00	Complies
116	5580	10.49	0.49	10.98	11.00	Complies
140	5700	10.39	0.49	10.88	11.00	Complies



Date: 23_NOV_2020 18:49:38

Date: 23_NOV_2020 18:51:13

Date: 23_NOV_2020 18:52:46

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.98	0.49	15.47	30.00	Complies
157	5785	14.73	0.49	15.22	30.00	Complies
165	5825	14.87	0.49	15.36	30.00	Complies





Date: 23_NOV_2020 14:26:57

Date: 23_NOV_2020 14:28:32

Date: 23_NOV_2020 14:30:19

Test Mode UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.96	0.21	12.17	17.00	Complies
40	5200	12.47	0.21	12.68	17.00	Complies
48	5240	13.08	0.21	13.29	17.00	Complies




Date: 29_NOV,2020 15:40:49

Date: 29_NOV,2020 15:42:13

Date: 29_NOV,2020 15:43:03

Test Mode UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.97	0.21	12.18	17.00	Complies
40	5200	12.35	0.21	12.56	17.00	Complies
48	5240	13.16	0.21	13.37	17.00	Complies



Date: 29_NOV,2020 15:55:46

Date: 29_NOV,2020 15:56:10


Date: 29_NOV,2020 15:54:53

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.19	17.00	Complies
40	5200	15.63	17.00	Complies
48	5240	16.34	17.00	Complies



Test Mode UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.48	0.90	10.38	17.00	Complies
46	5230	10.10	0.90	11.00	17.00	Complies



Test Mode UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.94	0.90	10.84	17.00	Complies
46	5230	10.54	0.90	11.44	17.00	Complies




Test Mode UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.62	17.00	Complies
46	5230	14.23	17.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.00	1.93	8.93	17.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.29	1.93	9.22	17.00	Complies






Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.09	17.00	Complies

Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.57	0.21	7.78	11.00	Complies
60	5300	7.62	0.21	7.83	11.00	Complies
64	5320	7.72	0.21	7.93	11.00	Complies





Date: 23_NOV_2020 18:31:57

Date: 23_NOV_2020 18:33:15

Date: 23_NOV_2020 18:34:51

Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.09	0.21	7.30	11.00	Complies
60	5300	7.38	0.21	7.59	11.00	Complies
64	5320	7.38	0.21	7.59	11.00	Complies



Date: 23_NOV_2020 18:57:03

Date: 23_NOV_2020 18:58:38


Date: 23_NOV_2020 19:00:24

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.56	11.00	Complies
60	5300	10.72	11.00	Complies
64	5320	10.78	11.00	Complies


Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.75	0.90	7.65	11.00	Complies
62	5310	5.53	0.90	6.43	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.49	0.90	7.39	11.00	Complies
62	5310	6.80	0.90	7.70	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.53	11.00	Complies
62	5310	10.12	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.41	1.93	5.34	11.00	Complies



Date: 23_NOV_2020 15:58:31

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.91	1.93	5.84	11.00	Complies



Date: 23_NOV_2020 19:13:59

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	8.61	11.00	Complies