



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.56	0.21	7.77	11.00	Complies
116	5580	7.12	0.21	7.33	11.00	Complies
140	5700	7.45	0.21	7.66	11.00	Complies



Date: 23.NOV.2020 18:38:09




Date: 23.NOV.2020 18:40:32




Date: 23.NOV.2020 18:42:01

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.20	0.21	7.41	11.00	Complies
116	5580	7.08	0.21	7.29	11.00	Complies
140	5700	7.67	0.21	7.88	11.00	Complies



Date: 23.NOV.2020 19:01:02



Date: 23.NOV.2020 19:01:35




Date: 23.NOV.2020 19:02:55

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.61	11.00	Complies
116	5580	10.32	11.00	Complies
140	5700	10.78	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.64	0.90	7.54	11.00	Complies
110	5550	6.75	0.90	7.65	11.00	Complies
134	5670	6.75	0.90	7.65	11.00	Complies



Date: 23.NOV.2020 17:53:40




Date: 23.NOV.2020 17:55:16




Date: 23.NOV.2020 17:56:49

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.69	0.90	7.59	11.00	Complies
110	5550	6.70	0.90	7.60	11.00	Complies
134	5670	6.83	0.90	7.73	11.00	Complies



Date: 23.NOV.2020 19:08:38



Date: 23.NOV.2020 19:09:21



Date: 23.NOV.2020 19:10:14


Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.57	11.00	Complies
110	5550	10.63	11.00	Complies
134	5670	10.70	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.14	1.93	7.07	11.00	Complies
122	5610	4.98	1.93	6.91	11.00	Complies

CH106



CH122




Date: 23.NOV.2020 16:00:05

Date: 23.NOV.2020 16:02:43


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.19	1.93	7.12	11.00	Complies
122	5610	5.12	1.93	7.05	11.00	Complies

CH106



CH122



Date: 23.NOV.2020 19:14:47


Date: 23.NOV.2020 19:15:32

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.11	11.00	Complies
122	5610	9.99	11.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.07	0.21	13.28	30.00	Complies
157	5785	11.26	0.21	11.47	30.00	Complies
165	5825	11.70	0.21	11.91	30.00	Complies



Date: 23.NOV.2020 15:25:25




Date: 23.NOV.2020 19:52:17




Date: 23.NOV.2020 19:55:34

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.13	0.21	12.34	30.00	Complies
157	5785	11.18	0.21	11.39	30.00	Complies
165	5825	11.42	0.21	11.63	30.00	Complies



Date: 23.NOV.2020 19:03:46



Date: 23.NOV.2020 19:51:37




Date: 23.NOV.2020 19:56:09

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.85	30.00	Complies
157	5785	14.44	30.00	Complies
165	5825	14.78	30.00	Complies


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.35	0.90	11.25	30.00	Complies
159	5795	10.36	0.90	11.26	30.00	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.12	0.90	10.02	30.00	Complies
159	5795	9.00	0.90	9.90	30.00	Complies




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.68	30.00	Complies
159	5795	13.64	30.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.87	1.93	8.80	30.00	Complies



Date: 23.NOV.2020 16:10:18

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.49	1.93	7.42	30.00	Complies






Date: 23.NOV.2020 19:16:27

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	11.18	30.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.76	0.64	12.40	17.00	Complies
40	5200	12.01	0.64	12.65	17.00	Complies
48	5240	12.69	0.64	13.33	17.00	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.61	0.64	12.25	17.00	Complies
40	5200	11.77	0.64	12.41	17.00	Complies
48	5240	12.61	0.64	13.25	17.00	Complies





Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.34	17.00	Complies
40	5200	15.54	17.00	Complies
48	5240	16.30	17.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.68	1.22	10.90	17.00	Complies
46	5230	10.22	1.22	11.44	17.00	Complies





Date: 26.NOV.2020 17:27:55

Date: 29.NOV.2020 15:48:44

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.04	1.22	11.26	17.00	Complies
46	5230	10.45	1.22	11.67	17.00	Complies



Date: 26.NOV.2020 17:28:48


Date: 29.NOV.2020 15:52:19

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.09	17.00	Complies
46	5230	14.57	17.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.24	2.14	9.38	17.00	Complies



Date: 26.NOV.2020 17:26:14

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.54	2.14	9.68	17.00	Complies




Date: 26.NOV.2020 17:25:41

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.54	17.00	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.92	0.64	7.56	11.00	Complies
60	5300	7.00	0.64	7.64	11.00	Complies
64	5320	7.09	0.64	7.73	11.00	Complies



Date: 23.NOV.2020 16:52:13




Date: 23.NOV.2020 16:52:57




Date: 23.NOV.2020 16:51:39

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.67	0.64	7.31	11.00	Complies
60	5300	7.44	0.64	8.08	11.00	Complies
64	5320	6.95	0.64	7.59	11.00	Complies



Date: 23.NOV.2020 19:31:32



Date: 23.NOV.2020 19:31:59





Date: 23.NOV.2020 19:34:04

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.45	11.00	Complies
60	5300	10.88	11.00	Complies
64	5320	10.67	11.00	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.48	1.22	7.70	11.00	Complies
62	5310	6.40	1.22	7.62	11.00	Complies





Date: 23.NOV.2020 17:03:57

Date: 23.NOV.2020 17:07:32

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.01	1.22	7.23	11.00	Complies
62	5310	6.64	1.22	7.86	11.00	Complies



Date: 23.NOV.2020 19:22:54


Date: 23.NOV.2020 19:24:07

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.48	11.00	Complies
62	5310	10.75	11.00	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.80	2.14	5.94	11.00	Complies



Date: 23.NOV.2020 17:31:17

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.94	2.14	6.08	11.00	Complies




Date: 23.NOV.2020 19:19:04

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	9.02	11.00	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.19	0.64	7.83	11.00	Complies
116	5580	7.20	0.64	7.84	11.00	Complies
140	5700	7.19	0.64	7.83	11.00	Complies



Date: 23.NOV.2020 16:55:17




Date: 23.NOV.2020 16:56:41




Date: 23.NOV.2020 16:59:59

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.28	0.64	7.92	11.00	Complies
116	5580	7.14	0.64	7.78	11.00	Complies
140	5700	7.01	0.64	7.65	11.00	Complies



Date: 23.NOV.2020 19:35:53



Date: 23.NOV.2020 19:36:26




Date: 23.NOV.2020 19:37:38

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.89	11.00	Complies
116	5580	10.82	11.00	Complies
140	5700	10.75	11.00	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.74	1.22	7.96	11.00	Complies
110	5550	6.38	1.22	7.60	11.00	Complies
134	5670	6.46	1.22	7.68	11.00	Complies



Date: 23.NOV.2020 17:10:10




Date: 23.NOV.2020 17:14:21




Date: 23.NOV.2020 17:15:52

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.57	1.22	7.79	11.00	Complies
110	5550	6.47	1.22	7.69	11.00	Complies
134	5670	6.48	1.22	7.70	11.00	Complies



Date: 23.NOV.2020 19:24:39



Date: 23.NOV.2020 19:25:14





Date: 23.NOV.2020 19:27:18

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.88	11.00	Complies
110	5550	10.65	11.00	Complies
134	5670	10.70	11.00	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.22	2.14	7.36	11.00	Complies
122	5610	5.13	2.14	7.27	11.00	Complies





Date: 23.NOV.2020 17:35:35

Date: 23.NOV.2020 17:37:19

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.39	2.14	7.53	11.00	Complies
122	5610	5.25	2.14	7.39	11.00	Complies



Date: 23.NOV.2020 19:19:38


Date: 23.NOV.2020 19:20:28

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.45	11.00	Complies
122	5610	10.34	11.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.05	0.64	12.69	30.00	Complies
157	5785	10.17	0.64	10.81	30.00	Complies
165	5825	11.98	0.64	12.62	30.00	Complies



Date: 23.NOV.2020 16:28:00




Date: 23.NOV.2020 19:58:12




Date: 23.NOV.2020 16:31:43

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.66	0.64	11.30	30.00	Complies
157	5785	10.61	0.64	11.25	30.00	Complies
165	5825	10.56	0.64	11.20	30.00	Complies



Date: 23.NOV.2020 19:38:23



Date: 23.NOV.2020 19:57:57




Date: 23.NOV.2020 19:39:44

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.06	30.00	Complies
157	5785	14.05	30.00	Complies
165	5825	14.98	30.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.72	1.22	10.94	30.00	Complies
159	5795	7.37	1.22	8.59	30.00	Complies




Date: 23.NOV.2020 16:25:44




Date: 23.NOV.2020 20:00:32

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.53	1.22	9.75	30.00	Complies
159	5795	7.52	1.22	8.74	30.00	Complies



Date: 23.NOV.2020 19:27:55




Date: 23.NOV.2020 20:00:54

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.39	30.00	Complies
159	5795	11.67	30.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.85	2.14	5.99	30.00	Complies



Date: 23.NOV.2020 20:02:23

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.98	2.14	6.12	30.00	Complies



Date: 23.NOV.2020 20:02:01

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.06	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
13.8	5179.9712
12.0	5179.9716
10.2	5179.9716
Maximum Deviation (MHz)	0.0288
Maximum Deviation (ppm)	5.5598

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9720
10	5179.9720
20	5179.9720
30	5179.9720
40	5179.9720
Maximum Deviation (MHz)	0.0280
Maximum Deviation (ppm)	5.4054

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
13.8	5259.9720
12.0	5259.9716
10.2	5259.9716
Maximum Deviation (MHz)	0.0284
Maximum Deviation (ppm)	5.3992

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9716
10	5259.9716
20	5259.9720
30	5259.9720
40	5259.9720
Maximum Deviation (MHz)	0.0284
Maximum Deviation (ppm)	5.3992

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
13.8	5499.9704
12.0	5499.9704
10.2	5499.9700
Maximum Deviation (MHz)	0.0300
Maximum Deviation (ppm)	5.4545

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9700
10	5499.9696
20	5499.9696
30	5499.9696
40	5499.9696
Maximum Deviation (MHz)	0.0304
Maximum Deviation (ppm)	5.5273

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
13.8	5744.9684
12.0	5744.9688
10.2	5744.9684
Maximum Deviation (MHz)	0.0316
Maximum Deviation (ppm)	5.5004

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9688
10	5744.9688
20	5744.9688
30	5744.9688
40	5744.9688
Maximum Deviation (MHz)	0.0312
Maximum Deviation (ppm)	5.4308

End of Test Report