CONSTRUCTION PHOTOS OF EUT

D-Link
Model No.:CF1505-B
INPUT:100-120V~0.4A,50-60Hz LF
OUTPUT:+5V⎓2.5A
INPUT:AC 100V/
50-60Hz
OUTPUT:5V⎓2.5A
D-Link Japan K.K.
FC
LISTED
E227163
43DG
I.T.E.
R33190
CAUTION:
RISK OF ELECTRIC
SHOCK DO NOT OPEN
LPS
I.T.E. POWER SUPPLY
Efficiency Level:V
Manufactured by
JENTEC TECHNOLOGY CO., LTD.
Made in China EL

D-Link
DIR-330

D-Link
RESET
5V ⎓ 2.5A

D-Link
Model: DIR-330
USB
LAN
Broadband Modem
Reset Button
Power Receptor
FCC ID:KA2DIR330A1
IC:4216A-IR330
2.4DS/OF4
201 WW 07215236
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference.
(2) This device must accept any interference received, including interference that may cause undesired operations.
Default router settings:
IP: 192.168.0.1
Username = "admin"
Password = "" (leave the field blank)
Designed by D-Link Systems in California. Assembled in China.

USB
4
3
LAN
2
1
INTERNET
RESET
5V ⎓ 2.5A