


Appendix D. Co-location

1. Results of Radiated Emissions for Co-located


Temperature	23°C	Humidity	56%
Test Engineer	Alan Huang	Configurations	802.11g CH6 + GSM850 CH128

Horizontal



	Freq	Level	Limit	Over	Read	Cable	Preamp	Antenna	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 p	3347.52	42.43	74.00	-31.57	44.51	2.81	34.92	30.03	357	100	Peak	HORIZONTAL
2 a	3348.01	29.09	54.00	-24.91	31.17	2.81	34.92	30.03	357	100	Average	HORIZONTAL

Vertical



	Freq	Level	Limit	Over	Read	Cable	Preamp	Antenna	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 a	3347.81	29.36	54.00	-24.64	31.44	2.81	34.92	30.03	158	100	Average	VERTICAL
2 p	3348.23	43.30	74.00	-30.70	45.38	2.81	34.92	30.03	158	100	Peak	VERTICAL