


**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21'C 58%RH A ant. tx at low channel  
Date: 12. Jul 02 16:37

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 21'C 58%RH A ant. tx at low channel  
Date: 12. Jul 02 16:43

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-L  
Operator: kays1  
Test Spec: FCC Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 21'C 58%RH A ant. tx at middle channel  
Date: 12. Jul 02 16:55

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21'C 58%RH A ant. tx at middle channel  
Date: 12. Jul 02 16:49

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 21°C 58%RH A ant. tx at high channel  
Date: 12. Jul 02 17:00

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-M  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21°C 58%RH A ant. tx at high channel  
Date: 12. Jul 02 17:06

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21'C 58%RH B ant. tx at low channel  
Date: 12. Jul 02 17:47

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AbcoCom  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21°C 58%RH B ant. tx at low channel  
Date: 12. Jul 02 17:41

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s






**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21°C 58%RH B ant. tx at middle channel  
Date: 12. Jul 02 17:28

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-N  
Operator: kays1  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21'C 58%RH B ant. tx at middle channel  
Date: 12. Jul 02 17:35

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21'C 58%RH B ant. tx at high channel  
Date: 12. Jul 02 17:21

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s



**Intertek Testing Services**  
**RF VOLTAGE**

EUT: WB2000  
Manuf: AboCom  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:835418/012  
120V 60Hz 21'C 58%RH B ant. tx at high channel  
Date: 12. Jul 02 17:15

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s

