


Figure (1)




Figure (2)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
2.4GHz_802.11g_Ch6	0.218	0.001	0.0648	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	11.96			

Figure (3)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
2.4GHz_802.11n HT20_Ch6 (Cube0)	0.108	-0.0136	-0.0642	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	5.55			

Figure (3-1)




Mode	Peak SAR mW/g	X m	Y m	Z m
2.4GHz_802.11n HT20_Ch6 (Cube1)	0.0798	-0.006	0.07	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	12.69			

Figure (4)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
2.4GHz_802.11b_Ch11	1.000	0.0042	0.058	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.51			

Figure (5)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
2.4GHz_802.11g_Ch6	1.020	0.0042	0.0572	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.43			

Figure (6)




Mode	Peak SAR mW/g	X m	Y m	Z m
2.4GHz_802.11g_Ch6	0.352	0.0042	0.0578	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.49			

Figure (7)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11a_Ch40	0.682	0.023	0.068	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	11.76			

Figure (8)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11a_Ch48	1.040	0.02	0.071	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	12.10			

Figure (9)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11n HT40_Ch46	1.230	0.021	0.07	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	11.99			

Figure (10)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11ac_Ch42	0.784	0.018	0.074	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	12.43			

Figure (11)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11a_Ch40	0.756	-0.017	0.068	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.86			

Figure (12)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11a_Ch48	0.893	-0.007	0.065	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.80			

Figure (13)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz 802.11n HT40_Ch46	1.160	-0.006	0.064	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.73			

Figure (14)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.2GHz_802.11ac_Ch42	0.860	-0.014	0.06	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	11.14			

Figure (15)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11a_Ch153	1.010	0.016	0.072	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	12.27			

Figure (16)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11a_Ch161	0.684	0.008	0.061	-0.166
USB Port 1	1.600	0.0396	-0.0484	-0.166
Separation distance (cm)	11.39			

Figure (17)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11a_Ch165	0.783	0.016	0.073	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	12.37			

Figure (18)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11ac_Ch155	0.872	0.013	0.07	-0.18
USB Port 1	1.600	0.0396	-0.0484	-0.18
Separation distance (cm)	12.14			

Figure (19)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11a_Ch153	0.518	-0.019	0.074	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	12.41			

Figure (20)




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11a_Ch161	0.443	-0.014	0.073	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	12.41			

Figure (21)



Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11a_Ch165	0.866	-0.023	0.08	-0.178
USB Port 1	1.600	-0.0396	-0.0484	-0.178
Separation distance (cm)	12.95			

Figure (22)



Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
5.8GHz_802.11ac_Ch155	0.510	-0.023	0.072	-0.18
USB Port 1	1.600	-0.0396	-0.0484	-0.18
Separation distance (cm)	12.15			