

1

2

3

4

5


6

Remark	Description	Editor	Date

A

A

1. 以下内容由供应商印刷



B

B

C

C

MAC ID由客户提供
WPS PIN由MAC生成

默认条码类型：CODE 39

NOTES(技术要求):

来料方式: 卷装

1. 黑色印刷, 无边框
(Black printing, no frame)
2. 材料: 50# 亮白PET, 过哑面打印膜, 背胶
(Material: 50# bright white PET with matte printing film, adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求。
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

D

D

DIM	TOL±	△					CUSTOMER: D-Link		T&W 同维 SHENZHEN GONGJIN ELECTRONICS CO., LTD.			
	RANGE	C1	C2	C3	C4		TITLE: BOTTOM LABEL	MODEL: DIR-617		PART NO: 608000017991		
	0~6	0.1	0.1	0.15	0.2		UNIT'S	mm	VER:	A0	DRAW	DATE: 130607
	6~30	0.2	0.3	0.4	0.5		MAT'L	/	SCALE	1:1	CHECK	
	30~80	0.25	0.5	0.9	1.2		FINISH	/	SHEET	1 / 1	PDE	
	80~180	0.3	0.8	1.2	1.5							
	180~315	0.5	1.3	1.8	3							
	315~500	0.7	1.5	2.5	4							
	500~800	0.9	1.8	3	5							
ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°									

1



2

3

4

5

6



MAC ID由客户提供
WPS PIN由MAC生成

默认条码类型：CODE 39

NOTES(技术要求)：

1. 黑色印刷，无边框
(Black printing,no frame)
2. 材料: 50# 亮白PET,过哑面打印膜,背胶
(Material:50# bright white PET with matte printing film,adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求。
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

来料方式：卷装

DIM	TOL±	△				CUSTOMER: D-Link		T&W 同维 SHENZHEN GONGJIN ELECTRONICS CO., LTD.			
RANGE	C1	C2	C3	C4	TITLE: BOTTOM LABEL		MODEL: GO-RT-N300 E			PART NO: 608000017991	
0~6	0.1	0.1	0.15	0.2	UNIT'S	mm	VER:	A0	DRAW	徐志娟	DATE: 130411
6~30	0.2	0.3	0.4	0.5	MAT'L	/	SCALE	1:1	CHECK	覃安	
30~80	0.25	0.5	0.9	1.2	FINISH	/	SHEET	1 / 1	PDE		
80~180	0.3	0.8	1.2	1.5							
180~315	0.5	1.3	1.8	3							
315~500	0.7	1.5	2.5	4							
500~800	0.9	1.8	3	5							
ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°								

1

2

3

4

5

6

Remark	Description	Editor	Date

A

A

B


B

C

C

D

D



Y100

NOTES(技术要求):

来料方式: 卷装

- 彩色印刷, 无边框
(Color printing, no frame)
- 材料: 50# 亮白PET, 过哑膜, 背胶
(Material: 50# bright white PET with matte film, adhesive)
- 原材料及后处理工艺均能满足我司《环保技术标准》要求。
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

DIM	TOL±	△					CUSTOMER: D-Link		T&W 同维 SHENZHEN GONGJIN ELECTRONICS CO., LTD.					
	RANGE	C1	C2	C3	C4		TITLE: BOTTOM LABEL	MODEL: DIR-615		PART NO: 608000019484				
0-6	0.1	0.1	0.15	0.2		UNIT'S	mm	VER:	A0	DRAW	徐志娟	DATE	130603	
6-30	0.2	0.3	0.4	0.5		MAT'L	/	SCALE	1:1	CHECK	覃安			
30-80	0.25	0.5	0.9	1.2		FINISH	/	SHEET	1/1	PDE				
80-180	0.3	0.8	1.2	1.5		ANG.TOL±						0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°
180-315	0.5	1.3	1.8	3										
315-500	0.7	1.5	2.5	4										
500-800	0.9	1.8	3	5										

1

2

3


4

5


6

Label location





Remark	Description	Editor	Date




NOTES (技术要求) :

- 1. 黑色印刷，无边框，R1.0
(Black printing, no frame,R1.0)
- 2.材料: 80g 铜版纸, 背面附胶
(Material:80g copperplate paper,back with glue)
- 3. 材料,印刷原料,印刷工艺均能满足ROHS指令要求.
(All Materials and process technologies should be compliant with RoHS)

来料方式: 卷装

DIM	TOL±	△			
RANGE	C1	C2	C3	C4	
0~6	0.1	0.1	0.15	0.2	
6~30	0.2	0.3	0.4	0.5	
30~80	0.25	0.5	0.9	1.2	
80~180	0.3	0.8	1.2	1.5	
180~315	0.5	1.3	1.8	3	
315~500	0.7	1.5	2.5	4	
500~800	0.9	1.8	3	5	
ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°		

		CUSTOMER:		T&W 同维 SHENZHEN GONGJIN ELECTRONICS CO., LTD.			
		D-LINK					
TITLE:		MODEL:			PART NO:		
FCC Label		DIR-825&815&651			6080000XXXXX		
UNIT'S	mm	VER:	A0	DRAW	徐志娟		DATE: 12-07-19
MAT'L	xxxx	SCALE	1:1	CHECK			
FINISH	N/A	SHEET	1 / 1	PDE			



This equipment complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may that may cause undesired operation.