



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/54
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.88	0.00	13.88	17.00	Complies
40	5200	13.38	0.00	13.38	17.00	Complies
48	5240	13.07	0.00	13.07	17.00	Complies



Date: 17.OCT.2019 11:53:44




Date: 17.OCT.2019 16:45:23




Date: 17.OCT.2019 17:00:12

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/54
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.13	0.00	13.13	17.00	Complies
40	5200	12.45	0.00	12.45	17.00	Complies
48	5240	12.54	0.00	12.54	17.00	Complies



Date: 17.OCT.2019 11:53:11



Date: 17.OCT.2019 16:45:54




Date: 17.OCT.2019 16:58:44

Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	106/54
-----------	---------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.53	17.00	Complies
40	5200	15.95	17.00	Complies
48	5240	15.82	17.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.04	0.00	13.04	17.00	Complies
40	5200	11.26	0.00	11.26	17.00	Complies
48	5240	11.23	0.00	11.23	17.00	Complies



Date: 17.OCT.2019 11:57:20




Date: 17.OCT.2019 12:24:30




Date: 17.OCT.2019 14:24:30

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.14	0.00	14.14	17.00	Complies
40	5200	11.45	0.00	11.45	17.00	Complies
48	5240	10.93	0.00	10.93	17.00	Complies



Date: 17.OCT.2019 12:01:48



Date: 17.OCT.2019 12:25:15





Date: 17.OCT.2019 14:23:38

Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.64	17.00	Complies
40	5200	14.37	17.00	Complies
48	5240	14.09	17.00	Complies



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.34	0.12	12.46	17.00	Complies
46	5230	13.87	0.12	13.99	17.00	Complies



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.51	0.12	11.63	17.00	Complies
46	5230	12.70	0.12	12.82	17.00	Complies





Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	106/53
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	15.08	17.00	Complies
46	5230	16.45	17.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.54	0.12	13.66	17.00	Complies
46	5230	14.01	0.12	14.13	17.00	Complies





Date: 17.OCT.2019 15:51:09

Date: 17.OCT.2019 16:01:27

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.58	0.12	12.70	17.00	Complies
46	5230	13.38	0.12	13.50	17.00	Complies



Date: 17.OCT.2019 15:51:48



Date: 17.OCT.2019 16:03:07

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	106/54
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	16.22	17.00	Complies
46	5230	16.84	17.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.82	0.12	12.94	17.00	Complies
46	5230	13.33	0.12	13.45	17.00	Complies





Date: 17.OCT.2019 15:53:20

Date: 17.OCT.2019 16:05:09

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.49	0.12	12.61	17.00	Complies
46	5230	13.26	0.12	13.38	17.00	Complies



Date: 17.OCT.2019 15:52:32



Date: 17.OCT.2019 16:04:33

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	106/56
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	15.79	17.00	Complies
46	5230	16.43	17.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.99	0.12	13.11	17.00	Complies
46	5230	11.76	0.12	11.88	17.00	Complies





Date: 17.OCT.2019 15:18:27

Date: 17.OCT.2019 16:06:28

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.56	0.12	12.68	17.00	Complies
46	5230	11.63	0.12	11.75	17.00	Complies



Date: 17.OCT.2019 15:19:03

Date: 17.OCT.2019 16:09:08



Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	15.91	17.00	Complies
46	5230	14.83	17.00	Complies



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/62
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.18	0.12	13.30	17.00	Complies
46	5230	11.68	0.12	11.80	17.00	Complies





Date: 17.OCT.2019 15:21:48

Date: 17.OCT.2019 16:11:46

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/62
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.06	0.12	13.18	17.00	Complies
46	5230	11.50	0.12	11.62	17.00	Complies



Date: 17.OCT.2019 15:19:50



Date: 17.OCT.2019 16:12:25

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	242/62
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	16.25	17.00	Complies
46	5230	14.72	17.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.97	0.12	10.09	17.00	Complies
46	5230	9.23	0.12	9.35	17.00	Complies





Date: 17.OCT.2019 15:45:34

Date: 17.OCT.2019 16:13:14

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.90	0.12	10.02	17.00	Complies
46	5230	8.89	0.12	9.01	17.00	Complies



Date: 17.OCT.2019 15:46:28


Date: 17.OCT.2019 16:14:44

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.07	17.00	Complies
46	5230	12.19	17.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.17	1.25	12.42	17.00	Complies

**CH42**


Date: 17.OCT.2019 16:21:12

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.56	1.25	11.81	17.00	Complies

**CH42**



Date: 17.OCT.2019 16:21:56

Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	15.14	17.00	Complies


Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/63
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.37	1.25	12.62	17.00	Complies



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/63
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.83	1.25	13.08	17.00	Complies




Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	242/63
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	15.87	17.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/64
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.28	1.25	12.53	17.00	Complies



Date: 17.OCT.2019 16:23:43

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/64
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.79	1.25	13.04	17.00	Complies




Date: 17.OCT.2019 16:24:13

Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	242/64
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	15.80	17.00	Complies


Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.25	1.25	9.50	17.00	Complies



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.81	1.25	9.06	17.00	Complies




Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	484/65
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.30	17.00	Complies


Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/66
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.97	1.25	9.22	17.00	Complies



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/66
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.28	1.25	9.53	17.00	Complies




Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	484/66
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.39	17.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.64	1.25	7.89	17.00	Complies



Date: 17.OCT.2019 16:32:16

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.96	1.25	7.21	17.00	Complies



Date: 17.OCT.2019 16:35:30


Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	996/67
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.57	17.00	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/37
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.89	0.00	13.89	30.00	Complies
157	5785	16.74	0.00	16.74	30.00	Complies
165	5825	15.67	0.00	15.67	30.00	Complies



Date: 7.NOV.2019 09:33:57




Date: 7.NOV.2019 09:54:24




Date: 7.NOV.2019 10:07:04

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/37
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.84	0.00	12.84	30.00	Complies
157	5785	15.41	0.00	15.41	30.00	Complies
165	5825	14.34	0.00	14.34	30.00	Complies



Date: 7.NOV.2019 09:43:54



Date: 7.NOV.2019 09:55:37




Date: 7.NOV.2019 10:07:34

Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	52/37
-----------	---------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	16.41	30.00	Complies
157	5785	19.14	30.00	Complies
165	5825	18.07	30.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/38
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.58	0.00	14.58	30.00	Complies
157	5785	16.96	0.00	16.96	30.00	Complies
165	5825	15.97	0.00	15.97	30.00	Complies



Date: 7.NOV.2019 09:45:40




Date: 7.NOV.2019 09:58:34




Date: 7.NOV.2019 10:08:38

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/38
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.33	0.00	13.33	30.00	Complies
157	5785	16.01	0.00	16.01	30.00	Complies
165	5825	14.66	0.00	14.66	30.00	Complies



Date: 7.NOV.2019 09:44:46



Date: 7.NOV.2019 09:57:03




Date: 7.NOV.2019 10:08:05

Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	52/38
-----------	---------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	17.01	30.00	Complies
157	5785	19.52	30.00	Complies
165	5825	18.37	30.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/40
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.97	0.00	13.97	30.00	Complies
157	5785	16.63	0.00	16.63	30.00	Complies
165	5825	15.61	0.00	15.61	30.00	Complies



Date: 7.NOV.2019 09:46:26




Date: 7.NOV.2019 09:59:23




Date: 7.NOV.2019 10:09:15

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/40
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.88	0.00	12.88	30.00	Complies
157	5785	15.45	0.00	15.45	30.00	Complies
165	5825	14.09	0.00	14.09	30.00	Complies



Date: 7.NOV.2019 09:46:57



Date: 7.NOV.2019 10:00:17




Date: 7.NOV.2019 10:10:11

Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	52/40
-----------	---------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	16.47	30.00	Complies
157	5785	19.09	30.00	Complies
165	5825	17.93	30.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/53
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.23	0.00	12.23	30.00	Complies
157	5785	14.09	0.00	14.09	30.00	Complies
165	5825	12.70	0.00	12.70	30.00	Complies



Date: 7.NOV.2019 09:48:30




Date: 7.NOV.2019 10:01:51




Date: 7.NOV.2019 10:11:22

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/53
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.94	0.00	10.94	30.00	Complies
157	5785	12.68	0.00	12.68	30.00	Complies
165	5825	11.38	0.00	11.38	30.00	Complies



Date: 7.NOV.2019 09:47:53



Date: 7.NOV.2019 10:01:17



Date: 7.NOV.2019 10:10:52

Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	106/53
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	14.64	30.00	Complies
157	5785	16.45	30.00	Complies
165	5825	15.10	30.00	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/54
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.13	0.00	12.13	30.00	Complies
157	5785	13.94	0.00	13.94	30.00	Complies
165	5825	12.62	0.00	12.62	30.00	Complies



Date: 7.NOV.2019 09:49:12




Date: 7.NOV.2019 10:02:39




Date: 7.NOV.2019 10:12:10

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/54
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.90	0.00	10.90	30.00	Complies
157	5785	12.63	0.00	12.63	30.00	Complies
165	5825	11.26	0.00	11.26	30.00	Complies



Date: 7.NOV.2019 09:50:02



Date: 7.NOV.2019 10:03:22




Date: 7.NOV.2019 10:12:57

Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	106/54
-----------	---------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	14.57	30.00	Complies
157	5785	16.34	30.00	Complies
165	5825	15.00	30.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.47	0.00	10.47	30.00	Complies
157	5785	11.08	0.00	11.08	30.00	Complies
165	5825	12.06	0.00	12.06	30.00	Complies



Date: 7.NOV.2019 09:51:17




Date: 7.NOV.2019 10:05:32




Date: 7.NOV.2019 10:14:06

Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.25	0.00	9.25	30.00	Complies
157	5785	9.73	0.00	9.73	30.00	Complies
165	5825	10.38	0.00	10.38	30.00	Complies



Date: 7.NOV.2019 09:50:39



Date: 7.NOV.2019 10:04:59





Date: 7.NOV.2019 10:13:37

Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	12.91	30.00	Complies
157	5785	13.47	30.00	Complies
165	5825	14.31	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.12	0.12	13.24	30.00	Complies
159	5795	13.08	0.12	13.20	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.87	0.12	11.99	30.00	Complies
159	5795	11.76	0.12	11.88	30.00	Complies





Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	106/53
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	15.67	30.00	Complies
159	5795	15.60	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.36	0.12	13.48	30.00	Complies
159	5795	13.69	0.12	13.81	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.28	0.12	12.40	30.00	Complies
159	5795	12.34	0.12	12.46	30.00	Complies





Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	106/54
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	15.98	30.00	Complies
159	5795	16.20	30.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.89	0.12	13.01	30.00	Complies
159	5795	12.44	0.12	12.56	30.00	Complies





Date: 7.NOV.2019 10:19:52

Date: 7.NOV.2019 10:36:02

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.34	0.12	11.46	30.00	Complies
159	5795	11.19	0.12	11.31	30.00	Complies



Date: 7.NOV.2019 10:20:32



Date: 7.NOV.2019 10:35:26

Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	106/56
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	15.31	30.00	Complies
159	5795	14.99	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.50	0.12	9.62	30.00	Complies
159	5795	9.50	0.12	9.62	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.56	0.12	8.68	30.00	Complies
159	5795	8.53	0.12	8.65	30.00	Complies





Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	12.19	30.00	Complies
159	5795	12.17	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/62
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.23	0.12	9.35	30.00	Complies
159	5795	9.38	0.12	9.50	30.00	Complies





Date: 7.NOV.2019 10:26:22

Date: 7.NOV.2019 10:38:17

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/62
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.30	0.12	8.42	30.00	Complies
159	5795	8.03	0.12	8.15	30.00	Complies



Date: 7.NOV.2019 10:27:19



Date: 7.NOV.2019 10:38:18

Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	242/62
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	11.92	30.00	Complies
159	5795	11.89	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.59	0.12	8.71	30.00	Complies
159	5795	10.18	0.12	10.30	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.30	0.12	7.42	30.00	Complies
159	5795	8.90	0.12	9.02	30.00	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	11.12	30.00	Complies
159	5795	12.72	30.00	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.55	1.25	10.80	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.33	1.25	9.58	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	13.24	30.00	Complies