Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.61	1.25	10.86	30.00	Complies

CH155



Date: 7.NOV.2019 10:46:01

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.40	1.25	9.65	30.00	Complies

CH155



Date: 7.NOV.2019 10:46:41

Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	13.31	30.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/64

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.63	1.25	9.88	30.00	Complies

CH155



Date: 7.NOV.2019 10:48:21

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/64

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.20	1.25	8.45	30.00	Complies

CH155



Date: 7.NOV.2019 10:47:40

Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	242/64

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	12.23	30.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.90	1.25	8.15	30.00	Complies

CH155



Date: 7.NOV.2019 10:49:23

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.22	1.25	6.47	30.00	Complies

CH155



Date: 7.NOV.2019 10:50:00

Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	10.40	30.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.09	1.25	7.34	30.00	Complies

CH155



Date: 7.NOV.2019 10:51:45

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.18	1.25	6.43	30.00	Complies

CH155



Date: 7.NOV.2019 10:50:59

Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	9.92	30.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.62	1.25	6.87	30.00	Complies

CH155



Date: 7.NOV.2019 10:52:48

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.79	1.25	7.04	30.00	Complies

CH155



Date: 7.NOV.2019 10:53:34

Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	9.97	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
10.2	5179.9400
12	5179.9564
13.8	5179.9953
Maximum Deviation (MHz)	0.0436
Maximum Deviation (ppm)	11.59

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9521
10	5179.9461
20	5179.9842
30	5179.9523
40	5179.9824
Maximum Deviation (MHz)	0.0539
Maximum Deviation (ppm)	10.40

Test Mode	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
10.2	5744.9400
12	5744.9820
13.8	5744.9761
Maximum Deviation (MHz)	0.0600
Maximum Deviation (ppm)	10.45

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9520
10	5744.9764
20	5744.9800
30	5744.9640
40	5744.9724
Maximum Deviation (MHz)	0.0480
Maximum Deviation (ppm)	8.36

End of Test Report