





Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.76	0.12	7.88	11.00	Complies
62	5310	7.40	0.12	7.52	11.00	Complies

**CH54**

**CH62**


Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.91	0.12	8.03	11.00	Complies
62	5310	7.59	0.12	7.71	11.00	Complies



**CH54**

**CH62**


Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.97	11.00	Complies
62	5310	10.63	11.00	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.80	0.12	6.92	11.00	Complies
62	5310	6.51	0.12	6.63	11.00	Complies

**CH54**

**CH62**


Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.19	0.12	7.31	11.00	Complies
62	5310	6.53	0.12	6.65	11.00	Complies

**CH54**

**CH62**



Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.13	11.00	Complies
62	5310	9.65	11.00	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/63
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.89	1.25	8.14	11.00	Complies


**CH58**



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/63
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.54	1.25	7.79	11.00	Complies

**CH58**




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	242/63
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	10.98	11.00	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.43	1.25	6.68	11.00	Complies


**CH58**



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.18	1.25	6.43	11.00	Complies

**CH58**




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	484/66
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	9.57	11.00	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.34	1.25	4.59	11.00	Complies


**CH58**



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.16	1.25	4.41	11.00	Complies

**CH58**




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.51	11.00	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/37
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
100	5500	7.05	0.00	7.05	11.00	Complies
116	5580	7.84	0.00	7.84	11.00	Complies
140	5700	7.54	0.00	7.54	11.00	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/37
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
100	5500	7.86	0.00	7.86	11.00	Complies
116	5580	7.90	0.00	7.90	11.00	Complies
140	5700	8.06	0.00	8.06	11.00	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Total	RU configuration	52/37
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.48	11.00	Complies
116	5580	10.88	11.00	Complies
140	5700	10.82	11.00	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/54
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
100	5500	7.46	0.00	7.46	11.00	Complies
116	5580	7.72	0.00	7.72	11.00	Complies
140	5700	7.40	0.00	7.40	11.00	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/54
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
100	5500	7.75	0.00	7.75	11.00	Complies
116	5580	7.99	0.00	7.99	11.00	Complies
140	5700	7.84	0.00	7.84	11.00	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Total	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.62	11.00	Complies
116	5580	10.87	11.00	Complies
140	5700	10.64	11.00	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
100	5500	7.77	0.00	7.77	11.00	Complies
116	5580	7.70	0.00	7.70	11.00	Complies
140	5700	7.30	0.00	7.30	11.00	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
100	5500	7.92	0.00	7.92	11.00	Complies
116	5580	7.94	0.00	7.94	11.00	Complies
140	5700	8.13	0.00	8.13	11.00	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.86	11.00	Complies
116	5580	10.83	11.00	Complies
140	5700	10.75	11.00	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/56
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	7.83	0.12	7.95	11.00	Complies
110	5550	7.77	0.12	7.89	11.00	Complies
134	5670	7.54	0.12	7.66	11.00	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/56
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	7.81	0.12	7.93	11.00	Complies
110	5550	7.51	0.12	7.63	11.00	Complies
134	5670	7.75	0.12	7.87	11.00	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.95	11.00	Complies
110	5550	10.77	11.00	Complies
134	5670	10.78	11.00	Complies


Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	7.53	0.12	7.65	11.00	Complies
110	5550	7.33	0.12	7.45	11.00	Complies
134	5670	7.40	0.12	7.52	11.00	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	7.45	0.12	7.57	11.00	Complies
110	5550	7.72	0.12	7.84	11.00	Complies
134	5670	7.54	0.12	7.66	11.00	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	10.62	11.00	Complies
110	5550	10.66	11.00	Complies
134	5670	10.60	11.00	Complies


Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	5.65	0.12	5.77	11.00	Complies
110	5550	6.54	0.12	6.66	11.00	Complies
134	5670	6.67	0.12	6.79	11.00	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
102	5510	5.65	0.12	5.77	11.00	Complies
110	5550	6.34	0.12	6.46	11.00	Complies
134	5670	7.14	0.12	7.26	11.00	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.78	11.00	Complies
110	5550	9.57	11.00	Complies
134	5670	10.04	11.00	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/63
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
106	5530	6.08	1.25	7.33	11.00	Complies


**CH106**



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/63
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
106	5530	6.66	1.25	7.91	11.00	Complies

**CH106**




Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	242/63
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.64	11.00	Complies


Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
106	5530	4.05	1.25	5.30	11.00	Complies

**CH106**


Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
106	5530	3.85	1.25	5.10	11.00	Complies

**CH106**



Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	484/66
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.21	11.00	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
106	5530	2.01	1.25	3.26	11.00	Complies


**CH106**



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
106	5530	1.80	1.25	3.05	11.00	Complies

**CH106**



Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.17	11.00	Complies

**End of Test Report**