


Test Mode	UNII-2A_TX AX (HE20) Mode	RU configuration	52/38
-----------	---------------------------	------------------	-------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.52	18.31
60	5300	20.43	18.33
64	5320	20.35	18.31

CH52

CH60

CH64




Test Mode	UNII-2C_TX AX (HE20) Mode	RU configuration	52/38
-----------	---------------------------	------------------	-------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.16	18.32
116	5580	20.35	18.31
140	5700	20.56	18.34

CH110




CH116

CH140






Test Mode	UNII-2A_TX AX (HE20) Mode	RU configuration	106/54
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.98	18.38
60	5300	20.83	18.43
64	5320	21.01	17.68

CH52

CH60

CH64


Test Mode	UNII-2C_TX AX (HE20) Mode	RU configuration	106/54
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.72	18.41
116	5580	20.60	18.42
140	5700	21.03	17.72

CH110

CH116

CH140



Test Mode	UNII-2A_TX AX (HE20) Mode	RU configuration	242/61
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	22.10	19.09
60	5300	22.08	19.07
64	5320	22.05	19.07

CH52

CH60

CH64




Test Mode	UNII-2C_TX AX (HE20) Mode	RU configuration	242/61
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	22.58	19.08
116	5580	22.10	19.08
140	5700	21.75	19.07

CH110


CH116

CH140




Test Mode	UNII-2A_TX AX (HE40) Mode	RU configuration	106/53
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.44	37.40
62	5310	39.23	37.38




Test Mode	UNII-2C_TX AX (HE40) Mode	RU configuration	106/53
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.07	37.38
110	5550	39.40	37.32
134	5670	39.12	37.20




Test Mode	UNII-2A_TX AX (HE40) Mode	RU configuration	242/61
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.29	37.30
62	5310	39.33	37.25




Test Mode	UNII-2C_TX AX (HE40) Mode	RU configuration	242/61
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.05	37.02
110	5550	39.36	37.08
134	5670	39.51	37.17




Test Mode	UNII-2A_TX AX (HE40) Mode	RU configuration	484/65
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.88	37.58
62	5310	39.87	37.58



Test Mode	UNII-2C_TX AX (HE40) Mode	RU configuration	484/65
-----------	---------------------------	------------------	--------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.41	37.54
110	5550	39.35	37.54
134	5700	39.69	37.61



Test Mode	UNII-2A_TX AX (HE80) Mode	RU configuration	242/63
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	79.80	76.02


CH58



Test Mode	UNII-2C_TX AX (HE80) Mode	RU configuration	242/63
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	79.70	75.87


CH106



Test Mode	UNII-2A_TX AX (HE80) Mode	RU configuration	484/65
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.03	76.52


CH58



Test Mode	UNII-2C_TX AX (HE80) Mode	RU configuration	484/65
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.13	76.50


CH106



Test Mode	UNII-2A_TX AX (HE80) Mode	RU configuration	996/67
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.52	77.16


CH58



Test Mode	UNII-2C_TX AX (HE80) Mode	RU configuration	996/67
-----------	---------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.40	77.16

CH106



APPENDIX E - CONDUCTED OUTPUT POWER

Non-Beamforming

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	12.22	0.00	12.22	24	0.25	Complies
		52/38	12.83	0.00	12.83	24	0.25	Complies
		52/40	12.61	0.00	12.61	24	0.25	Complies
		106/53	14.83	0.00	14.83	24	0.25	Complies
		106/54	14.34	0.00	14.34	24	0.25	Complies
		242/61	16.44	0.00	16.44	24	0.25	Complies
60	5300	52/37	12.52	0.00	12.52	24	0.25	Complies
		52/38	13.16	0.00	13.16	24	0.25	Complies
		52/40	12.44	0.00	12.44	24	0.25	Complies
		106/53	14.86	0.00	14.86	24	0.25	Complies
		106/54	14.46	0.00	14.46	24	0.25	Complies
		242/61	16.7	0.00	16.70	24	0.25	Complies
64	5320	52/37	12.53	0.00	12.53	24	0.25	Complies
		52/38	12.98	0.00	12.98	24	0.25	Complies
		52/40	12.66	0.00	12.66	24	0.25	Complies
		106/53	12.22	0.00	12.22	24	0.25	Complies
		106/54	12.83	0.00	12.83	24	0.25	Complies
		242/61	12.61	0.00	12.61	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	12.22	0.00	12.22	24	0.25	Complies
		52/38	12.83	0.00	12.83	24	0.25	Complies
		52/40	12.61	0.00	12.61	24	0.25	Complies
		106/53	14.83	0.00	14.83	24	0.25	Complies
		106/54	14.34	0.00	14.34	24	0.25	Complies
		242/61	16.44	0.00	16.44	24	0.25	Complies
60	5300	52/37	12.52	0.00	12.52	24	0.25	Complies
		52/38	13.16	0.00	13.16	24	0.25	Complies
		52/40	12.44	0.00	12.44	24	0.25	Complies
		106/53	14.86	0.00	14.86	24	0.25	Complies
		106/54	14.46	0.00	14.46	24	0.25	Complies
		242/61	16.70	0.00	16.70	24	0.25	Complies
64	5320	52/37	12.53	0.00	12.53	24	0.25	Complies
		52/38	12.98	0.00	12.98	24	0.25	Complies
		52/40	12.66	0.00	12.66	24	0.25	Complies
		106/53	12.22	0.00	12.22	24	0.25	Complies
		106/54	12.83	0.00	12.83	24	0.25	Complies
		242/61	12.61	0.00	12.61	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	15.31	24	0.25	Complies
		52/38	16.04	24	0.25	Complies
		52/40	15.78	24	0.25	Complies
		106/53	17.92	24	0.25	Complies
		106/54	20.11	24	0.25	Complies
		242/61	19.58	24	0.25	Complies
60	5300	52/37	15.88	24	0.25	Complies
		52/38	16.45	24	0.25	Complies
		52/40	15.65	24	0.25	Complies
		106/53	18.07	24	0.25	Complies
		106/54	17.70	24	0.25	Complies
		242/61	19.88	24	0.25	Complies
64	5320	52/37	15.91	24	0.25	Complies
		52/38	16.40	24	0.25	Complies
		52/40	16.00	24	0.25	Complies
		106/53	17.99	24	0.25	Complies
		106/54	18.17	24	0.25	Complies
		242/61	19.26	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	106/53	14.47	0.12	14.47	24	0.25	Complies
		106/54	15.29	0.12	15.29	24	0.25	Complies
		106/56	15.66	0.12	15.66	24	0.25	Complies
		242/61	18.46	0.12	18.46	24	0.25	Complies
		242/62	17.28	0.12	17.28	24	0.25	Complies
		484/65	18.55	0.12	18.55	24	0.25	Complies
62	5310	106/53	15.87	0.12	15.87	24	0.25	Complies
		106/54	15.82	0.12	15.82	24	0.25	Complies
		106/56	16.18	0.12	16.18	24	0.25	Complies
		242/61	18.18	0.12	18.18	24	0.25	Complies
		242/62	18.46	0.12	18.46	24	0.25	Complies
		484/65	18.02	0.12	18.02	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	106/53	14.42	0.12	14.54	24	0.25	Complies
		106/54	15.42	0.12	15.54	24	0.25	Complies
		106/56	15.85	0.12	15.97	24	0.25	Complies
		242/61	18.63	0.12	18.75	24	0.25	Complies
		242/62	17.58	0.12	17.70	24	0.25	Complies
		484/65	19.00	0.12	19.12	24	0.25	Complies
62	5310	106/53	15.82	0.12	15.94	24	0.25	Complies
		106/54	15.74	0.12	15.86	24	0.25	Complies
		106/56	16.03	0.12	16.15	24	0.25	Complies
		242/61	19.57	0.12	19.69	24	0.25	Complies
		242/62	19.17	0.12	19.29	24	0.25	Complies
		484/65	18.49	0.12	18.61	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	17.58	24	0.25	Complies
		52/40	18.49	24	0.25	Complies
		52/44	18.89	24	0.25	Complies
		106/53	21.68	24	0.25	Complies
		106/54	20.56	24	0.25	Complies
		106/56	21.91	24	0.25	Complies
		242/61	18.98	24	0.25	Complies
		242/62	18.91	24	0.25	Complies
		484/65	19.24	24	0.25	Complies
62	5310	52/37	22.06	24	0.25	Complies
		52/40	21.96	24	0.25	Complies
		52/44	21.39	24	0.25	Complies
		106/53	20.29	24	0.25	Complies
		106/54	20.18	24	0.25	Complies
		106/56	19.81	24	0.25	Complies
		242/61	22.68	24	0.25	Complies
		242/62	22.27	24	0.25	Complies
		484/65	21.32	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	242/61	18.89	1.25	20.14	24	0.25	Complies
		242/63	19.48	1.25	20.73	24	0.25	Complies
		242/64	15.36	1.25	16.61	24	0.25	Complies
		484/65	19.11	1.25	20.36	24	0.25	Complies
		484/66	14.16	1.25	15.41	24	0.25	Complies
		996/67	14.83	1.25	16.08	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	242/61	18.89	1.25	20.14	24	0.25	Complies
		242/63	19.36	1.25	20.61	24	0.25	Complies
		242/64	15.67	1.25	16.92	24	0.25	Complies
		484/65	18.97	1.25	20.22	24	0.25	Complies
		484/66	14.36	1.25	15.61	24	0.25	Complies
		996/67	14.82	1.25	16.07	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	242/61	23.15	24	0.25	Complies
		242/63	23.68	24	0.25	Complies
		242/64	19.78	24	0.25	Complies
		484/65	23.30	24	0.25	Complies
		484/66	18.52	24	0.25	Complies
		996/67	19.08	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	13.62	0.00	13.62	24	0.25	Complies
		52/38	14.43	0.00	14.43	24	0.25	Complies
		52/40	13.04	0.00	13.04	24	0.25	Complies
		106/53	13.62	0.00	13.62	24	0.25	Complies
		106/54	14.43	0.00	14.43	24	0.25	Complies
		242/61	13.04	0.00	13.04	24	0.25	Complies
116	5580	52/37	12.59	0.00	12.59	24	0.25	Complies
		52/38	12.31	0.00	12.31	24	0.25	Complies
		52/40	12.26	0.00	12.26	24	0.25	Complies
		106/53	15.22	0.00	15.22	24	0.25	Complies
		106/54	15.37	0.00	15.37	24	0.25	Complies
		242/61	17.05	0.00	17.05	24	0.25	Complies
140	5700	52/37	11.40	0.00	11.40	24	0.25	Complies
		52/38	11.15	0.00	11.15	24	0.25	Complies
		52/40	11.04	0.00	11.04	24	0.25	Complies
		106/53	14.29	0.00	14.29	24	0.25	Complies
		106/54	13.84	0.00	13.84	24	0.25	Complies
		242/61	13.32	0.00	13.32	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	13.75	0.00	13.75	24	0.25	Complies
		52/38	14.73	0.00	14.73	24	0.25	Complies
		52/40	13.35	0.00	13.35	24	0.25	Complies
		106/53	15.78	0.00	15.78	24	0.25	Complies
		106/54	15.78	0.00	15.78	24	0.25	Complies
		242/61	15.09	0.00	15.09	24	0.25	Complies
116	5580	52/37	12.93	0.00	12.93	24	0.25	Complies
		52/38	12.82	0.00	12.82	24	0.25	Complies
		52/40	12.93	0.00	12.93	24	0.25	Complies
		106/53	15.51	0.00	15.51	24	0.25	Complies
		106/54	15.63	0.00	15.63	24	0.25	Complies
		242/61	17.02	0.00	17.02	24	0.25	Complies
140	5700	52/37	11.83	0.00	11.83	24	0.25	Complies
		52/38	11.69	0.00	11.69	24	0.25	Complies
		52/40	11.77	0.00	11.77	24	0.25	Complies
		106/53	14.85	0.00	14.85	24	0.25	Complies
		106/54	14.50	0.00	14.50	24	0.25	Complies
		242/61	14.06	0.00	14.06	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	16.70	24	0.25	Complies
		52/38	17.59	24	0.25	Complies
		52/40	16.21	24	0.25	Complies
		106/53	18.68	24	0.25	Complies
		106/54	18.68	24	0.25	Complies
		242/61	17.83	24	0.25	Complies
116	5580	52/37	15.77	24	0.25	Complies
		52/38	15.58	24	0.25	Complies
		52/40	15.62	24	0.25	Complies
		106/53	18.38	24	0.25	Complies
		106/54	18.51	24	0.25	Complies
		242/61	20.05	24	0.25	Complies
140	5700	52/37	18.38	24	0.25	Complies
		52/38	18.51	24	0.25	Complies
		52/40	20.05	24	0.25	Complies
		106/53	18.38	24	0.25	Complies
		106/54	18.51	24	0.25	Complies
		242/61	20.05	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	106/53	17.15	0.12	17.27	24	0.25	Complies
		106/54	16.94	0.12	17.06	24	0.25	Complies
		106/56	16.73	0.12	16.85	24	0.25	Complies
		242/61	19.49	0.12	19.61	24	0.25	Complies
		242/62	19.21	0.12	19.33	24	0.25	Complies
		484/65	17.91	0.12	18.03	24	0.25	Complies
110	5550	106/53	16.92	0.12	17.04	24	0.25	Complies
		106/54	16.78	0.12	16.90	24	0.25	Complies
		106/56	16.97	0.12	17.09	24	0.25	Complies
		242/61	19.45	0.12	19.57	24	0.25	Complies
		242/62	18.87	0.12	18.99	24	0.25	Complies
		484/65	20.21	0.12	20.33	24	0.25	Complies
134	5670	106/53	15.68	0.12	15.80	24	0.25	Complies
		106/54	14.16	0.12	14.28	24	0.25	Complies
		106/56	14.35	0.12	14.47	24	0.25	Complies
		242/61	18.11	0.12	18.23	24	0.25	Complies
		242/62	17.62	0.12	17.74	24	0.25	Complies
		484/65	20.66	0.12	20.78	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	106/53	17.17	0.12	17.29	24	0.25	Complies
		106/54	17.16	0.12	17.28	24	0.25	Complies
		106/56	16.63	0.12	16.75	24	0.25	Complies
		242/61	19.61	0.12	19.73	24	0.25	Complies
		242/62	19.06	0.12	19.18	24	0.25	Complies
		484/65	18.46	0.12	18.58	24	0.25	Complies
110	5550	106/53	16.93	0.12	17.05	24	0.25	Complies
		106/54	16.67	0.12	16.79	24	0.25	Complies
		106/56	16.68	0.12	16.80	24	0.25	Complies
		242/61	19.62	0.12	19.74	24	0.25	Complies
		242/62	19.12	0.12	19.24	24	0.25	Complies
		484/65	20.74	0.12	20.86	24	0.25	Complies
134	5670	106/53	15.89	0.12	16.01	24	0.25	Complies
		106/54	14.35	0.12	14.47	24	0.25	Complies
		106/56	14.69	0.12	14.81	24	0.25	Complies
		242/61	18.24	0.12	18.36	24	0.25	Complies
		242/62	17.47	0.12	17.59	24	0.25	Complies
		484/65	20.75	0.12	20.87	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	106/53	20.29	24	0.25	Complies
		106/54	20.18	24	0.25	Complies
		106/56	19.81	24	0.25	Complies
		242/61	22.68	24	0.25	Complies
		242/62	22.27	24	0.25	Complies
		484/65	21.32	24	0.25	Complies
110	5550	106/53	20.06	24	0.25	Complies
		106/54	19.86	24	0.25	Complies
		106/56	19.96	24	0.25	Complies
		242/61	22.67	24	0.25	Complies
		242/62	22.13	24	0.25	Complies
		484/65	23.61	24	0.25	Complies
134	5670	106/53	18.92	24	0.25	Complies
		106/54	17.39	24	0.25	Complies
		106/56	17.65	24	0.25	Complies
		242/61	21.31	24	0.25	Complies
		242/62	20.68	24	0.25	Complies
		484/65	23.84	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	242/61	17.62	1.25	18.87	24	0.25	Complies
		242/63	19.51	1.25	20.76	24	0.25	Complies
		242/64	19.48	1.25	20.73	24	0.25	Complies
		484/65	16.32	1.25	17.57	24	0.25	Complies
		484/66	15.46	1.25	16.71	24	0.25	Complies
		996/67	20.06	1.25	21.31	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	242/61	17.55	1.25	18.80	24	0.25	Complies
		242/63	19.23	1.25	20.48	24	0.25	Complies
		242/64	19.02	1.25	20.27	24	0.25	Complies
		484/65	16.31	1.25	17.56	24	0.25	Complies
		484/66	15.32	1.25	16.57	24	0.25	Complies
		996/67	19.27	1.25	20.52	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	242/61	21.84	24	0.25	Complies
		242/63	23.63	24	0.25	Complies
		242/64	23.52	24	0.25	Complies
		484/65	20.57	24	0.25	Complies
		484/66	19.65	24	0.25	Complies
		996/67	23.94	24	0.25	Complies

Beamforming

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	12.17	0.00	12.17	24	0.25	Complies
		52/38	12.78	0.00	12.78	24	0.25	Complies
		52/40	12.56	0.00	12.56	24	0.25	Complies
		106/53	14.78	0.00	14.78	24	0.25	Complies
		106/54	14.29	0.00	14.29	24	0.25	Complies
		242/61	16.39	0.00	16.39	24	0.25	Complies
60	5300	52/37	12.47	0.00	12.47	24	0.25	Complies
		52/38	13.11	0.00	13.11	24	0.25	Complies
		52/40	12.39	0.00	12.39	24	0.25	Complies
		106/53	14.81	0.00	14.81	24	0.25	Complies
		106/54	14.41	0.00	14.41	24	0.25	Complies
		242/61	16.65	0.00	16.65	24	0.25	Complies
64	5320	52/37	12.48	0.00	12.48	24	0.25	Complies
		52/38	12.93	0.00	12.93	24	0.25	Complies
		52/40	12.61	0.00	12.61	24	0.25	Complies
		106/53	15.09	0.00	15.09	24	0.25	Complies
		106/54	15.06	0.00	15.06	24	0.25	Complies
		242/61	15.96	0.00	15.96	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	12.33	0.00	12.33	24	0.25	Complies
		52/38	13.18	0.00	13.18	24	0.25	Complies
		52/40	12.89	0.00	12.89	24	0.25	Complies
		106/53	14.94	0.00	14.94	24	0.25	Complies
		106/54	18.74	0.00	18.74	24	0.25	Complies
		242/61	16.65	0.00	16.65	24	0.25	Complies
60	5300	52/37	13.16	0.00	13.16	24	0.25	Complies
		52/38	13.66	0.00	13.66	24	0.25	Complies
		52/40	12.79	0.00	12.79	24	0.25	Complies
		106/53	15.22	0.00	15.22	24	0.25	Complies
		106/54	14.87	0.00	14.87	24	0.25	Complies
		242/61	16.99	0.00	16.99	24	0.25	Complies
64	5320	52/37	13.20	0.00	13.20	24	0.25	Complies
		52/38	13.73	0.00	13.73	24	0.25	Complies
		52/40	13.25	0.00	13.25	24	0.25	Complies
		106/53	14.77	0.00	14.77	24	0.25	Complies
		106/54	15.16	0.00	15.16	24	0.25	Complies
		242/61	16.43	0.00	16.43	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	15.26	24	0.25	Complies
		52/38	15.99	24	0.25	Complies
		52/40	15.74	24	0.25	Complies
		106/53	17.87	24	0.25	Complies
		106/54	20.07	24	0.25	Complies
		242/61	19.53	24	0.25	Complies
60	5300	52/37	15.84	24	0.25	Complies
		52/38	16.40	24	0.25	Complies
		52/40	15.60	24	0.25	Complies
		106/53	18.03	24	0.25	Complies
		106/54	17.66	24	0.25	Complies
		242/61	19.83	24	0.25	Complies
64	5320	52/37	15.87	24	0.25	Complies
		52/38	16.36	24	0.25	Complies
		52/40	15.95	24	0.25	Complies
		106/53	17.94	24	0.25	Complies
		106/54	18.12	24	0.25	Complies
		242/61	19.21	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	106/53	14.42	0.12	14.54	24	0.25	Complies
		106/54	15.24	0.12	15.36	24	0.25	Complies
		106/56	15.61	0.12	15.73	24	0.25	Complies
		242/61	18.41	0.12	18.53	24	0.25	Complies
		242/62	17.23	0.12	17.35	24	0.25	Complies
		484/65	18.50	0.12	18.62	24	0.25	Complies
62	5310	106/53	15.82	0.12	15.94	24	0.25	Complies
		106/54	15.77	0.12	15.89	24	0.25	Complies
		106/56	16.13	0.12	16.25	24	0.25	Complies
		242/61	18.13	0.12	18.25	24	0.25	Complies
		242/62	18.41	0.12	18.53	24	0.25	Complies
		484/65	17.68	0.12	17.80	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	106/53	14.38	0.12	14.50	24	0.25	Complies
		106/54	15.38	0.12	15.50	24	0.25	Complies
		106/56	15.81	0.12	15.93	24	0.25	Complies
		242/61	18.59	0.12	18.71	24	0.25	Complies
		242/62	17.54	0.12	17.66	24	0.25	Complies
		484/65	18.96	0.12	19.08	24	0.25	Complies
62	5310	106/53	15.78	0.12	15.90	24	0.25	Complies
		106/54	15.70	0.12	15.82	24	0.25	Complies
		106/56	15.99	0.12	16.11	24	0.25	Complies
		242/61	19.53	0.12	19.65	24	0.25	Complies
		242/62	19.13	0.12	19.25	24	0.25	Complies
		484/65	18.21	0.12	18.33	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	106/53	17.53	24	0.25	Complies
		106/54	18.44	24	0.25	Complies
		106/56	18.84	24	0.25	Complies
		242/61	21.63	24	0.25	Complies
		242/62	20.52	24	0.25	Complies
		484/65	21.87	24	0.25	Complies
62	5310	106/53	18.93	24	0.25	Complies
		106/54	18.87	24	0.25	Complies
		106/56	19.19	24	0.25	Complies
		242/61	22.02	24	0.25	Complies
		242/62	21.92	24	0.25	Complies
		484/65	21.08	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	242/61	18.85	1.25	18.85	24	0.25	Complies
		242/63	19.44	1.25	19.44	24	0.25	Complies
		242/64	15.32	1.25	15.32	24	0.25	Complies
		484/65	19.07	1.25	19.07	24	0.25	Complies
		484/66	14.12	1.25	14.12	24	0.25	Complies
		996/67	14.79	1.25	14.79	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	242/61	18.53	1.25	18.53	24	0.25	Complies
		242/63	19.00	1.25	19.00	24	0.25	Complies
		242/64	15.31	1.25	15.31	24	0.25	Complies
		484/65	18.61	1.25	18.61	24	0.25	Complies
		484/66	14.00	1.25	14.00	24	0.25	Complies
		996/67	14.46	1.25	14.46	24	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	242/61	22.95	24	0.25	Complies
		242/63	23.49	24	0.25	Complies
		242/64	19.58	24	0.25	Complies
		484/65	23.11	24	0.25	Complies
		484/66	18.32	24	0.25	Complies
		996/67	18.89	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	13.57	0.00	13.57	24	0.25	Complies
		52/38	14.38	0.00	14.38	24	0.25	Complies
		52/40	12.99	0.00	12.99	24	0.25	Complies
		106/53	15.51	0.00	15.51	24	0.25	Complies
		106/54	15.50	0.00	15.50	24	0.25	Complies
		242/61	14.48	0.00	14.48	24	0.25	Complies
116	5580	52/37	12.54	0.00	12.54	24	0.25	Complies
		52/38	12.26	0.00	12.26	24	0.25	Complies
		52/40	12.21	0.00	12.21	24	0.25	Complies
		106/53	15.17	0.00	15.17	24	0.25	Complies
		106/54	15.32	0.00	15.32	24	0.25	Complies
		242/61	17.00	0.00	17.00	24	0.25	Complies
140	5700	52/37	11.35	0.00	11.35	24	0.25	Complies
		52/38	11.10	0.00	11.10	24	0.25	Complies
		52/40	10.99	0.00	10.99	24	0.25	Complies
		106/53	14.24	0.00	14.24	24	0.25	Complies
		106/54	13.79	0.00	13.79	24	0.25	Complies
		242/61	13.27	0.00	13.27	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	13.71	0.00	13.71	24	0.25	Complies
		52/38	14.69	0.00	14.69	24	0.25	Complies
		52/40	13.31	0.00	13.31	24	0.25	Complies
		106/53	15.74	0.00	15.74	24	0.25	Complies
		106/54	15.74	0.00	15.74	24	0.25	Complies
		242/61	15.05	0.00	15.05	24	0.25	Complies
116	5580	52/37	12.89	0.00	12.89	24	0.25	Complies
		52/38	12.78	0.00	12.78	24	0.25	Complies
		52/40	12.89	0.00	12.89	24	0.25	Complies
		106/53	15.47	0.00	15.47	24	0.25	Complies
		106/54	15.59	0.00	15.59	24	0.25	Complies
		242/61	16.98	0.00	16.98	24	0.25	Complies
140	5700	52/37	11.79	0.00	11.79	24	0.25	Complies
		52/38	11.65	0.00	11.65	24	0.25	Complies
		52/40	11.73	0.00	11.73	24	0.25	Complies
		106/53	14.81	0.00	14.81	24	0.25	Complies
		106/54	14.46	0.00	14.46	24	0.25	Complies
		242/61	14.02	0.00	14.02	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	16.65	24	0.25	Complies
		52/38	17.55	24	0.25	Complies
		52/40	16.16	24	0.25	Complies
		106/53	18.64	24	0.25	Complies
		106/54	18.63	24	0.25	Complies
		242/61	17.78	24	0.25	Complies
116	5580	52/37	15.73	24	0.25	Complies
		52/38	15.54	24	0.25	Complies
		52/40	15.57	24	0.25	Complies
		106/53	18.33	24	0.25	Complies
		106/54	18.47	24	0.25	Complies
		242/61	20.00	24	0.25	Complies
140	5700	52/37	14.59	24	0.25	Complies
		52/38	14.39	24	0.25	Complies
		52/40	14.39	24	0.25	Complies
		106/53	17.54	24	0.25	Complies
		106/54	17.15	24	0.25	Complies
		242/61	16.67	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	106/53	17.10	0.12	17.22	24	0.25	Complies
		106/54	16.89	0.12	17.01	24	0.25	Complies
		106/56	16.68	0.12	16.80	24	0.25	Complies
		242/61	19.44	0.12	19.56	24	0.25	Complies
		242/62	19.16	0.12	19.28	24	0.25	Complies
		484/65	17.86	0.12	17.98	24	0.25	Complies
110	5550	106/53	16.87	0.12	16.99	24	0.25	Complies
		106/54	16.73	0.12	16.85	24	0.25	Complies
		106/56	16.92	0.12	17.04	24	0.25	Complies
		242/61	19.40	0.12	19.52	24	0.25	Complies
		242/62	18.82	0.12	18.94	24	0.25	Complies
		484/65	20.16	0.12	20.28	24	0.25	Complies
134	5670	106/53	15.63	0.12	15.75	24	0.25	Complies
		106/54	14.11	0.12	14.23	24	0.25	Complies
		106/56	14.30	0.12	14.42	24	0.25	Complies
		242/61	18.06	0.12	18.18	24	0.25	Complies
		242/62	17.57	0.12	17.69	24	0.25	Complies
		484/65	20.61	0.12	20.73	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	106/53	17.13	0.12	17.25	24	0.25	Complies
		106/54	17.12	0.12	17.24	24	0.25	Complies
		106/56	16.59	0.12	16.71	24	0.25	Complies
		242/61	19.57	0.12	19.69	24	0.25	Complies
		242/62	19.02	0.12	19.14	24	0.25	Complies
		484/65	18.42	0.12	18.54	24	0.25	Complies
110	5550	106/53	16.89	0.12	17.01	24	0.25	Complies
		106/54	16.63	0.12	16.75	24	0.25	Complies
		106/56	16.64	0.12	16.76	24	0.25	Complies
		242/61	19.58	0.12	19.70	24	0.25	Complies
		242/62	19.08	0.12	19.20	24	0.25	Complies
		484/65	20.70	0.12	20.82	24	0.25	Complies
134	5670	106/53	15.85	0.12	15.97	24	0.25	Complies
		106/54	14.31	0.12	14.43	24	0.25	Complies
		106/56	14.65	0.12	14.77	24	0.25	Complies
		242/61	18.20	0.12	18.32	24	0.25	Complies
		242/62	17.43	0.12	17.55	24	0.25	Complies
		484/65	20.71	0.12	20.83	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
------------------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	106/53	20.25	24	0.25	Complies
		106/54	20.14	24	0.25	Complies
		106/56	19.77	24	0.25	Complies
		242/61	22.64	24	0.25	Complies
		242/62	22.22	24	0.25	Complies
		484/65	21.28	24	0.25	Complies
110	5550	106/53	20.01	24	0.25	Complies
		106/54	19.81	24	0.25	Complies
		106/56	19.91	24	0.25	Complies
		242/61	22.62	24	0.25	Complies
		242/62	22.08	24	0.25	Complies
		484/65	23.57	24	0.25	Complies
134	5670	106/53	18.87	24	0.25	Complies
		106/54	17.34	24	0.25	Complies
		106/56	17.61	24	0.25	Complies
		242/61	21.26	24	0.25	Complies
		242/62	20.63	24	0.25	Complies
		484/65	23.79	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	242/61	17.58	1.25	18.83	24	0.25	Complies
		242/63	19.47	1.25	20.72	24	0.25	Complies
		242/64	19.44	1.25	20.69	24	0.25	Complies
		484/65	16.28	1.25	17.53	24	0.25	Complies
		484/66	15.42	1.25	16.67	24	0.25	Complies
		996/67	20.02	1.25	21.27	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	242/61	17.19	1.25	18.44	24	0.25	Complies
		242/63	18.87	1.25	20.12	24	0.25	Complies
		242/64	18.66	1.25	19.91	24	0.25	Complies
		484/65	15.95	1.25	17.20	24	0.25	Complies
		484/66	14.96	1.25	16.21	24	0.25	Complies
		996/67	18.91	1.25	20.16	24	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	242/61	21.65	24	0.25	Complies
		242/63	23.44	24	0.25	Complies
		242/64	23.33	24	0.25	Complies
		484/65	20.38	24	0.25	Complies
		484/66	19.46	24	0.25	Complies
		996/67	23.76	24	0.25	Complies

APPENDIX F - POWER SPECTRAL DENSITY

Non-Beamforming


Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/37
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.24	0.00	7.24	11.00	Complies
60	5300	7.23	0.00	7.23	11.00	Complies
64	5320	7.17	0.00	7.17	11.00	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/37
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.78	0.00	7.78	11.00	Complies
60	5300	7.99	0.00	7.99	11.00	Complies
64	5320	8.09	0.00	8.09	11.00	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	52/37
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.53	11.00	Complies
60	5300	10.64	11.00	Complies
64	5320	10.66	11.00	Complies


Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.78	0.00	7.78	11.00	Complies
60	5300	7.46	0.00	7.46	11.00	Complies
64	5320	7.32	0.00	7.32	11.00	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.77	0.00	7.77	11.00	Complies
60	5300	7.60	0.00	7.60	11.00	Complies
64	5320	7.87	0.00	7.87	11.00	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.79	11.00	Complies
60	5300	10.54	11.00	Complies
64	5320	10.61	11.00	Complies


Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.87	0.00	7.87	11.00	Complies
60	5300	7.45	0.00	7.45	11.00	Complies
64	5320	7.27	0.00	7.27	11.00	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.89	0.00	7.89	11.00	Complies
60	5300	7.69	0.00	7.69	11.00	Complies
64	5320	7.99	0.00	7.99	11.00	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.89	11.00	Complies
60	5300	10.58	11.00	Complies
64	5320	10.66	11.00	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.76	0.12	7.88	11.00	Complies
62	5310	7.66	0.12	7.78	11.00	Complies

CH54

CH62





Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.80	0.12	7.92	11.00	Complies
62	5310	7.86	0.12	7.98	11.00	Complies

CH54

CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.91	11.00	Complies
62	5310	10.89	11.00	Complies