


Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	40.798	24.500
60	5300	35.600	18.500
64	5320	20.700	17.000

CH52




Date: 20_MAY_2021 22:39:21

CH60 26 dB Bandwidth




Date: 20_MAY_2021 22:42:36

CH64




Date: 20_MAY_2021 22:44:47


99 % Occupied Bandwidth



Date: 20_MAY_2021 22:38:38



Date: 20_MAY_2021 22:40:18




Date: 20_MAY_2021 22:45:00

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.800	17.900
60	5300	20.750	17.900
64	5320	20.750	17.900

CH52




Date: 20_MAY.2021 18:49:50

CH60 26 dB Bandwidth




Date: 20_MAY.2021 18:55:26

CH64




Date: 20_MAY.2021 18:59:42


99 % Occupied Bandwidth



Date: 20_MAY.2021 18:49:11



Date: 20_MAY.2021 18:56:56




Date: 20_MAY.2021 18:59:12

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	53.798	36.000
62	5310	47.798	36.800

CH54




Date: 20.MAY.2021 19:33:29

CH62 26 dB Bandwidth




Date: 20.MAY.2021 19:41:34

99 % Occupied Bandwidth



Date: 20.MAY.2021 19:30:04




Date: 20.MAY.2021 19:40:16

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.200	75.200

CH58 26 dB Bandwidth



Date: 20.MAY.2021 20:56:16

99 % Occupied Bandwidth




Date: 20.MAY.2021 20:55:35

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	35.900	19.200
60	5300	38.050	19.300
64	5320	24.790	19.300

CH52




Date: 20_MAY_2021 21:14:19

CH60 26 dB Bandwidth




Date: 20_MAY_2021 21:18:43

CH64




Date: 20_MAY_2021 21:20:01


99 % Occupied Bandwidth



Date: 20_MAY_2021 21:13:29



Date: 20_MAY_2021 21:17:38




Date: 20_MAY_2021 21:19:34

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	41.009	37.800
62	5310	40.900	38.000


CH54



Date: 20.MAY.2021 21:33:23


CH62

26 dB Bandwidth




Date: 20.MAY.2021 21:36:16

99 % Occupied Bandwidth



Date: 20.MAY.2021 21:30:35




Date: 20.MAY.2021 21:34:08

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.800	76.800

CH58 26 dB Bandwidth



Date: 20_MAY.2021 22:02:02

99 % Occupied Bandwidth




Date: 20_MAY.2021 22:01:20

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.400	16.900
116	5580	43.200	24.000
140	5700	20.309	16.900

CH100




Date: 20.MAY.2021 22:46:47

CH116
26 dB Bandwidth




Date: 20.MAY.2021 22:49:35

CH140




Date: 20.MAY.2021 22:50:34


99 % Occupied Bandwidth



Date: 20.MAY.2021 22:46:17



Date: 20.MAY.2021 22:47:37




Date: 20.MAY.2021 22:50:05

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.650	17.900
116	5580	20.759	17.900
140	5700	20.750	17.900

CH100




Date: 20_MAY.2021 19:03:34

CH116 26 dB Bandwidth




Date: 20_MAY.2021 19:07:13

CH140




Date: 20_MAY.2021 19:11:17


99 % Occupied Bandwidth



Date: 20_MAY.2021 19:03:04



Date: 20_MAY.2021 19:06:44




Date: 20_MAY.2021 19:10:48

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	62.388	36.600
110	5550	55.790	36.400
134	5670	40.790	36.000

CH102




Date: 20_MAY.2021 19:48:45

CH110
26 dB Bandwidth




Date: 20_MAY.2021 19:54:40

CH134




Date: 20_MAY.2021 20:03:41


99 % Occupied Bandwidth



Date: 20_MAY.2021 19:46:49



Date: 20_MAY.2021 19:52:45




Date: 20_MAY.2021 20:01:19

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.406	75.600

CH106 26 dB Bandwidth



Date: 20.MAY.2021 20:58:08

99 % Occupied Bandwidth




Date: 20.MAY.2021 20:57:29

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	33.998	19.300
116	5580	28.907	19.200
140	5700	29.350	19.300

CH100




Date: 20.MAY.2021 21:24:06

CH116 26 dB Bandwidth




Date: 20.MAY.2021 21:27:17

CH140




Date: 20.MAY.2021 21:29:36


99 % Occupied Bandwidth



Date: 20.MAY.2021 21:22:21



Date: 20.MAY.2021 21:26:53




Date: 20.MAY.2021 21:29:12

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	41.100	38.000
110	5550	40.900	37.800
134	5670	40.800	37.800

CH102




Date: 20.MAY.2021 21:44:43

CH110
26 dB Bandwidth




Date: 20.MAY.2021 21:48:34

CH134




Date: 20.MAY.2021 21:58:10


99 % Occupied Bandwidth



Date: 20.MAY.2021 21:41:08



Date: 20.MAY.2021 21:46:25




Date: 20.MAY.2021 21:57:28

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.200	77.200

CH106 26 dB Bandwidth



Date: 20.MAY.2021 22:05:42

99 % Occupied Bandwidth




Date: 20.MAY.2021 22:05:03

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.050	26.100	0.5	Complies
157	5785	16.409	38.500	0.5	Complies
165	5825	15.400	26.200	0.5	Complies


CH149



Date: 25.APR.2021 15:41:43


CH157

6 dB Bandwidth




Date: 25.APR.2021 15:48:45

CH165




Date: 25.APR.2021 15:52:30


99 % Occupied Bandwidth



Date: 25.APR.2021 15:41:08



Date: 25.APR.2021 15:47:27




Date: 25.APR.2021 15:51:53

Test Mode UNII-3_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.150	27.000	0.5	Complies
157	5785	15.998	27.800	0.5	Complies
165	5825	16.887	32.300	0.5	Complies


CH149



Date: 25.APR.2021 17:20:13


CH157

6 dB Bandwidth




Date: 25.APR.2021 17:23:18

CH165




Date: 25.APR.2021 17:30:24


99 % Occupied Bandwidth



Date: 25.APR.2021 17:19:37



Date: 25.APR.2021 17:22:38




Date: 25.APR.2021 17:28:42

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.100	47.800	0.5	Complies
159	5795	32.800	61.600	0.5	Complies

CH151




Date: 25.APR.2021 17:34:37

CH159 6 dB Bandwidth




Date: 25.APR.2021 17:41:27



Date: 25.APR.2021 17:33:45

99 % Occupied Bandwidth




Date: 25.APR.2021 17:40:37

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	75.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 25.APR.2021 17:44:36

99 % Occupied Bandwidth




Date: 25.APR.2021 17:43:54

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.349	34.700	0.5	Complies
157	5785	18.550	40.200	0.5	Complies
165	5825	18.099	39.600	0.5	Complies


CH149



Date: 25.APR.2021 17:56:23


CH157

6 dB Bandwidth




Date: 25.APR.2021 18:00:21

CH165




Date: 25.APR.2021 18:13:29


99 % Occupied Bandwidth



Date: 25.APR.2021 17:54:58



Date: 25.APR.2021 18:02:13




Date: 25.APR.2021 18:07:13

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.400	47.600	0.5	Complies
159	5795	33.900	63.200	0.5	Complies

CH151




Date: 25.APR.2021 18:20:22

CH159 6 dB Bandwidth




Date: 25.APR.2021 18:22:11

99 % Occupied Bandwidth



Date: 25.APR.2021 18:19:38




Date: 25.APR.2021 18:21:21

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.200	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 25.APR.2021 18:26:40

99 % Occupied Bandwidth



Date: 25.APR.2021 18:25:58

APPENDIX F - MAXIMUM OUTPUT POWER

CDD

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.57	0.24	19.81	30.00	1.0000	Complies
40	5200	20.84	0.24	21.08	30.00	1.0000	Complies
48	5240	23.45	0.24	23.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.95	1.05	19.00	30.00	1.0000	Complies
40	5200	19.43	1.05	20.48	30.00	1.0000	Complies
48	5240	20.75	1.05	21.80	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.23	1.05	19.28	30.00	1.0000	Complies
40	5200	19.57	1.05	20.62	30.00	1.0000	Complies
48	5240	20.64	1.05	21.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.16	30.00	1.0000	Complies
40	5200	23.56	30.00	1.0000	Complies
48	5240	24.76	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.72	1.05	16.77	30.00	1.0000	Complies
46	5230	19.43	1.05	20.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.67	1.05	17.72	30.00	1.0000	Complies
46	5230	19.65	1.05	20.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.28	30.00	1.0000	Complies
46	5230	23.60	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.59	0.55	19.14	30.00	1.0000	Complies
40	5200	19.93	0.55	20.48	30.00	1.0000	Complies
48	5240	21.34	0.55	21.89	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.96	0.55	19.51	30.00	1.0000	Complies
40	5200	20.23	0.55	20.78	30.00	1.0000	Complies
48	5240	21.23	0.55	21.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.34	30.00	1.0000	Complies
40	5200	23.64	30.00	1.0000	Complies
48	5240	24.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.43	0.75	17.18	30.00	1.0000	Complies
46	5230	20.19	0.75	20.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.17	0.75	17.92	30.00	1.0000	Complies
46	5230	20.43	0.75	21.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.57	30.00	1.0000	Complies
46	5230	24.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.84	0.84	16.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.27	0.84	17.11	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.17	0.95	19.12	30.00	1.0000	Complies
40	5200	20.01	0.95	20.96	30.00	1.0000	Complies
48	5240	21.44	0.95	22.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.67	0.95	19.62	30.00	1.0000	Complies
40	5200	20.32	0.95	21.27	30.00	1.0000	Complies
48	5240	21.38	0.95	22.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.38	30.00	1.0000	Complies
40	5200	24.12	30.00	1.0000	Complies
48	5240	25.37	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.12	0.87	15.99	30.00	1.0000	Complies
46	5230	19.17	0.87	20.04	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.68	0.87	16.55	30.00	1.0000	Complies
46	5230	19.55	0.87	20.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.28	30.00	1.0000	Complies
46	5230	23.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.86	1.33	18.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.18	1.33	18.51	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.36	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.97	0.24	23.21	23.98	0.2500	Complies
60	5300	20.33	0.24	20.57	23.98	0.2500	Complies
64	5320	18.57	0.24	18.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.86	1.05	16.91	23.98	0.2500	Complies
60	5300	15.82	1.05	16.87	23.98	0.2500	Complies
64	5320	16.01	1.05	17.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.33	1.05	17.38	23.98	0.2500	Complies
60	5300	16.14	1.05	17.19	23.98	0.2500	Complies
64	5320	15.89	1.05	16.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.16	23.98	0.2500	Complies
60	5300	20.05	23.98	0.2500	Complies
64	5320	20.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.51	1.05	18.56	23.98	0.2500	Complies
62	5310	16.92	1.05	17.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.99	1.05	19.04	23.98	0.2500	Complies
62	5310	17.34	1.05	18.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.82	23.98	0.2500	Complies
62	5310	21.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.38	0.55	16.93	23.98	0.2500	Complies
60	5300	16.40	0.55	16.95	23.98	0.2500	Complies
64	5320	16.55	0.55	17.10	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.92	0.55	17.47	23.98	0.2500	Complies
60	5300	16.69	0.55	17.24	23.98	0.2500	Complies
64	5320	16.49	0.55	17.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.22	23.98	0.2500	Complies
60	5300	20.11	23.98	0.2500	Complies
64	5320	20.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.07	0.75	18.82	23.98	0.2500	Complies
62	5310	17.52	0.75	18.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.54	0.75	19.29	23.98	0.2500	Complies
62	5310	17.85	0.75	18.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.07	23.98	0.2500	Complies
62	5310	21.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.52	0.84	15.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.92	0.84	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.07	0.95	18.02	23.98	0.2500	Complies
60	5300	17.09	0.95	18.04	23.98	0.2500	Complies
64	5320	15.73	0.95	16.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.61	0.95	18.56	23.98	0.2500	Complies
60	5300	17.37	0.95	18.32	23.98	0.2500	Complies
64	5320	15.61	0.95	16.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.31	23.98	0.2500	Complies
60	5300	21.19	23.98	0.2500	Complies
64	5320	19.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.05	0.87	15.92	23.98	0.2500	Complies
62	5310	13.62	0.87	14.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.64	0.87	16.51	23.98	0.2500	Complies
62	5310	13.78	0.87	14.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.23	23.98	0.2500	Complies
62	5310	17.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.36	1.33	12.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.21	1.33	13.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.84	0.24	16.08	23.98	0.2500	Complies
116	5580	23.58	0.24	23.82	23.98	0.2500	Complies
140	5700	14.26	0.24	14.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.35	1.05	17.40	23.98	0.2500	Complies
116	5580	16.51	1.05	17.56	23.98	0.2500	Complies
140	5700	16.11	1.05	17.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.50	1.05	16.55	23.98	0.2500	Complies
116	5580	15.94	1.05	16.99	23.98	0.2500	Complies
140	5700	16.02	1.05	17.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.01	23.98	0.2500	Complies
116	5580	20.30	23.98	0.2500	Complies
140	5700	20.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.55	1.05	16.60	23.98	0.2500	Complies
110	5550	18.76	1.05	19.81	23.98	0.2500	Complies
134	5670	15.12	1.05	16.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.85	1.05	15.90	23.98	0.2500	Complies
110	5550	17.94	1.05	18.99	23.98	0.2500	Complies
134	5670	14.93	1.05	15.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.28	23.98	0.2500	Complies
110	5550	22.43	23.98	0.2500	Complies
134	5670	19.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.87	0.55	17.42	23.98	0.2500	Complies
116	5580	17.03	0.55	17.58	23.98	0.2500	Complies
140	5700	16.62	0.55	17.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.06	0.55	16.61	23.98	0.2500	Complies
116	5580	16.46	0.55	17.01	23.98	0.2500	Complies
140	5700	16.61	0.55	17.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.04	23.98	0.2500	Complies
116	5580	20.31	23.98	0.2500	Complies
140	5700	20.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.57	0.75	19.32	23.98	0.2500	Complies
110	5550	19.32	0.75	20.07	23.98	0.2500	Complies
134	5670	19.73	0.75	20.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.86	0.75	19.61	23.98	0.2500	Complies
110	5550	18.49	0.75	19.24	23.98	0.2500	Complies
134	5670	18.93	0.75	19.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.47	23.98	0.2500	Complies
110	5550	22.68	23.98	0.2500	Complies
134	5670	23.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.87	0.84	17.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.33	0.84	17.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.14	0.95	17.09	23.98	0.2500	Complies
116	5580	18.27	0.95	19.22	23.98	0.2500	Complies
140	5700	15.91	0.95	16.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.37	0.95	16.32	23.98	0.2500	Complies
116	5580	17.68	0.95	18.63	23.98	0.2500	Complies
140	5700	15.91	0.95	16.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.73	23.98	0.2500	Complies
116	5580	21.94	23.98	0.2500	Complies
140	5700	19.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.08	0.87	13.95	23.98	0.2500	Complies
110	5550	16.71	0.87	17.58	23.98	0.2500	Complies
134	5670	16.70	0.87	17.57	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.99	0.87	13.86	23.98	0.2500	Complies
110	5550	15.91	0.87	16.78	23.98	0.2500	Complies
134	5670	16.46	0.87	17.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.91	23.98	0.2500	Complies
110	5550	20.20	23.98	0.2500	Complies
134	5670	20.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.57	1.33	13.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.22	1.33	13.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.74	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.59	0.24	22.83	30.00	1.0000	Complies
157	5785	24.43	0.24	24.67	30.00	1.0000	Complies
165	5825	22.08	0.24	22.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.34	1.05	22.39	30.00	1.0000	Complies
157	5785	21.88	1.05	22.93	30.00	1.0000	Complies
165	5825	21.72	1.05	22.77	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.01	1.05	21.06	30.00	1.0000	Complies
157	5785	21.02	1.05	22.07	30.00	1.0000	Complies
165	5825	20.65	1.05	21.70	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.79	30.00	1.0000	Complies
157	5785	25.53	30.00	1.0000	Complies
165	5825	25.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.55	1.05	21.60	30.00	1.0000	Complies
159	5795	21.89	1.05	22.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.58	1.05	20.63	30.00	1.0000	Complies
159	5795	20.97	1.05	22.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.15	30.00	1.0000	Complies
159	5795	25.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.94	0.55	22.49	30.00	1.0000	Complies
157	5785	22.49	0.55	23.04	30.00	1.0000	Complies
165	5825	22.39	0.55	22.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.59	0.55	21.14	30.00	1.0000	Complies
157	5785	21.56	0.55	22.11	30.00	1.0000	Complies
165	5825	21.19	0.55	21.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.88	30.00	1.0000	Complies
157	5785	25.61	30.00	1.0000	Complies
165	5825	25.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.17	0.75	21.92	30.00	1.0000	Complies
159	5795	22.54	0.75	23.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.27	0.75	21.02	30.00	1.0000	Complies
159	5795	21.38	0.75	22.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.50	30.00	1.0000	Complies
159	5795	25.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.63	0.84	19.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.72	0.84	18.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.05	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.27	0.95	24.22	30.00	1.0000	Complies
157	5785	24.27	0.95	25.22	30.00	1.0000	Complies
165	5825	24.04	0.95	24.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.17	0.95	23.12	30.00	1.0000	Complies
157	5785	22.86	0.95	23.81	30.00	1.0000	Complies
165	5825	22.92	0.95	23.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.71	30.00	1.0000	Complies
157	5785	27.58	30.00	1.0000	Complies
165	5825	27.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.24	0.87	21.11	30.00	1.0000	Complies
159	5795	21.96	0.87	22.83	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.21	0.87	20.08	30.00	1.0000	Complies
159	5795	20.76	0.87	21.63	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.63	30.00	1.0000	Complies
159	5795	25.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.09	1.33	20.42	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.17	1.33	19.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.99	30.00	1.0000	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.84	1.05	18.89	27.99	0.6295	Complies
40	5200	19.30	1.05	20.35	27.99	0.6295	Complies
48	5240	20.59	1.05	21.64	27.99	0.6295	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.06	1.05	19.11	27.99	0.6295	Complies
40	5200	19.39	1.05	20.44	27.99	0.6295	Complies
48	5240	20.49	1.05	21.54	27.99	0.6295	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
------------------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.01	27.99	0.6295	Complies
40	5200	23.41	27.99	0.6295	Complies
48	5240	24.60	27.99	0.6295	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.59	1.05	16.64	27.99	0.6295	Complies
46	5230	19.25	1.05	20.30	27.99	0.6295	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.48	1.05	17.53	27.99	0.6295	Complies
46	5230	19.45	1.05	20.50	27.99	0.6295	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.12	27.99	0.6295	Complies
46	5230	23.41	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.46	0.55	19.01	27.99	0.6295	Complies
40	5200	19.76	0.55	20.31	27.99	0.6295	Complies
48	5240	21.16	0.55	21.71	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.85	0.55	19.40	27.99	0.6295	Complies
40	5200	20.04	0.55	20.59	27.99	0.6295	Complies
48	5240	21.08	0.55	21.63	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.22	27.99	0.6295	Complies
40	5200	23.46	27.99	0.6295	Complies
48	5240	24.68	27.99	0.6295	Complies