



Test Mode UNII-2C\_TX ax (HE20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	32.50	19.20
116	5580	32.35	19.30
140	5700	28.95	19.20


**CH100**



**CH116**




**CH140**




**99 % Emission Bandwidth**


**CH100**



**CH116**




**CH140**



Test Mode UNII-2C\_TX ax (HE40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.70	37.80
110	5550	39.60	37.80
134	5670	39.70	38.00

**CH102**




Date: 8.MAR.2021 15:13:25

**CH110**



Date: 8.MAR.2021 15:14:51


**CH134**



Date: 8.MAR.2021 15:57:09


**99 % Emission Bandwidth**

**CH102**




Date: 8.MAR.2021 15:13:19

**CH110**



Date: 8.MAR.2021 15:14:05

**CH134**




Date: 8.MAR.2021 15:16:24

Test Mode	UNII-2C_TX ax (HE80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.00	77.20


### CH106



Date: 8.MAR.2021 16:10:09

### 99 % Emission Bandwidth

### CH106




Date: 8.MAR.2021 16:09:29

Test Mode UNII-3\_TX ax (HE20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	18.95	40.20	500	Complies
157	5785	18.40	40.40	500	Complies
165	5825	18.85	40.20	500	Complies

**CH149**




Date: 8.MAR.2021 18:01:53

**CH157**



Date: 8.MAR.2021 18:13:54


**CH165**



Date: 8.MAR.2021 18:24:05


**99 % Emission Bandwidth**

**CH149**




Date: 8.MAR.2021 18:00:58

**CH157**



Date: 8.MAR.2021 18:13:10

**CH165**




Date: 8.MAR.2021 18:23:20

Test Mode	UNII-3_TX ax (HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	34.99	38.60	500	Complies
159	5795	36.39	49.20	500	Complies

**CH151**



Date: 8.MAR.2021 18:19:24


**CH159**



Date: 8.MAR.2021 18:51:08


**99 % Emission Bandwidth**

**CH151**



Date: 8.MAR.2021 18:35:27

**CH159**




Date: 8.MAR.2021 18:49:50

Test Mode	UNII-3_TX ax (HE80)
-----------	---------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	74.39	77.60	500	Complies


### CH155



Date: 8.MAR.2021 19:32:12

### 99 % Emission Bandwidth

### CH155




Date: 8.MAR.2021 19:31:18

Test Mode TX AC (VHT80+80) 5210+5290 Mode-- ANT.1+2/3+4


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42/58	5210	215.99	132.80
	5290	208.00	106.80
	5210+5290	423.99	239.60

**CH42**




Date: 9.MAR.2021 18:28:13

**CH58**




Date: 9.MAR.2021 18:43:44

**CH42**



Date: 9.MAR.2021 18:25:14

**CH58**




Date: 9.MAR.2021 18:43:13

Test Mode TX ax (HE80) 5210+5290 Mode-- ANT.1+2/3+4


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42/58	5210	188.40	98.00
	5290	85.61	78.80
	5210+5290	274.01	176.80

**CH42**




Date: 9.MAR.2021 20:40:40

**CH58**




Date: 9.MAR.2021 20:32:32

**CH42**



Date: 9.MAR.2021 20:40:07

**CH58**



Date: 9.MAR.2021 20:31:38



## **APPENDIX F - CONDUCTED OUTPUT POWER**

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.01	0.24	21.25	30.00	1.00	Complies
40	5200	22.90	0.24	23.14	30.00	1.00	Complies
48	5240	25.47	0.24	25.71	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.38	0.24	22.62	23.98	0.25	Complies
60	5300	21.95	0.24	22.19	23.98	0.25	Complies
64	5320	20.48	0.24	20.72	23.98	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.71	0.24	19.95	23.98	0.25	Complies
116	5580	22.80	0.24	23.04	23.98	0.25	Complies
140	5700	18.49	0.24	18.73	23.98	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.30	0.24	23.54	30.00	1.00	Complies
157	5785	23.35	0.24	23.59	30.00	1.00	Complies
165	5825	23.53	0.24	23.77	30.00	1.00	Complies

**CDD**

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.69	0.23	18.92	30.00	1.00	Complies
40	5200	17.18	0.23	17.41	30.00	1.00	Complies
48	5240	16.91	0.23	17.14	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.38	0.23	18.61	30.00	1.00	Complies
40	5200	16.35	0.23	16.58	30.00	1.00	Complies
48	5240	16.84	0.23	17.07	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.77	0.23	20.00	30.00	1.00	Complies
40	5200	16.65	0.23	16.88	30.00	1.00	Complies
48	5240	16.64	0.23	16.87	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.23	19.38	30.00	1.00	Complies
40	5200	16.61	0.23	16.84	30.00	1.00	Complies
48	5240	17.08	0.23	17.31	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.28	30.00	1.00	Complies
40	5200	22.96	30.00	1.00	Complies
48	5240	23.12	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.75	0.24	16.99	30.00	1.00	Complies
46	5230	18.78	0.24	19.02	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.15	0.24	16.39	30.00	1.00	Complies
46	5230	18.70	0.24	18.94	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.58	0.24	16.82	30.00	1.00	Complies
46	5230	18.32	0.24	18.56	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.38	0.24	16.62	30.00	1.00	Complies
46	5230	19.28	0.24	19.52	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.73	30.00	1.00	Complies
46	5230	25.05	30.00	1.00	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.35	0.23	10.58	23.98	0.25	Complies
60	5300	10.42	0.23	10.65	23.98	0.25	Complies
64	5320	11.12	0.23	11.35	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.99	0.23	10.22	23.98	0.25	Complies
60	5300	9.91	0.23	10.14	23.98	0.25	Complies
64	5320	10.61	0.23	10.84	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.25	0.23	12.48	23.98	0.25	Complies
60	5300	11.75	0.23	11.98	23.98	0.25	Complies
64	5320	12.53	0.23	12.76	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.77	0.23	12.00	23.98	0.25	Complies
60	5300	11.75	0.23	11.98	23.98	0.25	Complies
64	5320	12.66	0.23	12.89	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.44	23.98	0.25	Complies
60	5300	17.28	23.98	0.25	Complies
64	5320	18.07	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.58	0.24	13.82	23.98	0.25	Complies
62	5310	12.77	0.24	13.01	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.08	0.24	12.32	23.98	0.25	Complies
62	5310	12.05	0.24	12.29	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.55	0.24	14.79	23.98	0.25	Complies
62	5310	14.03	0.24	14.27	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.19	0.24	14.43	23.98	0.25	Complies
62	5310	14.11	0.24	14.35	23.98	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.96	23.98	0.25	Complies
62	5310	19.59	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.18	0.23	14.41	23.98	0.25	Complies
116	5580	14.18	0.23	14.41	23.98	0.25	Complies
140	5700	13.99	0.23	14.22	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.65	0.23	12.88	23.98	0.25	Complies
116	5580	13.85	0.23	14.08	23.98	0.25	Complies
140	5700	14.05	0.23	14.28	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.38	0.23	14.61	23.98	0.25	Complies
116	5580	14.39	0.23	14.62	23.98	0.25	Complies
140	5700	14.31	0.23	14.54	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.55	0.23	13.78	23.98	0.25	Complies
116	5580	14.23	0.23	14.46	23.98	0.25	Complies
140	5700	14.51	0.23	14.74	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.00	23.98	0.25	Complies
116	5580	20.42	23.98	0.25	Complies
140	5700	20.48	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.31	0.24	16.55	23.98	0.25	Complies
110	5550	16.45	0.24	16.69	23.98	0.25	Complies
134	5670	15.29	0.24	15.53	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.44	0.24	15.68	23.98	0.25	Complies
110	5550	15.66	0.24	15.90	23.98	0.25	Complies
134	5670	15.34	0.24	15.58	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.48	0.24	16.72	23.98	0.25	Complies
110	5550	16.28	0.24	16.52	23.98	0.25	Complies
134	5670	15.33	0.24	15.57	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.84	0.24	16.08	23.98	0.25	Complies
110	5550	16.18	0.24	16.42	23.98	0.25	Complies
134	5670	15.86	0.24	16.10	23.98	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.30	23.98	0.25	Complies
110	5550	22.41	23.98	0.25	Complies
134	5670	21.72	23.98	0.25	Complies



Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.94	0.23	22.17	30.00	1.00	Complies
157	5785	22.48	0.23	22.71	30.00	1.00	Complies
165	5825	22.79	0.23	23.02	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.48	0.23	21.71	30.00	1.00	Complies
157	5785	21.59	0.23	21.82	30.00	1.00	Complies
165	5825	21.84	0.23	22.07	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.79	0.23	22.02	30.00	1.00	Complies
157	5785	21.71	0.23	21.94	30.00	1.00	Complies
165	5825	21.85	0.23	22.08	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.28	0.23	22.51	30.00	1.00	Complies
157	5785	22.55	0.23	22.78	30.00	1.00	Complies
165	5825	22.77	0.23	23.00	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.13	30.00	1.00	Complies
157	5785	28.35	30.00	1.00	Complies
165	5825	28.59	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.19	0.24	21.43	30.00	1.00	Complies
159	5795	21.95	0.24	22.19	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.35	0.24	20.59	30.00	1.00	Complies
159	5795	20.86	0.24	21.10	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.86	0.24	21.10	30.00	1.00	Complies
159	5795	21.33	0.24	21.57	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.21	0.24	21.45	30.00	1.00	Complies
159	5795	21.88	0.24	22.12	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.18	30.00	1.00	Complies
159	5795	27.79	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.71	0.30	19.01	30.00	1.00	Complies
40	5200	17.29	0.30	17.59	30.00	1.00	Complies
48	5240	16.93	0.30	17.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.50	0.30	18.80	30.00	1.00	Complies
40	5200	16.47	0.30	16.77	30.00	1.00	Complies
48	5240	16.89	0.30	17.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.80	0.30	20.10	30.00	1.00	Complies
40	5200	16.74	0.30	17.04	30.00	1.00	Complies
48	5240	16.72	0.30	17.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.29	0.30	19.59	30.00	1.00	Complies
40	5200	16.68	0.30	16.98	30.00	1.00	Complies
48	5240	17.16	0.30	17.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.43	30.00	1.00	Complies
40	5200	23.13	30.00	1.00	Complies
48	5240	23.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.80	0.40	17.20	30.00	1.00	Complies
46	5230	18.99	0.40	19.39	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.24	0.40	16.64	30.00	1.00	Complies
46	5230	18.84	0.40	19.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.67	0.40	17.07	30.00	1.00	Complies
46	5230	18.52	0.40	18.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.48	0.40	16.88	30.00	1.00	Complies
46	5230	19.35	0.40	19.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.97	30.00	1.00	Complies
46	5230	25.36	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.27	0.74	15.01	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.25	0.74	13.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.12	0.74	14.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.00	0.74	14.74	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.69	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.45	0.30	10.75	23.98	0.25	Complies
60	5300	10.52	0.30	10.82	23.98	0.25	Complies
64	5320	11.23	0.30	11.53	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.02	0.30	10.32	23.98	0.25	Complies
60	5300	9.95	0.30	10.25	23.98	0.25	Complies
64	5320	10.70	0.30	11.00	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.41	0.30	12.71	23.98	0.25	Complies
60	5300	11.86	0.30	12.16	23.98	0.25	Complies
64	5320	12.63	0.30	12.93	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.89	0.30	12.19	23.98	0.25	Complies
60	5300	11.80	0.30	12.10	23.98	0.25	Complies
64	5320	12.76	0.30	13.06	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.62	23.98	0.25	Complies
60	5300	17.43	23.98	0.25	Complies
64	5320	18.24	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.65	0.40	14.05	23.98	0.25	Complies
62	5310	12.80	0.40	13.20	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.15	0.40	12.55	23.98	0.25	Complies
62	5310	12.02	0.40	12.42	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.63	0.40	15.03	23.98	0.25	Complies
62	5310	14.02	0.40	14.42	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.29	0.40	14.69	23.98	0.25	Complies
62	5310	14.23	0.40	14.63	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.20	23.98	0.25	Complies
62	5310	19.78	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.76	0.74	12.50	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.86	0.74	11.60	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.67	0.74	14.41	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.96	0.74	13.70	23.98	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.21	23.98	0.25	Complies



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.27	0.30	14.57	23.98	0.25	Complies
116	5580	14.20	0.30	14.50	23.98	0.25	Complies
140	5700	13.93	0.30	14.23	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.70	0.30	13.00	23.98	0.25	Complies
116	5580	13.95	0.30	14.25	23.98	0.25	Complies
140	5700	14.18	0.30	14.48	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.41	0.30	14.71	23.98	0.25	Complies
116	5580	14.48	0.30	14.78	23.98	0.25	Complies
140	5700	14.34	0.30	14.64	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.61	0.30	13.91	23.98	0.25	Complies
116	5580	14.22	0.30	14.52	23.98	0.25	Complies
140	5700	14.57	0.30	14.87	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.12	23.98	0.25	Complies
116	5580	20.54	23.98	0.25	Complies
140	5700	20.59	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.37	0.40	16.77	23.98	0.25	Complies
110	5550	16.50	0.40	16.90	23.98	0.25	Complies
134	5670	15.38	0.40	15.78	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.56	0.40	15.96	23.98	0.25	Complies
110	5550	15.74	0.40	16.14	23.98	0.25	Complies
134	5670	15.44	0.40	15.84	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.51	0.40	16.91	23.98	0.25	Complies
110	5550	16.37	0.40	16.77	23.98	0.25	Complies
134	5670	15.42	0.40	15.82	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.10	0.40	16.50	23.98	0.25	Complies
110	5550	16.23	0.40	16.63	23.98	0.25	Complies
134	5670	15.92	0.40	16.32	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.57	23.98	0.25	Complies
110	5550	22.64	23.98	0.25	Complies
134	5670	21.97	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.87	0.74	15.61	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.04	0.74	13.78	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.87	0.74	15.61	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.08	0.74	14.82	23.98	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.04	23.98	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.13	0.30	22.43	30.00	1.00	Complies
157	5785	22.53	0.30	22.83	30.00	1.00	Complies
165	5825	22.84	0.30	23.14	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.58	0.30	21.88	30.00	1.00	Complies
157	5785	21.66	0.30	21.96	30.00	1.00	Complies
165	5825	21.98	0.30	22.28	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.81	0.30	22.11	30.00	1.00	Complies
157	5785	21.70	0.30	22.00	30.00	1.00	Complies
165	5825	21.88	0.30	22.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.37	0.30	22.67	30.00	1.00	Complies
157	5785	22.50	0.30	22.80	30.00	1.00	Complies
165	5825	22.73	0.30	23.03	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.30	30.00	1.00	Complies
157	5785	28.44	30.00	1.00	Complies
165	5825	28.70	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.22	0.40	21.62	30.00	1.00	Complies
159	5795	22.01	0.40	22.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.44	0.40	20.84	30.00	1.00	Complies
159	5795	20.96	0.40	21.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.99	0.40	21.39	30.00	1.00	Complies
159	5795	21.54	0.40	21.94	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.24	0.40	21.64	30.00	1.00	Complies
159	5795	21.99	0.40	22.39	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.40	30.00	1.00	Complies
159	5795	28.07	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.73	0.74	19.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.74	0.74	18.48	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.81	0.74	19.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.83	0.74	19.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.31	30.00	1.00	Complies

Test Mode	TX AC (VHT80+80) Mode_Ant. 1+2
-----------	--------------------------------

Frequency (MHz)		Conducted Output Power –ANT.1 (dBm)	Conducted Output Power –ANT.2 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5210	10.79	10.35	13.59	0.74	14.33	30.00	1.00	Complies

Test Mode	TX AC (VHT80+80) Mode_Ant. 3+4
-----------	--------------------------------

Frequency (MHz)		Conducted Output Power –ANT.3 (dBm)	Conducted Output Power –ANT.4 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5290	11.52	10.85	14.21	0.74	14.95	23.98	0.25	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.70	0.27	17.97	30.00	1.00	Complies
40	5200	17.92	0.27	18.19	30.00	1.00	Complies
48	5240	18.12	0.27	18.39	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.38	0.27	17.65	30.00	1.00	Complies
40	5200	17.80	0.27	18.07	30.00	1.00	Complies
48	5240	18.00	0.27	18.27	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.59	0.27	17.86	30.00	1.00	Complies
40	5200	17.64	0.27	17.91	30.00	1.00	Complies
48	5240	17.99	0.27	18.26	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.95	0.27	18.22	30.00	1.00	Complies
40	5200	18.50	0.27	18.77	30.00	1.00	Complies
48	5240	18.59	0.27	18.86	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.95	30.00	1.00	Complies
40	5200	24.27	30.00	1.00	Complies
48	5240	24.47	30.00	1.00	Complies



Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.38	0.27	15.65	30.00	1.00	Complies
46	5230	20.46	0.27	20.73	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.21	0.27	15.48	30.00	1.00	Complies
46	5230	19.66	0.27	19.93	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.54	0.27	15.81	30.00	1.00	Complies
46	5230	19.54	0.27	19.81	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.25	0.27	15.52	30.00	1.00	Complies
46	5230	19.72	0.27	19.99	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.64	30.00	1.00	Complies
46	5230	26.15	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.05	0.27	14.32	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.35	0.27	13.62	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.17	0.27	14.44	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.81	0.27	14.08	30.00	1.00	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.15	30.00	1.00	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.69	0.27	11.96	23.98	0.25	Complies
60	5300	11.66	0.27	11.93	23.98	0.25	Complies
64	5320	11.67	0.27	11.94	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.97	0.27	11.24	23.98	0.25	Complies
60	5300	10.98	0.27	11.25	23.98	0.25	Complies
64	5320	10.99	0.27	11.26	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.41	0.27	13.68	23.98	0.25	Complies
60	5300	13.00	0.27	13.27	23.98	0.25	Complies
64	5320	12.29	0.27	12.56	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.97	0.27	13.24	23.98	0.25	Complies
60	5300	13.10	0.27	13.37	23.98	0.25	Complies
64	5320	12.90	0.27	13.17	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.66	23.98	0.25	Complies
60	5300	18.57	23.98	0.25	Complies
64	5320	18.31	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.98	0.27	16.25	23.98	0.25	Complies
62	5310	15.02	0.27	15.29	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.29	0.27	14.56	23.98	0.25	Complies
62	5310	13.44	0.27	13.71	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.86	0.27	17.13	23.98	0.25	Complies
62	5310	15.30	0.27	15.57	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.93	0.27	17.20	23.98	0.25	Complies
62	5310	15.54	0.27	15.81	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.42	23.98	0.25	Complies
62	5310	21.19	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.45	0.27	11.72	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.75	0.27	11.02	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.37	0.27	13.64	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.75	0.27	13.02	23.98	0.25	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.49	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.29	0.27	14.56	23.98	0.25	Complies
116	5580	14.38	0.27	14.65	23.98	0.25	Complies
140	5700	12.49	0.27	12.76	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.67	0.27	12.94	23.98	0.25	Complies
116	5580	13.96	0.27	14.23	23.98	0.25	Complies
140	5700	12.74	0.27	13.01	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.57	0.27	14.84	23.98	0.25	Complies
116	5580	14.52	0.27	14.79	23.98	0.25	Complies
140	5700	12.33	0.27	12.60	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.79	0.27	14.06	23.98	0.25	Complies
116	5580	14.40	0.27	14.67	23.98	0.25	Complies
140	5700	13.27	0.27	13.54	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.18	23.98	0.25	Complies
116	5580	20.61	23.98	0.25	Complies
140	5700	19.01	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.43	0.27	14.70	23.98	0.25	Complies
110	5550	16.61	0.27	16.88	23.98	0.25	Complies
134	5670	14.68	0.27	14.95	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.25	0.27	13.52	23.98	0.25	Complies
110	5550	16.45	0.27	16.72	23.98	0.25	Complies
134	5670	14.90	0.27	15.17	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.93	0.27	15.20	23.98	0.25	Complies
110	5550	16.78	0.27	17.05	23.98	0.25	Complies
134	5670	14.89	0.27	15.16	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.93	0.27	14.20	23.98	0.25	Complies
110	5550	16.84	0.27	17.11	23.98	0.25	Complies
134	5670	15.50	0.27	15.77	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.47	23.98	0.25	Complies
110	5550	22.96	23.98	0.25	Complies
134	5670	21.29	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.35	0.27	14.62	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.46	0.27	12.73	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.45	0.27	14.72	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.65	0.27	13.92	23.98	0.25	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.09	23.98	0.25	Complies



Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.26	0.27	22.53	30.00	1.00	Complies
157	5785	22.82	0.27	23.09	30.00	1.00	Complies
165	5825	22.57	0.27	22.84	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.77	0.27	22.04	30.00	1.00	Complies
157	5785	23.40	0.27	23.67	30.00	1.00	Complies
165	5825	22.93	0.27	23.20	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.85	0.27	22.12	30.00	1.00	Complies
157	5785	23.24	0.27	23.51	30.00	1.00	Complies
165	5825	23.10	0.27	23.37	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.44	0.27	22.71	30.00	1.00	Complies
157	5785	24.04	0.27	24.31	30.00	1.00	Complies
165	5825	23.87	0.27	24.14	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.38	30.00	1.00	Complies
157	5785	29.69	30.00	1.00	Complies
165	5825	29.43	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.34	0.27	19.61	30.00	1.00	Complies
159	5795	20.19	0.27	20.46	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.61	0.27	18.88	30.00	1.00	Complies
159	5795	20.35	0.27	20.62	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.26	0.27	18.53	30.00	1.00	Complies
159	5795	20.87	0.27	21.14	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.36	0.27	19.63	30.00	1.00	Complies
159	5795	21.18	0.27	21.45	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.21	30.00	1.00	Complies
159	5795	26.95	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.20	0.27	18.47	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.20	0.27	17.47	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.46	0.27	18.73	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.36	0.27	18.63	30.00	1.00	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.37	30.00	1.00	Complies

Test Mode	TX ax (HE80+80) Mode_Ant. 1+2
-----------	-------------------------------

Frequency (MHz)		Conducted Output Power –ANT.1 (dBm)	Conducted Output Power –ANT.2 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5210	10.72	6.37	12.08	0.27	12.35	30.00	1.00	Complies

Test Mode	TX ax (HE80+80) Mode_Ant. 3+4
-----------	-------------------------------

Frequency (MHz)		Conducted Output Power –ANT.3 (dBm)	Conducted Output Power –ANT.4 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5290	10.22	7.95	12.24	0.27	12.51	23.98	0.25	Complies

**Beamforming**

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.38	0.23	18.61	25.03	0.32	Complies
40	5200	16.98	0.23	17.21	25.03	0.32	Complies
48	5240	16.74	0.23	16.97	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.92	0.23	18.15	25.03	0.32	Complies
40	5200	16.18	0.23	16.41	25.03	0.32	Complies
48	5240	16.69	0.23	16.92	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.13	0.23	19.36	25.03	0.32	Complies
40	5200	16.53	0.23	16.76	25.03	0.32	Complies
48	5240	16.54	0.23	16.77	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.55	0.23	18.78	25.03	0.32	Complies
40	5200	16.42	0.23	16.65	25.03	0.32	Complies
48	5240	16.89	0.23	17.12	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.77	25.03	0.32	Complies
40	5200	22.79	25.03	0.32	Complies
48	5240	22.97	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.57	0.24	16.81	25.03	0.32	Complies
46	5230	18.27	0.24	18.51	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.97	0.24	16.21	25.03	0.32	Complies
46	5230	18.14	0.24	18.38	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.47	0.24	16.71	25.03	0.32	Complies
46	5230	17.79	0.24	18.03	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.28	0.24	16.52	25.03	0.32	Complies
46	5230	18.46	0.24	18.70	25.03	0.32	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.59	25.03	0.32	Complies
46	5230	24.43	25.03	0.32	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.22	0.23	10.45	19.03	0.08	Complies
60	5300	10.31	0.23	10.54	19.03	0.08	Complies
64	5320	10.94	0.23	11.17	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.81	0.23	10.04	19.03	0.08	Complies
60	5300	9.79	0.23	10.02	19.03	0.08	Complies
64	5320	10.47	0.23	10.70	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.07	0.23	12.30	19.03	0.08	Complies
60	5300	11.64	0.23	11.87	19.03	0.08	Complies
64	5320	12.42	0.23	12.65	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.64	0.23	11.87	19.03	0.08	Complies
60	5300	11.58	0.23	11.81	19.03	0.08	Complies
64	5320	12.51	0.23	12.74	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.29	19.03	0.08	Complies
60	5300	17.15	19.03	0.08	Complies
64	5320	17.93	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.39	0.24	12.63	19.03	0.08	Complies
62	5310	11.62	0.24	11.86	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.50	0.24	10.74	19.03	0.08	Complies
62	5310	10.86	0.24	11.10	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.34	0.24	13.58	19.03	0.08	Complies
62	5310	12.77	0.24	13.01	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.01	0.24	13.25	19.03	0.08	Complies
62	5310	12.90	0.24	13.14	19.03	0.08	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.70	19.03	0.08	Complies
62	5310	18.38	19.03	0.08	Complies



Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.28	0.23	12.51	19.03	0.08	Complies
116	5580	12.10	0.23	12.33	19.03	0.08	Complies
140	5700	12.05	0.23	12.28	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.02	0.23	11.25	19.03	0.08	Complies
116	5580	11.67	0.23	11.90	19.03	0.08	Complies
140	5700	12.13	0.23	12.36	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.64	0.23	12.87	19.03	0.08	Complies
116	5580	12.06	0.23	12.29	19.03	0.08	Complies
140	5700	12.19	0.23	12.42	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.91	0.23	12.14	19.03	0.08	Complies
116	5580	11.87	0.23	12.10	19.03	0.08	Complies
140	5700	12.25	0.23	12.48	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.26	19.03	0.08	Complies
116	5580	18.18	19.03	0.08	Complies
140	5700	18.41	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.65	0.24	12.89	19.03	0.08	Complies
110	5550	12.95	0.24	13.19	19.03	0.08	Complies
134	5670	11.70	0.24	11.94	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.73	0.24	11.97	19.03	0.08	Complies
110	5550	12.16	0.24	12.40	19.03	0.08	Complies
134	5670	11.79	0.24	12.03	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.45	0.24	12.69	19.03	0.08	Complies
110	5550	12.72	0.24	12.96	19.03	0.08	Complies
134	5670	11.80	0.24	12.04	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.12	0.24	12.36	19.03	0.08	Complies
110	5550	12.67	0.24	12.91	19.03	0.08	Complies
134	5670	12.29	0.24	12.53	19.03	0.08	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.51	19.03	0.08	Complies
110	5550	18.90	19.03	0.08	Complies
134	5670	18.16	19.03	0.08	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.82	0.23	18.05	25.03	0.32	Complies
157	5785	18.26	0.23	18.49	25.03	0.32	Complies
165	5825	18.67	0.23	18.90	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.41	0.23	17.64	25.03	0.32	Complies
157	5785	17.46	0.23	17.69	25.03	0.32	Complies
165	5825	17.70	0.23	17.93	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.65	0.23	17.88	25.03	0.32	Complies
157	5785	17.63	0.23	17.86	25.03	0.32	Complies
165	5825	17.59	0.23	17.82	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.10	0.23	18.33	25.03	0.32	Complies
157	5785	18.37	0.23	18.60	25.03	0.32	Complies
165	5825	18.69	0.23	18.92	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.01	25.03	0.32	Complies
157	5785	24.20	25.03	0.32	Complies
165	5825	24.45	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.06	0.24	17.30	25.03	0.32	Complies
159	5795	17.80	0.24	18.04	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.21	0.24	16.45	25.03	0.32	Complies
159	5795	16.65	0.24	16.89	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.70	0.24	16.94	25.03	0.32	Complies
159	5795	17.12	0.24	17.36	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.06	0.24	17.30	25.03	0.32	Complies
159	5795	17.75	0.24	17.99	25.03	0.32	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.03	25.03	0.32	Complies
159	5795	23.62	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.31	0.30	18.61	25.03	0.32	Complies
40	5200	17.12	0.30	17.42	25.03	0.32	Complies
48	5240	16.81	0.30	17.11	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.94	0.30	18.24	25.03	0.32	Complies
40	5200	16.28	0.30	16.58	25.03	0.32	Complies
48	5240	16.79	0.30	17.09	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.07	0.30	19.37	25.03	0.32	Complies
40	5200	16.55	0.30	16.85	25.03	0.32	Complies
48	5240	16.54	0.30	16.84	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.65	0.30	18.95	25.03	0.32	Complies
40	5200	16.52	0.30	16.82	25.03	0.32	Complies
48	5240	17.05	0.30	17.35	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.84	25.03	0.32	Complies
40	5200	22.95	25.03	0.32	Complies
48	5240	23.13	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.67	0.40	17.07	25.03	0.32	Complies
46	5230	18.38	0.40	18.78	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.06	0.40	16.46	25.03	0.32	Complies
46	5230	18.31	0.40	18.71	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.57	0.40	16.97	25.03	0.32	Complies
46	5230	17.99	0.40	18.39	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.36	0.40	16.76	25.03	0.32	Complies
46	5230	18.78	0.40	19.18	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.85	25.03	0.32	Complies
46	5230	24.80	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.16	0.74	14.90	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.14	0.74	13.88	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.01	0.74	14.75	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.88	0.74	14.62	25.03	0.32	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.58	25.03	0.32	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.31	0.30	10.61	19.03	0.08	Complies
60	5300	10.35	0.30	10.65	19.03	0.08	Complies
64	5320	11.06	0.30	11.36	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.91	0.30	10.21	19.03	0.08	Complies
60	5300	9.82	0.30	10.12	19.03	0.08	Complies
64	5320	10.59	0.30	10.89	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.22	0.30	12.52	19.03	0.08	Complies
60	5300	11.73	0.30	12.03	19.03	0.08	Complies
64	5320	12.51	0.30	12.81	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.76	0.30	12.06	19.03	0.08	Complies
60	5300	11.65	0.30	11.95	19.03	0.08	Complies
64	5320	12.56	0.30	12.86	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.48	19.03	0.08	Complies
60	5300	17.29	19.03	0.08	Complies
64	5320	18.09	19.03	0.08	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.41	0.40	12.81	19.03	0.08	Complies
62	5310	11.62	0.40	12.02	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.45	0.40	10.85	19.03	0.08	Complies
62	5310	10.80	0.40	11.20	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.48	0.40	13.88	19.03	0.08	Complies
62	5310	12.76	0.40	13.16	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.07	0.40	13.47	19.03	0.08	Complies
62	5310	13.07	0.40	13.47	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.92	19.03	0.08	Complies
62	5310	18.58	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.58	0.74	12.32	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.65	0.74	11.39	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.41	0.74	14.15	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.75	0.74	13.49	19.03	0.08	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.99	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.57	0.30	12.87	19.03	0.08	Complies
116	5580	12.22	0.30	12.52	19.03	0.08	Complies
140	5700	12.05	0.30	12.35	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.14	0.30	11.44	19.03	0.08	Complies
116	5580	11.81	0.30	12.11	19.03	0.08	Complies
140	5700	11.78	0.30	12.08	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.67	0.30	12.97	19.03	0.08	Complies
116	5580	12.41	0.30	12.71	19.03	0.08	Complies
140	5700	12.15	0.30	12.45	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.90	0.30	12.20	19.03	0.08	Complies
116	5580	12.23	0.30	12.53	19.03	0.08	Complies
140	5700	12.42	0.30	12.72	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.44	19.03	0.08	Complies
116	5580	18.50	19.03	0.08	Complies
140	5700	18.43	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.53	0.40	12.93	19.03	0.08	Complies
110	5550	12.85	0.40	13.25	19.03	0.08	Complies
134	5670	12.85	0.40	13.25	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.53	0.40	11.93	19.03	0.08	Complies
110	5550	12.12	0.40	12.52	19.03	0.08	Complies
134	5670	12.94	0.40	13.34	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.85	0.40	13.25	19.03	0.08	Complies
110	5550	12.64	0.40	13.04	19.03	0.08	Complies
134	5670	11.84	0.40	12.24	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.43	0.40	12.83	19.03	0.08	Complies
110	5550	12.58	0.40	12.98	19.03	0.08	Complies
134	5670	12.35	0.40	12.75	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.78	19.03	0.08	Complies
110	5550	18.98	19.03	0.08	Complies
134	5670	18.94	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.37	0.74	13.11	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.48	0.74	12.22	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.31	0.74	13.05	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.48	0.74	13.22	19.03	0.08	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.94	19.03	0.08	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.90	0.30	18.20	25.03	0.32	Complies
157	5785	18.34	0.30	18.64	25.03	0.32	Complies
165	5825	18.69	0.30	18.99	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.50	0.30	17.80	25.03	0.32	Complies
157	5785	17.52	0.30	17.82	25.03	0.32	Complies
165	5825	17.78	0.30	18.08	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.66	0.30	17.96	25.03	0.32	Complies
157	5785	17.49	0.30	17.79	25.03	0.32	Complies
165	5825	17.75	0.30	18.05	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.28	0.30	18.58	25.03	0.32	Complies
157	5785	18.36	0.30	18.66	25.03	0.32	Complies
165	5825	18.65	0.30	18.95	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.17	25.03	0.32	Complies
157	5785	24.27	25.03	0.32	Complies
165	5825	24.57	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.09	0.40	17.49	25.03	0.32	Complies
159	5795	17.84	0.40	18.24	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.33	0.40	16.73	25.03	0.32	Complies
159	5795	16.76	0.40	17.16	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.89	0.40	17.29	25.03	0.32	Complies
159	5795	17.46	0.40	17.86	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.00	0.40	17.40	25.03	0.32	Complies
159	5795	17.82	0.40	18.22	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.26	25.03	0.32	Complies
159	5795	23.92	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.13	0.74	17.87	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.24	0.74	16.98	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.25	0.74	17.99	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.27	0.74	18.01	25.03	0.32	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.75	25.03	0.32	Complies



Test Mode	TX AC (VHT80+80) Mode_Ant. 1+2
-----------	--------------------------------

Frequency (MHz)		Conducted Output Power –ANT.1 (dBm)	Conducted Output Power –ANT.2 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5210	10.55	10.09	13.34	0.74	14.08	25.03	0.32	Complies

Test Mode	TX AC (VHT80+80) Mode_Ant. 3+4
-----------	--------------------------------

Frequency (MHz)		Conducted Output Power –ANT.3 (dBm)	Conducted Output Power –ANT.4 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5290	11.29	10.62	13.98	0.74	14.72	19.03	0.08	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.51	0.27	17.78	25.03	0.32	Complies
40	5200	17.77	0.27	18.04	25.03	0.32	Complies
48	5240	18.01	0.27	18.28	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.26	0.27	17.53	25.03	0.32	Complies
40	5200	17.68	0.27	17.95	25.03	0.32	Complies
48	5240	17.87	0.27	18.14	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.43	0.27	17.70	25.03	0.32	Complies
40	5200	17.49	0.27	17.76	25.03	0.32	Complies
48	5240	17.82	0.27	18.09	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.85	0.27	18.12	25.03	0.32	Complies
40	5200	18.31	0.27	18.58	25.03	0.32	Complies
48	5240	18.49	0.27	18.76	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.81	25.03	0.32	Complies
40	5200	24.11	25.03	0.32	Complies
48	5240	24.35	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.22	0.27	15.49	25.03	0.32	Complies
46	5230	19.16	0.27	19.43	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.09	0.27	15.36	25.03	0.32	Complies
46	5230	18.28	0.27	18.55	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.38	0.27	15.65	25.03	0.32	Complies
46	5230	18.05	0.27	18.32	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.07	0.27	15.34	25.03	0.32	Complies
46	5230	18.48	0.27	18.75	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.48	25.03	0.32	Complies
46	5230	24.80	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.90	0.27	14.17	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.17	0.27	13.44	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.02	0.27	14.9	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.62	0.27	13.89	25.03	0.32	Complies

Test Mode	UNII-1_TX ax (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.98	25.03	0.32	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.52	0.27	11.79	19.03	0.08	Complies
60	5300	11.51	0.27	11.78	19.03	0.08	Complies
64	5320	11.56	0.27	11.83	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.82	0.27	11.09	19.03	0.08	Complies
60	5300	10.86	0.27	11.13	19.03	0.08	Complies
64	5320	10.80	0.27	11.07	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.30	0.27	13.57	19.03	0.08	Complies
60	5300	12.87	0.27	13.14	19.03	0.08	Complies
64	5320	12.12	0.27	12.39	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.79	0.27	13.06	19.03	0.08	Complies
60	5300	13.00	0.27	13.27	19.03	0.08	Complies
64	5320	12.79	0.27	13.06	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.51	19.03	0.08	Complies
60	5300	18.44	19.03	0.08	Complies
64	5320	18.17	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.51	0.27	12.78	19.03	0.08	Complies
62	5310	12.62	0.27	12.89	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.85	0.27	11.12	19.03	0.08	Complies
62	5310	11.07	0.27	11.34	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.43	0.27	13.70	19.03	0.08	Complies
62	5310	12.91	0.27	13.18	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.51	0.27	13.78	19.03	0.08	Complies
62	5310	13.11	0.27	13.38	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.99	19.03	0.08	Complies
62	5310	18.79	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.34	0.27	11.61	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.65	0.27	10.92	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.19	0.27	13.46	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.60	0.27	12.87	19.03	0.08	Complies

Test Mode	UNII-2A_TX ax (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.35	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.74	0.27	13.01	19.03	0.08	Complies
116	5580	12.65	0.27	12.92	19.03	0.08	Complies
140	5700	10.91	0.27	11.18	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.13	0.27	11.40	19.03	0.08	Complies
116	5580	12.23	0.27	12.50	19.03	0.08	Complies
140	5700	11.22	0.27	11.49	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.03	0.27	13.30	19.03	0.08	Complies
116	5580	12.53	0.27	12.80	19.03	0.08	Complies
140	5700	10.81	0.27	11.08	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.28	0.27	12.55	19.03	0.08	Complies
116	5580	12.83	0.27	13.10	19.03	0.08	Complies
140	5700	11.70	0.27	11.97	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.64	19.03	0.08	Complies
116	5580	18.85	19.03	0.08	Complies
140	5700	17.46	19.03	0.08	Complies



Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.90	0.27	13.17	19.03	0.08	Complies
110	5550	12.29	0.27	12.56	19.03	0.08	Complies
134	5670	12.13	0.27	12.40	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.71	0.27	11.98	19.03	0.08	Complies
110	5550	12.34	0.27	12.61	19.03	0.08	Complies
134	5670	12.31	0.27	12.58	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.39	0.27	13.66	19.03	0.08	Complies
110	5550	12.43	0.27	12.70	19.03	0.08	Complies
134	5670	12.29	0.27	12.56	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.36	0.27	12.63	19.03	0.08	Complies
110	5550	12.54	0.27	12.81	19.03	0.08	Complies
134	5670	12.91	0.27	13.18	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.92	19.03	0.08	Complies
110	5550	18.69	19.03	0.08	Complies
134	5670	18.71	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.77	0.27	12.04	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.90	0.27	11.17	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.90	0.27	12.17	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.13	0.27	12.40	19.03	0.08	Complies

Test Mode	UNII-2C_TX ax (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.99	19.03	0.08	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.51	0.27	18.78	25.03	0.32	Complies
157	5785	18.03	0.27	18.30	25.03	0.32	Complies
165	5825	17.94	0.27	18.21	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.03	0.27	18.30	25.03	0.32	Complies
157	5785	18.61	0.27	18.88	25.03	0.32	Complies
165	5825	18.18	0.27	18.45	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.22	0.27	18.49	25.03	0.32	Complies
157	5785	18.43	0.27	18.70	25.03	0.32	Complies
165	5825	18.41	0.27	18.68	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.78	0.27	19.05	25.03	0.32	Complies
157	5785	19.26	0.27	19.53	25.03	0.32	Complies
165	5825	19.27	0.27	19.54	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.68	25.03	0.32	Complies
157	5785	24.89	25.03	0.32	Complies
165	5825	24.77	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.76	0.27	18.03	25.03	0.32	Complies
159	5795	17.54	0.27	17.81	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.01	0.27	17.28	25.03	0.32	Complies
159	5795	17.79	0.27	18.06	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.75	0.27	17.02	25.03	0.32	Complies
159	5795	18.29	0.27	18.56	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.84	0.27	18.11	25.03	0.32	Complies
159	5795	18.56	0.27	18.83	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.65	25.03	0.32	Complies
159	5795	24.35	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.14	0.27	18.41	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.19	0.27	17.46	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.37	0.27	18.64	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.31	0.27	18.58	25.03	0.32	Complies

Test Mode	UNII-3_TX ax (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.32	25.03	0.32	Complies

Test Mode	TX ax (HE80+80) Mode_Ant. 1+2
-----------	-------------------------------

Frequency (MHz)		Conducted Output Power –ANT.1 (dBm)	Conducted Output Power –ANT.2 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5210	10.45	6.09	11.81	0.27	12.08	25.03	0.32	Complies




Test Mode	TX ax (HE80+80) Mode_Ant. 3+4
-----------	-------------------------------

Frequency (MHz)		Conducted Output Power –ANT.3 (dBm)	Conducted Output Power –ANT.4 (dBm)	Total Conducted Output Power (dBm)	Duty Factor	Total Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
5210(1/2)+5290(3/4)	5290	10.01	7.69	12.01	0.27	12.28	19.03	0.08	Complies

## **APPENDIX G - POWER SPECTRAL DENSITY**




Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.87	0.24	9.11	17.00	Complies
40	5200	10.85	0.24	11.09	17.00	Complies
48	5240	14.40	0.24	14.64	17.00	Complies



Test Mode	UNII-2A_TX A Mode
-----------	-------------------




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.49	0.24	10.73	11.00	Complies
60	5300	10.76	0.24	11.00	11.00	Complies
64	5320	8.58	0.24	8.82	11.00	Complies





Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.61	0.24	7.85	11.00	Complies
116	5580	10.57	0.24	10.81	11.00	Complies
140	5700	6.64	0.24	6.88	11.00	Complies






Date: 6.MAR.2021 12:37:54

Date: 6.MAR.2021 13:01:36

Date: 6.MAR.2021 13:35:12

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.29	0.24	10.53	30.00	Complies
157	5785	10.43	0.24	10.67	30.00	Complies
165	5825	10.07	0.24	10.31	30.00	Complies



Date: 6.MAR.2021 13:37:03

Date: 6.MAR.2021 13:39:53

Date: 6.MAR.2021 13:43:51